PROCEEDINGS OF THE BROWN COUNTY
HUMAN SERVICES COMMITTEE

Pursuant to Section 19.84 Wis. Stats., a regular meeting of the **Brown County Human Services Committee** was held on Wednesday, November 16, 2016 at Northern Building, 305 E. Walnut Street, Green Bay, Wisconsin.

Present: Chair Hoyer, Supervisor Schadewald, Supervisor Brusky, Supervisor De Wane, Supervisor Linssen
Also Present: Supervisors Nicholson and Zima, Human Services Director Erik Pritzl, Human Services Finance Manager Eric Johnson, Nursing Home Administrator Luke Schubert, Health Environmental/Lab Manager Rob Gollman, Director of Administration Chad Weininger, Corporation Counsel Dave Hemery, interested parties, news media

---

Audio of this meeting is available by contacting the County Board Office at (920) 448-4015

I. **Call Meeting to Order.**

The meeting was called to order by Chair Hoyer at 5:30 p.m.

II. **Approve/Modify Agenda.**

To move 4, 8 & 9 after Item III.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to modify the agenda to take Items 4, 8 and 9 after approve/modify minutes. Vote taken. MOTION CARRIED UNANIMOUSLY

III. **Approve/Modify Minutes of October 11, 2016.**

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to modify the minutes to change the word "Healthy" to "Howe" on page 7. Vote taken. MOTION CARRIED UNANIMOUSLY

Motion made by Supervisor Schadewald, seconded by Supervisor Linssen to hold item 4 until Nursing Home Administrator Luke Schubert arrived. Vote taken. MOTION CARRIED UNANIMOUSLY

Although shown in proper format here, Item 8 was taken at this time.

Comments from the Public - None

Presentation by Rise Together

Douglas Darby, N5169 Redwood Ln., Shawano – Co-Founder of Rise Together
Anthony Alvarado, President and Co-Founder of Rise Together
Darby and Alvarado gave a brief overlay of what Rise Together (www.weallrisetogether.org) did, explaining that they carried out their mission through public speaking using their own personal stories while encouraging students to speak about issues such as suicide, bullying, mental illness, drugs and alcohol. Handouts were provided (attached) including testimonies, their annual strategy and projected budget. Alvarado explained they were looking to educate and provide services to Brown County on an annual basis for the next three years. What they are willing to offer is outlined in the process and implementation strategy located within the handouts.

De Wane questioned who paid for their speaking engagements. Darby responded it was from a multitude such as a community association, direct fund from the school, police enforcement, and hospital association. De Wane informed he was interested and suggested a partnership. Alvarado informed outreach was easier if they can obtain community support in dollars and they did it on a one by one basis. If there was money available for preventative based programs they would like to partner up with that. Although they are affective and interested in serving any community, they had difficulty serving in their own backyard. One thing that came up was because the schools had been the primary funding resource for this prevention model and most school funds were limited in regard to how much they could spend on AODA measures so it made sense to continue their other partnerships. A discussion with regard to grants ensued; Alverado informed it would have to be an application through an organization that can receive state and government based grants. Because they provide development of curriculum and

educational products and programs they were a for profit organization. They had a fiscal agent over the last year and decided to part ways because they moved quicker focusing on their preventative development. They had been very successful the last three years operating in that for-profit world but it limited them to receiving the state or localized grant activities. Being a for-profit would not matter for county based funds.

De Wane was concerned with ending the program after three years as they will have the next group of kids coming up. Especially if they can partner up with someone such as the Sheriff's Department or school system. Darby responded that this is where the Peer to Peer System came into play. They develop in-school leaders throughout the RAISE programs – Recovery Alias and Individuals Supporting Each other with a staff liaison overseeing the project while initiating student leaders.

Linssen requested that they supply the committee with the results of the student surveys, along with what they use to collect the information and how they process it. *Audio/video of this presentation is available by contacting the County Board Office.*

1. <u>Review Minutes of</u>:

a. Aging & Disability Resource Center Board of Director's (July 14 and August 25, 2016).

Motion made by Supervisor De Wane, seconded by Supervisor Schadewald to suspend the rules to take Items 1a, b, c and e together. Vote taken. <u>MOTION CARRIED UNANIMOUSLY</u>

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to approve Items 1a, b, c and e. Vote taken. <u>MOTION CARRIED UNANIMOUSLY</u>

b. Aging & Disability Resource Center of Brown County Board (February 25, April 28 and May 26, 2016).
c. Children with Disabilities Education Board (October 13, October 24, October 26 & November 3, 2016).
d. Human Services Board (October 13, 2106).

Linssen informed that the minutes show he was both excused and making motions.

Motion made by Supervisor Schadewald, seconded by Supervisor Linssen to send back for corrections. Vote taken. <u>MOTION CARRIED UNANIMOUSLY</u>

e. Veterans' Recognition Subcommittee (September 20, 2016). *See motion at Item 1a.*

<u>Communications</u>

2. Communication from Supervisor Schadewald re: I propose that the Human Services Committee examine and draft a resolution similar to St. Croix County Resolution No. 37 (2016).

Schadewald informed that the State of Wisconsin had responded to the St. Croix Resolution. He felt they needed a resolution more toward state legislators. It also mentioned they should be talking about the PFC, they had to identify their targets for the resolution.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to receive and place on file. Vote taken. <u>MOTION CARRIED UNANIMOUSLY</u>

3. Communication from Supervisor Schadewald re: This is my request for the committee to evaluate Montana Meth Project commercials for possible use as public service announcements in Brown County. *Referred from October County Board.*

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to refer to Administration to request NEWEYE to research the way to do public service announcements, look into copyright laws, etc. and bring back in 60 days. Vote taken. <u>MOTION CARRIED UNANIMOUSLY</u>

4. Communication from Supervisor Nicholson re: Requesting the reasons why the Nursing staff at the CTC are not able to select vacation from 12/22/16 to 12/31/16. *Referred from November County Board.*

Nursing Home Administrator Luke Schubert explained they made a change due to staffing coverage issues. He put out

a study to hospitals, assisted living, and nursing homes in NE Wisconsin to get an idea of how this process compared to others. About 70% responded with their holiday rotation in relation to the block out days. There were a combination of issues, the healthcare market in this area was blocking out these days which created some challenges for them to find staffing, as staff that worked two jobs were less available. Historically they staffed with contracted agency staff or mandated staff to cover for these days. To fill their scheduling needs they decided to block out some days that were hardships due to staffing coverage by not allowing vacation to be taken from 12/20-1/1. They didn't have an incentive program but if employees worked over 40 hours they would get overtime. He informed they could pay to have agency staff coverage, but financially they were trying to be responsible and follow what the market was doing. With the new pay incentive maybe they will have people wanting to pick up shifts.

It was Nicholson's experience, being in police departments, they were able to take vacation during those weeks, supervisors were able to manage the schedule and have the manpower there. He didn't agree with the policy change as there were other agencies doing this. De Wane agreed with Nicholson, if they knew 30 days ahead of time, it was more than enough time to make sure it was filled up. Companies also made sure the rotation was different every year. Schubert stated they tried to do that with this process but it was again brought back here with the change being made.

Schadewald stated it was an administrative decision but he wanted Schubert to consider supervisors suggestions and asked that he send them a cost estimate for one person a shift, one day out of that timeframe. Nicholson would like it for one or two days off. Zima felt it was a policy matter and the committee could set the proposal. Schadewald disagreed, setting a policy of an administrative work schedule was micromanaging and he would be leery of that. Linssen wouldn't support that, he wanted to give the director some discretion; they needed it to do their job.

Linssen added that he felt if they were going to deny employees to take off it was only right if management followed the same policy. Pritzl informed they were talking about 24/7 patient care which was really why they were imposing this because industry and availability of staff was an issue. He was trying to understand the rational of that request. Linssen felt that if they were going to ask employees to work on a holiday during their normal work schedule they should hold themselves to the same standard or it set a bad example for employees. Pritzl informed that it was up to him to look at management availability, make sure there was adequate management and support available during these times. Right now it hadn't been an issue because their management was on-call 24/7. The key to vacation schedules was making sure they had adequate resources to get the job done.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to receive and place on file. Vote taken. MOTION CARRIED UNANIMOUSLY

Wind Turbine Update

5. Cost of peer review. ***Referred to Corporation Counsel and Purchasing Department.***

Corporation Counsel David Hemery informed that they did meet on this issue and if the RFP went out, it would make sense to hire a retired judge to review everything, someone who could be partial and used to reviewing volumes of documents to peer review the work of the former Health Director and comment on the process. An unbiased professional and when you come to certain areas, typically experts had an opinion already. He was hoping if not to change the focus of that, at least make it a dual focus going forward, what should be done, what studies should be looked at, how should this be analyzed to reach a decision. He wasn't sure what they were looking for from Corporation Counsel on this.

Linssen believed they were waiting for Corporation Counsel or the Attorney General to comment on whether they had to authority to do anything with the former Health Director's decision, which related to Item #6.

Motion made by Supervisor Linssen, seconded by Supervisor Schadewald to take items 5 & 6 together. Vote taken. MOTION CARRIED UNANIMOUSLY

6. Questions for Attorney General. ***Pending response from Attorney General.***

Hemery informed that Deputy Corporation Counsel Kristen Hooker, who was formerly with his office as of last Friday, was working on this. He did check with her for an update on this and the opinion had not been submitted to the AG yet. He didn't know if the committee was under the impression an opinion was written and submitted and were

waiting for a response. He received the file today and was more than happy to submit an opinion. Hoyer informed he was interacting with Hooker and she was working on it but it got postponed with all the other things going on in their office.

Linssen informed that the question was whether they had the authority to overturn anything that Ms. Xiong did. Hemery did have time to research and had his own private opinions from being an Assistant Corporation Counsel for 16 years before coming to Brown County and dealing with issues of authority. In his opinion it was not even questionable and only the Health Officer could issue an order of abatement. The County Board was a policymaking body. The Health Officer was tasked with determining what was and was not a human health hazard. There was one exception with determining a particular piece of real estate as a dilapidated property to the extent that it would be human health hazard but even that statute did not allow the County Board to take action on that. The Health Officer was the one that could issue a tall order of abatement regarding a human health hazard. It was his opinion it was entirely clear that only as far as taking action; it was only within the power of the Health Officer.

Linssen wanted it noted that the county didn't have the power to rescind her opinion. Hemery agreed. If there was a new Health Officer they may get a new opinion but they couldn't undo an opinion that was there. Linssen informed there were individuals that wanted to essentially throw it out and questioned if there were any legal options to do such? Hemery responded, it was what it was, similar to a piece of history, what happened happened and that's why he was hoping to focus more on moving forward. She was the Health Officer and issued her opinion and you can't change that. Linssen questioned if they had the power to pass a resolution condemning her? Hemery noted that through resolutions a board could comment or state their opinion on a number of matters including disagreeing with an action taken.

Hemery reiterated that they were paying someone to review this while the State of Wisconsin just issued a letter last month, listing for the last five years the studies they reviewed, and their conclusion. If they were under the impression that the person they hire would come to a different conclusion then they had the state saying one thing and their expert another while still focusing on the past. As far as what occurs, personal feelings, he always tried to look forward.

Schadewald felt they shouldn't spend any more money on something that really would have no impact whatsoever. Referring to the response from the State of Wisconsin, it sounded like they had to change the PSC and their views and plus, since Ms. Xiong made her decision, there was a bunch of new information and things being done coming out. Linssen added that if they spend, as a governmental body, the money to do that, they weren't gaining any benefit regardless of the findings and didn't see how it was their role to play in this whole debate. Hoyer felt they were looking for directions. If that was the case, Linssen didn't see the point in requesting the cost of the peer review. Schadewald worried about possible controversies once they received the results from a peer review and noted that they had to have the new Health Officer look at anyway with the new information so he wasn't sure what they gained.

Motion made by Supervisor Schadewald, seconded by Supervisor Linssen to open the floor to allow interested parties to speak. Vote taken. MOTION CARRIED UNANIMOULSY

Jim Vanden Boogart - 7463 Holly-Mor Rd, Greenleaf, WI

Vanden Boogart felt that because the State of Wisconsin came up with what they did, it did not bind the county from doing anything different. It was entirely different from what the county can and should be doing and it didn't reflect what was happening here. Both the Department of Health Services at the state and the PSC excluded everything that wasn't peer reviewed and so did Ms. Xiong. All personal testimonies and studies done at Shirley Wind were rejected and not considered even though it was internally peer reviewed by competing firms that signed a joint conclusion. Schadewald informed that the committee's question was what would happen if they would peer review? Vanden Boogart's concern was that if the determination of Ms. Xiong was allowed to stand and be represented as a credible conclusion, an authoritative credible finding, he felt it was wrong. It stood in the way of the county or the board moving forward proactively on this issue and wasn't being challenged so why did they need to do anything. He wanted the assurance that this wasn't just going to pass into the future as the gospel and there was no need for ongoing consideration or a review by the new Health Officer. Initially all Vanden Boogart wanted was someone to put on record somehow that this wasn't done right and they were going to do it over in the future.

Barbara Vanden Boogart

Vanden Boogart informed the real beginning of this was simply wanting someone at the county level to look at what was not done in the investigation and to acknowledge that this was not done properly, possibly through a resolution. Schadewald responded that the problem with that was he didn't know what 26 people would say and they could win it or lose it if they don't get at least 14 people to agree with their resolution. She stated that as an oversite to the Health Director, even if they can't direct, they could make recommendations and she encouraged them to use the document that Jim developed using what wasn't done as part of the guidelines in what they would hope and expect and encourage the next individual to pay special attention to and incorporate in doing. She would hope they would exert whatever pressure they could to help the individual understand the importance of this. Linssen would expect any future Health Officer to constantly be reviewing any type of potential health hazard to citizens of Brown County. Schadewald noted the Board of Health voted and believed it was a health hazard so they will encourage the Health Officer to look at all of the information. He reiterated that what they were trying to figure out was the specifics of what can happen with the peer review and should they spend money to do it. Jim Vanden Boogart responded that the peer review was never a part of the original request or intent but to have the county look at the information.

William Acker – Acker and Associates

One reason Acker liked the idea of going to a judge, he was one of the people who wrote out the need for a peer review because he reviewed what Xiong did and felt it was really bad. He felt with a good peer review process they can see the process she did as she explained it but didn't follow. He felt that someone who would really dig into it would be a good process. His second thought was an expert witness for a court case, someone he knew who was extremely thorough at digging into these really difficult subjects but he was having health problems. He felt if a judge had certain areas not capable of handling, a judge would know who to go to for help in the process. If they left it on the Health Director it was a huge task to take on. A judge would be better equipped at digging into all of this stuff and trying to make a decision if the process was good or bad, etc.

De Wane had to agree with Hemery on this, a judge was going to look at this, they already had a state ruling that the Health Director had the final answer and they don't overturn those kind of decisions and they just lost everything. Acker was confident the judge would see what they were seeing on hand and make the decision in their favor. De Wane again questioned who was going to pay for the experts. Linssen didn't think the County Board was going to fund it given there was no legal significance but suggested that others could always raise the money.

Barb disagreed to some degree with Acker's opinions, she didn't think it was as difficult as he was guessing; a person who had intelligence who took the time and effort to read the documents by experts would come to an appropriate decision.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to return to regular order of business. Vote taken. MOTION CARRIED UNANIMOULSY

Motion made by Supervisor Schadewald, seconded by Supervisor Linssen to receive and place on file Item #5. Vote taken. MOTION CARRIED UNANIMOUSLY

Motion made by Supervisor Linssen, seconded by Supervisor Schadewald to receive and place on file Item #6. Vote taken. MOTION CARRIED UNANIMOUSLY

7. Receive new information – Standing Item.

Jim Vanden Boogart provided several handouts (attached) re: Wind Turbine Noise and Human Health: A Four-Decade History of Evidence that Wind Turbines Pose Risks, in which he spoke to.

Brown County Health Environmental/Laboratory Manager Rob Gollman submitted documents he received in response to his prior request going back to August 2016 when asked to work on dealing with some of the issues related to complaints regarding infrasound, low frequency noise. His request prior had been unanswered by the Bureau of Environmental and Occupational Health Department of Health Services.

Hoyer informed that the lobbying organization on behalf of the Wisconsin Counties Association, at their meeting passed a resolution to support a statewide study founded by the State of Wisconsin on the impact of industrial wind

turbines on human health. That was part of their legislative agenda for 2017-2018.

Resolutions/Ordinances

8. Resolution Approving Funding to Provide Safe and Secure Transitional Housing in Brown County. ***Referred from November County Board.***

Supervisor Zima felt a majority of the County Board didn't fully understand the importance of what their committee unanimously recommended as it was the next logical step in the efforts to start taking care of the mentally ill. Their whole effort was to provide better mental health services and alcohol and drug abuse services to the community, to try to relieve some of the congestion at the jail. This was the last piece of the four pieces that they put into play last year. He felt $400,000 would take care of the study and allow them to start looking to create some type of transitional housing by the middle of next year. Transitional housing was their number one need as there was very little in Brown County. He felt they needed a long term mental health facility, which the county had for years and years. If they don't take this next step he felt the Mental Health Task Force mine as well stop meeting. The money wasn't all used up last year but he understood that even though that money was segregated, Administration was including it in the budget to offset their own built in losses in their department, which he felt should have been budgeted for. They shouldn't have to take money from the General Fund to take the next logical step.

Motion made by Supervisor Schadewald, seconded by Supervisor Brusky to they send to Corporation Counsel with this intent: Therefore the County Board of Supervisors approve a budget carryover of 2016 funds from the money allocated for Mental Health initiative funds in the amount up to $75,000 for a study of programming and housing needed for transitional housing in Brown County. Vote taken. MOTION CARRIED UNANIMOUSLY

Schadewald stated this was the first step. November 2015, a majority of the board voted for $1.1M to go toward the Mental Health Initiative. Without programming, a study or a plan they voted on a concept and only ended up spending $460,000 this year. For the transitional housing, he'd prefer they do the study of the programming and housing needed out of these funds. He agreed with the transitional housing but he wanted to be prudent. If they get a study back they could vote on the money, which would be part of the general fund. Zima added that $400,000 wasn't going to be the end cost of transitional housing. A brief discussion ensued with regard to moving the $400,000 and possibly creating a budgetary structural deficit because they already levied the dollars for this year, which is what Schadewald was not interested in. They voted November 2015 for $1.1M, they didn't spend it all and they voted a few weeks ago to give them $1.1M for 2017. If they start taking money they saved and use it, the following year they had a structural deficit. Their budget had to be reconciled at the end of the year and they had to balance their books. Linssen questioned if they could withhold certain funds from being applied to the general fund for this program at that time. Hoyer responded that within the budget of Human Services there was going to be a deficit and there wouldn't be anything to withhold. They couldn't spend the money right now as they didn't know what to spend it on before December 31st.

Pritzl provided a brief history, when the committee met in 2015 and brought forward the $1.1M, there were four parts that were roughly sketched out. They knew they didn't have all the plans in place and it would take time. They had to get the protocols established and vendors selected, etc. The idea was to get the money in the budget and get it carried forward year after year if possible to support those initiatives once they are in place. Everyone had to go before the committee and County Board so everyone knew what they were doing and when. He learned they did not have adequate coordination or project management resources to launch something that scale with their department right now. At the committee level he talked about having someone come in and help them going forward.

Motion made by Supervisor De Wane, seconded by Supervisor Linssen to make a motion by substitution to put the $400,000 aside and use $75,000 or whatever it takes to do the study and if the study comes quick enough and they know they need housing whether a rental or put towards a new building or house to do this project, that it's there but if it's not done by the end of the year the funds will go into the General Fund.

Questions arose with regard to the budget process and where the money was coming from. Schadewald noted that this was tried on the County Board floor and people were confused and it was sent back to this committee. They didn't want to put it in the budget or approve the transfer of funds because they didn't know where the money was going to go, there was not a plan in place. Schadewald stated that it was not a good budgetary practice to start taking monies that were budgeted for a certain reason and then start thinking of ways in December to take that money and spend it on something else the following tax year. It was not a good practice. Zima felt it was a little disingenuous. It was being

used for pretty much the same purpose. Schadewald informed that transitional housing was not brought before the County Board. Zima responded that that was their initiative and what they were working on this year. That was their recommendation to continue the work they were doing. Schadewald questioned why they waited until the budget to bring in their new plan that nobody knows what it is? Zima responded that last year was the same thing one month earlier and it worked beautifully with money left over. Schadewald stated that now they wanted to take more money and have more money left over. Zima added this was a small piece of what they asked for the year before. Linssen felt they could request funding at any time. Zima stated there was a 2/3rd requirement and the burden to get it passed was much greater. Linssen agreed with Zima but he agreed with Schadewald that it was not the proper way to do it. Neither of them wanted to set a precedent.

Motion made by Supervisor De Wane, seconded by Supervisor Schadewald to open the floor to allow interested parties to speak. Vote taken. MOTION CARRIED UNANIMOUSLY

Candace Siebert – 1296 View Lane, Green Bay
Siebert informed they were involved with asking for the money towards mental health particularly with AODA services. Even though it wasn't part of the 4 parts, the transitional living was exactly what they begged for; sober living, keeping people out of the jails and offering them an alternative for safe living and programming with the money for the mental health budget. She agreed with Zima, why couldn't this be considered in the 4-parts? When they hear $400,000, that makes them cringe, they have so many programs they could put in place or buy a house tomorrow and do sober living with programming. With regard to the $75,000 for the study, she felt there were times when a study was important but felt there was money immediately that could be used. They went to the Heroine and some Drug Court meetings and they had trouble with housing. There were young women at St. John's Shelter where they don't need to be and it was not because of their behavior, they didn't have housing for these people.

Hoyer felt in some of their minds when they heard transitional housing and transitional recovery, he personally confused the two parts and thought they were voting for transitional housing when they were voting for transitional recovery. Which was a longer term recovery but not what they were thinking of now.

Motion made by Supervisor De Wane, seconded by Schadewald to return to regular order of business. Vote taken. MOTION CARRIED UNANIMOUSLY

Motion by Supervisor De Wane, seconded by Supervisor Linssen to amend his motion to put up to $75,000 for the study and $325,000 for transitional living if the study so shows that they need it. Vote taken. Ayes: De Wane; Nays: Linssen, Schadewald, Brusky, Hoyer. MOTION FAILED 4 to 1

Linssen stated that he would second the vote on the amended motion because he preferred it over the first one.

Schadewald stated while he greatly appreciated everything Siebert said, the first questions that were asked and the questions he had was who was going to staff it, how much insurance was that going to cost, who was going to run it, they didn't have any of the answers. He didn't get that taking money from monies that were budgeted for one reason and start to spew them out into various reasons. Zima stated they would have to go back for approval. Schadewald responded, they would have to come for approval in that year and they didn't have any money this year. It did not make sense to him.

Linssen agreed with Schadewald, he supported what Zima was saying and he would go to bat for it when it came up but he would not support something that was questionable in a procedural manner. He will support the spending of the money from the general fund, as it will come from there one way or the other practically speaking, once they know how much they were spending and how they were going to spend it.

Brusky felt they all supported it but felt some wanted to do it one step at a time. She felt uncomfortable saying $400,000 when they really don't know what it would cost and would support a study to determine an appropriate amount to spend, then they could vote on it.

After further discussions, a vote was taken on Supervisor De Wane's motion which failed 4 to 1. The committee voted on the original motion by Supervisor Schadewald which passed unanimously.

Human Services Department

9. Update re: County policies re: visiting hours for relatives, court appointed guardians, and other professional services personnel at the Community Treatment Center.

Handouts were provided (attached) re: Visiting and Group Programming Schedules. Nursing Home Administrator Luke Schubert informed that he reviewed and compared other state, county, and private hospital policies and it was all over the board. The consistent theme was that hours were based around programming. During their last CMS health inspection survey it was noted that their visiting hours needed to be separate from available programming. Clients were on hospital level care to have the opportunity to engage in group therapies, see a physician, get medicine stabilized in that high acute setting. Their policy historically, post survey, went from 6-8pm daily, he recommended opening up the hours 11:30am-12:30pm daily, continue with 6-8pm and make alternative arrangements for family that had conflicts. The guardian was subject to the same hours.

Zima felt the changes proposed were minimal to nothing. The programming was incidental to improving the mental health of the clients. Yes, they needed to do something to fill their time and some therapies were beneficial to them but having visitation with family and friends was a form of therapy too. People needed to be able to come when they had availability, weekend hours were the same even with minimal programming. A professional psychological therapist was only allowed during visiting hours. The jail was less restrictive and had three sets of visiting hours for prisoners.

Schadewald agreed with Zima in one sense and questioned if they granted exceptions for family. Schubert stated that if there was an arrangement made through the physician and it was part of the treatment plan, yes. Schadewald would like to hear the policies they had about guardians and family coming at whatever hours. He appreciated that they needed structure but was more interested in exceptions, so they understood there was fluidity in people's lives.

Responding to Linssen, Pritzl informed the only reason people were under commitment or at emergency attention to that facility was because typically they were a danger to themselves or others; occasionally there were some people who were voluntary consumers. Linssen clarified what he was asking, at what percent would they consider residents to be a threat to visiting members. Pritzl stated he would have to have their psychiatrist articulate that based on their assessment of each person. Schubert informed that their adult unit had a mix of people for different reasons and percentages changed from day to day.

Linssen agreed with Zima, he always had the privilege in being profession when it came to these types of things and there were always exceptions that they made for certain people but he knew there were other people that exceptions didn't get made for and that could be difficult. He had a personal experience recently where he became frustrated with a similar rule they had as a non-professional visitor. He agreed with Zima that the rigidity of some of the stuff was above and beyond what it needed to be sometimes. He would like them to do was to see if there was a way to be more flexible about limiting the number of hours of non-profession visitors while still being very flexible. He knew it would be more work for them but he felt it was important that family members could visit when they could visit. Schubert informed that they did accommodate by finding a separate 3-hour time that didn't interfere with the program or visit with physician. It would be nice to have a routine schedule set up for the week to make accommodations.

Questions arose as to what Zima was asking for as Linssen felt 3-hours per day at the times requested seemed reasonable. Pritzl stated it wasn't just about them and their system but about the needs of 16-acute psychiatric residents, they were trying to ensure stability and consistent treatment for that unit. It was not getting enough credit here of what they were trying to manage and support and encourage in terms of recovery. They were trying to do the best to find something that worked as a compromise and they were asking for was to just let them know, give them time so they can make sure staff is available and scheduling was flexible. Linssen questioned if 24 hours was sufficient, Pritzl would think it would be. Zima felt this was bureaucracy at its worst. He further noted experiences he had observed from visiting there daily. Linssen reiterated it wasn't that he disagreed, the question at policy level how they could differentiate which people were the people that needed the programming. If they were going to open it up as a free-for-all on visitation, how did he expect staff to deal with the individuals that were under their care that did need their services more acutely than other individuals? What was the actual policy change that Zima wanted to see? Zima stated Saturday and Sunday used to be 1-4pm plus 6-8pm. Schubert reiterated that the CTC made changes to make their treatment group programs on Saturdays and Sundays match the scheduled client treatment programs occurring Monday and Friday, based on certification noncompliance with the last CMS survey. They changed their client

programming around seeing noncompliance thorough the CMS certification health inspection in the hospital.

Pritzl felt it was going to keep going back and forth if they didn't have some better direction on what it was they were trying to address, they were going to keep coming back and the answer was going to keep being that it was not sufficient. He informed of the things they would like guidance on. Schadewald would like to hold this for 30 days to 1. Get the explanation of why it can't be changed or why they wouldn't want to change the weekend hours; 2. He would like to see the policy on exceptions and the number of requests for exceptions and how often they grant them; and 3. He would also like to see the policy at the front desk when someone comes at non-visiting hours. Linssen would like to see if there was a way they could differentiate individuals who were more in need of specific programming verses others who were not. He knew there were people that ended up in their care that didn't need the extensive programming they may be able to offer other people and would benefit more from having family members there for more hours of the day. Schubert stated they would be more specific treatment plan related than policy related, each person received an individualized treatment plan within 24 to 48 hours of admission. Pritzl will bring that explanation the next time.

Motion made by Supervisor De Wane, seconded by Supervisor Schadewald to send back for 30 days for review. Vote taken. MOTION CARRIED UNANIMOUSLY

Although shown in proper format, the Committee returned to Comments from the Public at this time.

10. Executive Director's Report.

Director Pritzl provided handouts (attached) and walked the committee through the budget, the budget status, fund balance, etc. as there were questions raised at the County Board budget meeting. Referring to the last page, because the numbers were so close on the right for the Budgeted Fund Balance and the Mental Health Initiative Funds they start to balance each other out and it looks like everything was at $0, the budget was never supposed to look like $0, that was not the intent when this was passed last year. The money was tracked separately, there were identified accounts for it, they did know they needed additional funds at the end of the year, and that will be discussed after close out and how people want to handle it.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to receive and place on file. Vote taken. MOTION CARRIED UNANIMOUSLY

11. Financial Report for Community Treatment Center and Community Programs.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to receive and place on file. Vote taken. MOTION CARRIED UNANIMOUSLY

12. Statistical Reports.

a. **CTC Staff - Double Shifts Worked.**
b. **Monthly CTC Data - Bay Haven Crisis Diversion/Nicolet Psychiatric Hospital.**
c. **Child Protection - Child Abuse/Neglect Report.**
d. **Monthly Contract Update.**

Motion made by Supervisor De Wane, seconded by Supervisor Schadewald to suspend the rules to take Item 12a-d together. Vote taken. MOTION CARRIED UNANIMOUSLY

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to approve Items 12a-d. Vote taken. MOTION CARRIED UNANIMOUSLY

13. Request for New Non-Continuous and Contract Providers and New Provider Contract.

Motion made by Supervisor Schadewald, seconded by Supervisor De Wane to approve. Vote taken. MOTION CARRIED UNANIMOUSLY

Other

14. **Audit of bills.** None.

15. **Such other matters as authorized by law.** Next scheduled meeting – Thursday, January 5th at 5:30pm

16. **Adjourn.**

Motion made by Supervisor De Wane, seconded by Supervisor Schadewald to adjourn at 8:48 p.m. Vote taken. MOTION CARRIED UNANIMOUSLY

Respectfully submitted,

Alicia A. Loehlein
Recording Secretary

OUR RESEARCH
SINCE 2014

HOW can we prevent?

More than 60% of students identify a need for more of the following to combat the rising epidemic:

»School prevention strategies
»Intervention access
»Educational resources available

SKYWOOD

EDUCATION IS KEY

RISE TOGETHER

SOME OF THE BEST SPEAKERS IN THE COUNTRY

the perfect time is now



THROUGH
STORYTELLING

EDUCATE.

RISETOGETHER

WEALLRISETOGETHER.ORG

ENGAGE.

100,000 MILES
125,000 STUDENTS
BEST SCHOOL
SPEAKING-PROGRAM

EMPOWER.

YOUTH
STAND UP
SPEAK OUT
LIVE A HEALTHY LIFESTYLE

#weallrisetogether

Our Process

Pre-planning

School briefs us of what they want and need. Project timelines, logistics, and details are being set as well.

STEP 01

STEP 02

The Research

Our team gathers all relevant resouces for the project

The Ideation

After we gather all the facts, we do brainstorm prior to the engagement

STEP 03

STEP 04

The Production

Delivery of the seminar, workshop, public/parent panel.

Analysis

2 weeks afterwards we follow up with a student analysis & rec.

STEP 05

TAMMY BALDWIN
UNITED STATES SENATOR

May 2016

Mr. Anthony A. Alvarado
2020 North Meade Street
Appleton, Wisconsin 54911

Dear Anthony:

Thank you so much for joining me for the opioid abuse roundtable on April 22. I am so grateful for your time and the expertise you shared during our discussion. I appreciated hearing not only the great ideas on how to effectively address this epidemic but also the systemic barriers that preclude organizations and individuals from providing or accessing affordable, quality prevention, treatment and recovery services.

Keep up the great work with "Rise Together." It is an exciting model and I'm encouraged to see an effort where young people can provide support and hope to their peers. I look forward to hearing about your future success!

I hope this is just the beginning of our conversation on this issue. I am committed to doing all that I can to support a robust effort to address the opioid abuse problem. If you have additional ideas or concerns please contact my Legislative Assistant, Kathleen Laird, who is responsible for this policy area in my DC office. Kathleen can be reached at 202-224-5653 or by email at kathleen_laird@baldwin.senate.gov.

Of course, Jennifer is always happy to be of assistance and you can reach her in our Green Bay office at 920-498-2668; jennifer_garner@baldwin.senate.gov. Thanks again for participating in the roundtable.

Sincerely,

Tammy Baldwin
United States Senator

UNITED STATES SENATE WASHINGTON, D.C. 20510 202-224-5653

Scanned by CamScanner

John Nygren

WISCONSIN STATE REPRESENTATIVE ★ 89TH ASSEMBLY DISTRICT

Co-Chair, Joint Committee on Finance

April 15, 2016

Anthony Alvarado
2020 N Meade St.
Appleton, WI 54911

Dear Mr. Alvarado:

I wanted to take this opportunity to congratulate you on your important efforts with Rise Together. It's a clear testament to your program's successes that Rise Together has become part of the national Young People in Recovery organization.

As you know, heroin and opioid abuse and addiction has become an epidemic in Wisconsin and across the country. Addiction knows no boundaries; this problem affects everyone in some way, no matter the person's race or income level. It is for this reason that your efforts with Rise Together are so important. Your work has been instrumental in spreading addiction awareness, increasing access to treatment information, and sustaining a model of support for people in recovery. There is no doubt that Rise Together helps people addicted to opioids understand that recovery is possible and attainable.

Even before the heroin and opioid epidemic began, there was a stigma attached to the idea of addiction. Family and friends were afraid to talk about the issue and addicts were forced to keep secrets and live in the shadows. Today, I am proud that this stigma is beginning to change, largely because of organizations like Rise Together.

Thank you for being an important part of the fight against the heroin and opioid epidemic. Your advocacy with Rise Together and your support of legislative efforts like the HOPE Agenda clearly make a difference in our state and across the nation. The more we talk about addiction and spread awareness, the closer we will be to ending the epidemic.

Again, congratulations on your work with Rise Together and becoming part of the national Young People in Recovery organization. I look forward to hearing about the great work you continue to do in the future.

Regards,

John Nygren

John Nygren
State Representative
Assembly District 89

Capitol: P.O. Box 8953 ★ Madison, Wisconsin 53708-8953 ★ (608) 266-2343 ★ Toll-Free: (888) 534-0089 ★ Fax: (608) 282-3689
Rep.Nygren@legis.wi.gov

HOWARD-SUAMICO
SCHOOL DISTRICT
SERVING • LEARNING • ACHIEVING - TOGETHER

Bay Port High School
Mike Frieder, Principal
Mark Hebert, Associate Principal
Joe Wallander, Associate Principal
2710 Lineville Road
Green Bay, WI 54313
Phone: (920) 662-7000 Fax: (920) 662-7291

Date: June 24th, 2016
RE: Recommendation Letter for Rise Together

It is with great pleasure that I am writing this Letter of Recommendation for Rise Together. I have had the privilege to get to know and work with Douglas and Anthony for the past three years and Bay Port was lucky enough to have them present to our students this past May. The three words that come to mind when I recall this presentation is Powerful! Genuine! Passionate!

When I was sitting there and listening to these two young men speak along with the other speakers they brought with them on that day; all I could think about is how powerful this presentation was. Our students sat and listened for a total of three hours and you could feel the positive energy that was in the room and the respect and admiration that these students were feeling at that moment. To have 800 students, plus faculty and parents sit for three hours and be engaged is a pretty powerful statement!

The genuineness that this presentation brings is unbelievable. I had students that made comments after about how they could relate and how they "felt like they were not alone" after hearing the presentation. It was engaging and interactive and left a great impact on all of the students that were fortunate enough to see it! It was REAL!! This was evident by the amount of students that remained after the presentation to share their stories with the speakers and ask to stay connected. It touched every student different and made them feel "normal" among their peers. This was eye opening to me when they asked questions and the amount of hands that went up in regards to suicide and substance abuse. That made it real to me!!

The last word that I cannot put enough emphasis on is Passionate! This group, that I feel truly honored to have heard and know personally, is one of the most passionate and caring group of people I have met in my lifetime! They tell their stories and share a piece of themselves EVERY TIME they present! This is truly amazing! One of my favorite quotes is "Do not follow where the path may lead – Go instead, where there is no path and leave a trail" (Eli Fritz) Rise Together is making a difference and leaving a trail and I am proud to know and endorse this group! They are making a difference and I am ecstatic to have been a part of it!

For all of the reasons I have listed above, I enthusiastically recommend Rise Together! Together, they are making a difference; one presentation at a time! Please feel free to contact me if I can be of further help!

Kelly A. Mierow
Counselor
Bay Port High School
Kellmier@hssd.k12.wi.us
920-662-7261

February 18, 2014

To Whom It May Concern:

I am honored to write this letter of recommendation to you for Anthony Alvarado and Douglas Darby of Rise Together.

We had the fortunate opportunity to have Anthony and Douglas speak to the students of the Brown County Teen Leadership program in which I serve as program manager. Brown County Teen Leadership, a program of the Green Bay Area Chamber of Commerce's Partners in Education division, is an experiential based learning program for high school sophomores designed to maximize their knowledge of the issues and concerns facing the greater Green Bay area and inspire a call to action of service in their communities and schools. The 40 students that make up the program represent 13 area high schools.

Anthony and Douglas spoke to our students during the health and wellness session held January 16, 2014. Our goal for bringing Anthony and Douglas in was to bring a face to addiction and recovery as these two concepts are foreign to many of our students. Anthony and Douglas came and delivered what we had in mind for the message and went above and beyond expectations.

Anthony and Douglas candidly shared their personal stories through drug addiction and recovery and offered a real live perspective on the subject matter. What I was most impressed with was their ability to connect with the audience and offer their words openly without "sugar-coating" their message. I believe that because they were open, honest and real with their words, the students were able to connect with them. The overall response to the presentation was overwhelming. Anthony and Douglas was the highest rated speaker for the day and the students left inspired.

In my fifteen years of working in youth leadership development, I have never seen two speakers that have been able to engage and inspire a group of youth like Anthony and Douglas were able to.

For this reason, I would enthusiastically recommend Anthony and Douglas to you.

Best Regards,

Daniel D. Terrio
Youth Development Manager
Green Bay Area Chamber of Commerce
(920) 593-3406
dterrio@titletown.org

Rise Together & Brown County

Education & Outreach Strategy

Contractor Name	Rise Together	**Program Contact Name, Title, Phone and Email**	Anthony Alvarado, President Phone: 920-277-0328 Email: wealirisetogether@gmail.com
Budget Period	2016-2017	**Fiscal Contact Name, Title, Phone and Email**	Nadine Machkovech, Program Manager Phone: 920.382.9775 Email: nadinemarie241@gmail.com
Project Name	School Speaking & Raise Chapter Expansion (up to 30 presentations)	**Project Duration**	TBD

Expenditure Categories					
Personnel Services Salaried Employees					**One Year**
Position Title/Employee Name	**Description of Work**	**Gross or Annual Salary**	**Fringe**	**Percent of Time on Project**	**Total Amount Requested**
Anthony Alvarado, President & Co-Founder	Supervision and management of project coordinator, oversight and administration	$75,000	$17,715	25%	$23,178
				Total Personnel Services (including fringe benefits)	**$23,178**
Contractors/Consultants (payments to third parties or entities)					**One Year**
Name	**Description of Item**	**Gross or Annual Salary**	**Fringe**	**Percent of Time on Project**	**Total Amount Requested**
Nadine Machkovech & Douglas Darby, Program Managers	Responsible for all project deliverables including school speaking engagements at up to 30 schools presentations annually; up to 5 Raise chapter launches and implementation; in-person and virtual technical assistance; digital content creation and website support; data collection and reporting. Manage all communications between Rise Together and grantor.	$70,000	$ 16,534.00	100%	$86,534
				Total Contractors/Consultants	**$86,534**
Travel					**One Year**
Item	**Description of Item**	**List Key Activity or Part of Job**	**Rate**	**Quantity**	**Total Amount Requested**

Rise Together & Brown County

Education & Outreach Strategy

Contractor Name	Rise Together	**Program Contact Name, Title, Phone and Email**	Anthony Alvarado, President Phone: 920-277-0328 Email: wealirisetogether@gmail.com
Budget Period	2016-2017	**Fiscal Contact Name, Title, Phone and Email**	Nadine Machkovech, Program Manager Phone: 920.382.9775 Email: nadinemarie241@gmail.com
Project Name	School Speaking & Raise Chapter Expansion (up to 30 presentations)	**Project Duration**	TBD

Travel to schools	Car travel to speaking engagements and for on-site technical assistance to Raise chapters at 50 miles per week RT @ 2016 GSA mileage rate of $.54 per mile = $27 per week	School speaking engagements, Raise chapter launch and development	$27.00	52	$1,404.00
				Total Travel	$1,404.00
Operating, Supplies, and Equipment Expenses					**One Year**
Item	**Description of Item**	**List Key Activity or Part of Job**	**Rate**	**Quantity**	**Total Amount Requested**
Raise Chapter Digital Platform	1-year licensing fee for Raise website access and branded, proprietary digital content for Raise chapters. Includes suggested activities, social media, downloadable templates for posters/flyers for chapter implementation and operation.	Raise chapters	$2,500	4	$10,000.00
Materials & supplies	Business cards for project coordinator; printed materials for handouts; digital content creation and Raise chapter website support.	Business operations, school speaking engagments, Raise chapters	$150	20	$3,000.00
Software user fee for outcomes tracking	Data collection (outputs/outcomes) and analysis	School speaking engagements, Raise chapters	$500	1	$500.00
				Total Operating, Supplies & Equipment Expenses	$13,500.00
				MODIFIED TOTAL DIRECT COSTS (MTDC)	$124,616.00
Indirect Costs					**One Year**
Item	**Description of Item**				**Total Amount Requested**
Indirect Costs	Federal 19.93% G&A rate				$24,835.97
				Total Indirect	$24,835.97
				TOTAL	$149,452.00

OUR RESEARCH
SINCE 2014



TEEN PULSE

Scott Walker
Governor

Linda Seemeyer
Secretary

State of Wisconsin
Department of Health Services

DIVISION OF PUBLIC HEALTH

1 WEST WILSON STREET
PO BOX 2659
MADISON WI 53701-2659

Telephone: 608-266-1251
Fax: 608-267-2832
TTY: 711 or 800-947-3529

October 12, 2016

St. Croix County Board of Supervisors
Cindy Campbell, County Clerk
1101 Carmichael Rd., Room 1400
Hudson, WI 54016

Dear St. Croix County Board of Supervisors:

Thank you for forwarding your recent Resolution Number 37 relating to the planned development of wind turbine energy systems in your county to the Wisconsin Department of Health Services. The points outlined in your resolution's public health position statement will be addressed in order:

Issues surrounding wind turbine energy systems should not be addressed one local health department at a time.

The siting and development of wind turbine energy systems is under the jurisdiction of the Wisconsin Public Service Commission (PSC), and that agency has implemented state-wide rules regarding siting of wind turbines. On several occasions, the Wisconsin Department of Health Services (DHS) has provided responses to questions on the issue of health impacts caused by wind turbines. In 2010, State Health Officer and Public Health Division Administrator Seth Foldy wrote "DPH recognizes that wind turbines create certain exposures: audible sound, low-frequency sounds, infrasound and vibration, and shadow flicker." He also pointed out that "certain ranges of intensity or frequency...have been associated" with negative health outcomes being reported by residents. Dr. Foldy came to the conclusion, based on the scientific and medical literature reviewed, and on consultations with colleagues in several state health departments and the Centers for Disease Control and Prevention (CDC), that "current scientific evidence is not sufficient to support a conclusion that contemporary wind turbines cause adverse health outcomes in those living at distances consistent" with the PSC siting rules. In 2012, DHS Secretary Kitty Rhoades reiterated this conclusion in a letter to the Director of the St. Croix County Health and Human Services Department, and noted that previous requests to conduct studies on wind turbines could not be fulfilled due to the inability to develop a study design or methodology that could "provide a constructive conclusion" to this issue. These documents have been provided to local health departments upon request for guidance on the issues being raised regarding wind turbines.

An updated position statement from the current State Health Officer should be completed with direction and support provided to all local health departments.

DHS epidemiological, medical, and management staff have reviewed dozens of medical and scientific reports on this subject since 2010, including a Health Impact Assessment from the State of Oregon (2013) and Health Canada's Community Noise and Health Study (2015). These studies have generally failed to find a direct association between objective health measures, such as decreased sleep quality or increased blood pressure, and the presence of wind turbines. Some of the most commonly reported health concerns include symptoms such as insomnia, ear pressure, anxiety, and headaches. Due to the inherent challenge in attributing these symptoms to wind turbine exposure, it would be exceedingly difficult to conduct a scientifically valid study that could conclusively establish a causal relationship. Therefore, at this time, DHS stands by the assessment that the best available scientific evidence is not sufficient to conclude that wind turbine energy systems cause adverse health effects when wind turbines are properly sited in compliance with existing rules. This response will be shared with the local agencies and state offices that received copies of your resolution.

The State of Wisconsin should fund and complete a Health Impact Assessment on the effect of wind turbine energy systems.

Health agencies in several states have completed Health Impact Assessments related to wind turbine energy systems. As part of the DHS literature review, Health Impact Assessments (HIAs) from the following states have provided evidence, analysis, and have helped shape the Wisconsin DHS position: Massachusetts (2012), Minnesota (2009), Maine (2009), Ohio (2008), and Oregon (2013). Rather than investing limited resources into a state-sponsored health department HIA, DHS staff will utilize the knowledge gained from these previous HIAs to develop a brief summary of these findings and identify potential best practices to help Wisconsin communities make informed decisions regarding wind turbine energy systems.

The Wisconsin Division of Public Health should develop a "fact sheet" with information pertaining to wind energy systems and health impact.

Recently, DHS staff have been working on a video presentation that summarizes current information regarding wind turbines and health. This video will be provided to local health departments for use with their boards and boards of health. In addition, DHS staff members are in the process of developing a short briefing/fact sheet on wind turbine issues. Newly-published findings from the Health Canada Community Noise and Health Study and existing HIA outcomes will also be used to develop a summary report and potential best practices to help communities make informed decisions. These products will be shared with local public health agencies when they are completed.

The Wisconsin Division of Public Health should review current human health hazard statute and determine if updates to this statute are necessary to address new and/or emerging health issues.

Currently, Chapter 254.01(2), stats. defines a human health hazard as "a substance, activity, or condition that is known to have the potential to cause acute or chronic illness, to endanger life, to generate or spread infectious disease, or otherwise injuriously to affect the health of the public." In addition, Chapter 254.02(1)(b), stats., defines a health risk assessment as "the determination of the relationship between the magnitude of exposure to environmental hazards and the probability of occurrence of adverse health effects." Adverse health effects are defined as "a condition that results in human morbidity, mortality, impaired reproductive function or toxicity or teratogenic, carcinogenic, or mutagenic effects," as per Chapter 254.02(1)(a), stats. Under these broad definitions, DHS, as the lead agency for health risk assessment (Chapter 254.02(2), stats.), considers the statutory authority to be sufficient to allow DHS to respond to a wide range of environmental hazards, should the assessed evidence support the conclusion that the exposure is the likely cause of adverse human health outcomes.

The Wisconsin Division of Public Health should identify baseline health assessment recommendations for individuals to voluntarily consider with their physician to assist individuals that may be impacted by future placement of industrial wind turbines.

While DHS does issue recommendations for evaluation and assessment of some health conditions, these recommendations are limited to well-defined diseases that have evidence-based treatments and/or interventions. Given the absence of a causal linkage between exposure to wind turbines and commonly reported symptoms, DHS is not able to prescribe recommendations for medical assessment. However, medical providers are encouraged to seek consultation with DHS Chief Medical Officers when they have concerns or questions related to wind turbine energy systems.

Thank you again for your St. Croix County Board Resolution Number 37 regarding wind turbine energy systems. The Division of Public Health sincerely hopes that the responses provided above shed light onto the current status of wind turbine research and evidence, from the perspective of information on perceived health impacts from wind energy systems. If you have additional questions, please contact Dr. Mark Werner, Section Chief for Health Hazard Evaluations, at (608) 266-7480 or mark.werner@wi.gov.

Sincerely,

Karen McKeown, RN, MSN
State Health Officer and Administrator
Division of Public Health
Wisconsin Department of Health Services
1 West Wilson Street, Room 250
Madison, WI 53703

PSC REF#:136148

Jim Doyle
Governor

Karen E. Timberlake
Secretary

State of Wisconsin
Department of Health Services

DIVISION OF PUBLIC HEALTH

1 WEST WILSON STREET
P O BOX 2659
MADISON WI 53701-2659

608-266-1251
FAX: 608-267-2832
TTY: 888-701-1253
dhs.wisconsin.gov

Public Service Commission of Wisconsin
RECEIVED: 8/06/10, 9:11:27 AM

July 19, 2010

Edward S. Marion
716 Ottawa Trail
Madison, WI 53711

Dear Mr. Marion:

Thank you for your July 12, 2010, letter to Secretary Karen E. Timberlake regarding the possible health effects of wind turbine noise. Secretary Timberlake has asked me to respond to you on her behalf, and I welcome the opportunity to do so. In your letter of May 13, you asked for confirmation of the Division of Public Health's views regarding the health effects of wind turbine noise. You shared additional information with us, and requested that the Division of Public Health (DPH) conduct a formal epidemiological study of the health effects of wind turbine noise in Wisconsin.

The presentation "Wind Turbines, a Brief Health Overview" by Dr. Jevon McFadden to the Wisconsin Wind Siting Council on May 17, 2010, was not a statement about the position of the Wisconsin Division of Public Health.

DPH recognizes that wind turbines create certain exposures; audible sound, low-frequency sound, infrasound and vibration, and shadow flicker. Certain ranges of intensity or frequency of audible sound, low frequency sound, vibration, and flicker have been associated with some objectively-verifiable human health conditions. Our review of the scientific literature concludes that exposure levels measured from contemporary wind turbines at current setback distances do not reach those associated with objective physical conditions, such as hearing loss, high blood pressure, or flicker-induced epilepsy.

Your letter also cites information that many symptoms are reported by some who live near wind turbines. This information is difficult to interpret for a few reasons.

First, symptoms such as sleep disturbance and headache are common, and caused by a wide variety of conditions. For example, sleep disturbance is a common problem in the general population, and may also be a sign of an underlying medical disorder. The same is true for symptoms like nausea, headache, problems with equilibrium, and others mentioned in your letter. Neither individuals, nor investigators should assume that they originate from exposure to wind turbines. Persistent symptoms, or those that interfere with daily functions, should be evaluated by a medical professional.

Second, as your letter describes, some people experience annoyance at wind turbines, and annoyance has been associated with some of the symptoms you cite. Annoyance is a psychological reaction with a wide range of individual variability, and is influenced by multiple personal and situational factors. Annoyance, per se, is not considered a physical or mental health disorder, but it may influence perception or interpretation of health-related complaints. This makes it more difficult in an observational study to objectively assess whether or not reported symptoms are indicative of actual physical conditions caused by exposures from wind turbines.

DPH staff previously reviewed the five reports you referenced in your letter. They also reviewed over 150 reports from the scientific and medical literature (published and unpublished) pertinent to the issue of wind turbines and health. DPH has also taken time to listen to, and respond to concerns voiced by local residents, municipalities, and local health department officials from across the State of Wisconsin. We have discussed this issue with colleagues at UW School of Medicine and Public Health, the Minnesota and Maine state health departments, and the Centers for Disease Control and Prevention. From this, we conclude that current scientific evidence is not sufficient to support a conclusion that contemporary wind turbines cause adverse health outcomes in those living at distances consistent with current draft rules being considered by the Public Service Commission.

This is different from saying that future evidence about harms may not emerge, or that wind turbines will not change over time, or that annoyance and other quality-of-life considerations are irrelevant. DPH does not endorse a specific setback distance or noise threshold level relating to wind turbines. Nevertheless, in keeping with standard public health practice, DPH favors a conservative approach to setbacks and noise limits that provides more-than-minimum protection to those who live or work near wind turbines. These will help minimize local impacts on quality of life and serve as a buffer against possible unrecognized health effects.

Current draft siting rules limit noise exposures from wind turbines to very low levels, and we anticipate that the final siting rules will be at least equally protective. For this reason, we do not believe there is a compelling reason to perform an epidemiologic investigation in Wisconsin. To the extent that gaps remain in current science, DPH favors continued investigations to help advance knowledge and guide future policy development. The most valuable studies would assess subjective complaints and objective clinical measurements in the setting of controlled or known environmental exposures. Such clinical studies fall outside the scope of standard public health investigations.

As additional scientific evidence becomes available, DPH will continue to appraise its relative strength, credibility, and applicability to the issue of wind turbine development in Wisconsin.

As is the case with any major development undertaking in the State of Wisconsin, it is important that we continue to look for ways to maximize positive impacts and minimize negative impacts to residents. To the extent that these impacts fall into the public health realm, DPH will continue to seek data and information to guide public policy on this matter.

Sincerely,

Seth Foldy, MD, MPH, FAAFP
State Health Officer and Administrator
Wisconsin Department of Health Services
Division of Public Health

State of Wisconsin
Department of Health Services

Scott Walker, Governor
Dennis G. Smith, Secretary

April 30, 2012

Fred Johnson
Director, St. Croix County Health and Human Services
1445 N. Fourth St.
New Richmond, WI 54017-1063

Dear Mr. ~~Johnson~~ Fred:

Thank you for your April 5, 2012 letter expressing concerns about proposed wind turbines in the Town of Forest in St. Croix County. Your letter conveys your board's request that an outside party conduct studies of the health impact of existing wind energy projects in Wisconsin and your board's endorsement of a Brown County resolution requesting emergency state aid for persons impacted by wind turbines.

The Wisconsin Department of Health Services has reviewed the scientific literature on the issue of wind turbines and health, and we will continue to do so as new studies are published. Our review of current scientific knowledge indicates that levels of noise, flicker and infrasound measured from wind turbines at current setback distances do not reach those that have been associated with objective physical health effects. The Department has considered previous requests to conduct formal epidemiologic studies in Wisconsin, and Division of Public Health staff have discussed this issue with colleagues at UW School of Medicine and Public Health, other state health departments, and the Centers for Disease Control and Prevention. However, we have been unable to identify a study design or methodology that could provide a constructive conclusion to the individual concerns that have been raised. If such a study were performed, we would review its methodology and findings.

Given the current state of scientific knowledge, it does not appear that the allocation of financial resources for emergency relocation of persons from areas surrounding wind turbines is warranted.

The Department recommends that communities work closely with prospective developers to address community concerns during the initial planning in order to maximize positive impacts and minimize any negative impacts to citizens who reside in proximity to wind turbines.

Sincerely,

Kitty

Kitty Rhoades
Deputy Secretary

Scott Walker
Governor

Kitty Rhoades
Secretary

State of Wisconsin

Department of Health Services

DIVISION OF PUBLIC HEALTH

1 WEST WILSON STREET
P O BOX 2659
MADISON WI 53701-2659

608-266-1251
FAX: 608-267-2832
TTY: 888-701-1253
dhs.wisconsin.gov

Division of Public Health (DPH), Bureau of Environmental and Occupational Health (BEOH)
Wind Turbine Talking Points

Following are three general talking point related to the ongoing discussion around health impacts associated with wind turbines in Northeastern WI:

1) Based on its ongoing review of available literature, DHS continues to conclude that levels of noise, shadow flicker, and infrasound (low frequency sound below the level of human hearing) measured from contemporary wind turbines do not reach exposure levels associated with objectively-verifiable human health concerns, such as decreased sleep quality or elevated blood pressure.

2) There are few peer-reviewed studies on this topic. Because observed sound exposures are often close to background noise levels - and the most common health concerns are not specific to noise exposure - it would be difficult for DHS to develop and implement its own study on this topic. Recent studies conducted by other health agencies and Health Canada appear to support the conclusion that there are no verifiable health risks associated with wind turbines.

3) DHS continues to work with local public health agencies, legislators, community groups, and the Public Service Commission to assist in evaluating health-related concerns that arise from existing and new wind energy projects.

BEOH Wind Turbine Topic Expert: Dr. Mark Werner, (608) 266-7480

I would like to submit to the Committee a recently published, peer-reviewed paper which gathers together the currently available information pertaining to the proposition that noise emissions from industrial wind turbines can lead to adverse health effects. This substantial, 72-page paper, includes 180 references, and is perhaps the one singular paper to be read by anyone hoping to find, in one place, a good, basic, objective understanding of the wind turbine adverse health impacts issue, based upon the best information and understanding currently available.

Wind Turbine Noise and Human Health: A Four-Decade History of Evidence that Wind Turbines Pose Risks

Jerry L. Punch
Professor Emeritus, Department of Communicative Sciences and Disorders, Michigan State University, East Lansing, MI

Richard R. James
Institute of Noise Control Engineers full member with over 40 years of experience addressing community noise for new and existing industrial and commercial facilities, and Adjunct Professor, Department of Communication Disorders, Central Michigan University, Mt. Pleasant, Michigan

This paper has been reviewed both by a Noise & Health Journal reviewer and by three other reviewers who have substantial professional experience in the area of wind turbine noise: Michael Nissenbaum, MD, Daniel Shepherd, PhD., and Keith Johnson, Esq.

This paper was published online in October 2016 in the ***Hearing Health & Technology Matters*** Journal

The overall purpose of the paper is to provide a systematic review of legitimate sources that bear directly and indirectly on the question of the extent to which industrial wind turbine noise leads to the many health complaints that are being attributed to it. The basic aim is to provide a comprehensive and representative of the literature that is relevant to many of the claims made by wind industry advocates.

Abstract

Many expert-review panels and some individual authors, in the U.S. and internationally, have taken the position that there is little literature to support concerns about adverse health effects from noise emitted by industrial wind turbines. In this review, we systematically examine the literature that bears on some of the particular claims that are commonly made in support of the view that a causal link is non-existent. Investigation of the veracity of those claims requires that multiple topics be addressed, and the following specific topics were targeted for this review:

(1) Emissions of infrasound and low-frequency noise by industrial wind turbines
(2) The perception of infrasound and low-frequency noise by humans
(3) The evidentiary basis for establishing a causative link between industrial wind turbines and adverse health effects, as well as the physiological bases for such a link
(4) Recommended setback distances and permissible noise levels
(5) The relationship between annoyance and health
(6) Alternative causes of the reported health problems
(7) Recommended methods for measuring infrasound
(8) Foundations for establishing a medical diagnosis of adverse health effects due to industrial wind turbines
(9) Research designs useful in establishing causation
(10) The role of psychological expectations as an explanation for the reported adverse effects
(11) The prevalence of adverse health effects in individuals exposed to industrial wind turbines
(12) The scope and quality of literature addressing the link between industrial wind turbine noise and adverse health effects.

The authors have found that the reviewed evidence provides overwhelmingly support for the notion that acoustic emissions from industrial wind turbines is a leading cause of adverse health effects in a substantial segment of the population.

Wind Turbine Noise and Human Health:
A Four-Decade History of Evidence that Wind Turbines Pose Risks*

Jerry L. Punch,[i] Richard R. James[ii]

Abstract

Many expert-review panels and some individual authors, in the U.S. and internationally, have taken the position that there is little literature to support concerns about adverse health effects (AHEs) from noise emitted by industrial wind turbines (IWTs). In this review, we systematically examine the literature that bears on some of the particular claims that are commonly made in support of the view that a causal link is non-existent. Investigation of the veracity of those claims requires that multiple topics be addressed, and the following specific topics were targeted for this review: (1) emissions of infrasound and low-frequency noise (ILFN) by IWTs, (2) the perception of ILFN by humans, (3) the evidentiary bases for establishing a causative link between IWTs and AHEs, as well as the physiological bases for such a link, (4) recommended setback distances and permissible noise levels, (5) the relationship between annoyance and health, (6) alternative causes of the reported health problems, (7) recommended methods for measuring infrasound, (8) foundations for establishing a medical diagnosis of AHEs due to IWTs, (9) research designs useful in establishing causation, (10) the role of psychological expectations as an explanation for the reported adverse effects, (11) the prevalence of AHEs in individuals exposed to IWTs, and (12) the scope and quality of literature addressing the link between IWT noise and AHEs. The reviewed evidence overwhelmingly supports the notion that acoustic emissions from IWTs is a leading cause of AHEs in a substantial segment of the population.

*Revised October 21, 2016

[i]Professor Emeritus, Department of Communicative Sciences and Disorders, Michigan State University, East Lansing, MI, USA

[ii] E-Coustic Solutions LLC, and Adjunct Professor, Department of Communication Disorders, Central Michigan University, Mt. Pleasant, Michigan, USA

Key Words: Adverse health effects, human health, industrial wind turbines, infrasound, inner ear, low-frequency noise, wind turbine noise

Introduction

Whether infrasound and low-frequency noise (ILFN) from industrial wind turbines (IWTs) is detrimental to human health is currently a highly controversial topic. Advocates of industrial-

scale wind energy assert that there is no credible scientific evidence of a causal relationship, while many reputable professionals believe that there is sufficient scientific evidence to establish a causal link between IWTs and detrimental health effects *for a non-trivial percentage of individuals who reside in communities hosting IWTs*. The veracity of claims regarding the effects on human health is being debated on a global scale by the wind industry; individuals living near IWTs; attorneys and expert witnesses in courts of law; print and web-based media; documentary films (which currently include *Windfall*, *Wind Rush*, and *Down Wind*); and scientists and other professionals in government reports, on the Internet, and in scientific and professional papers presented at society meetings and published in peer-reviewed journals.

The debate surrounding IWTs extends to many controversial issues, including physical safety, visibility, shadow flicker, and threats to property values and wildlife. Many problems involving wind turbines, including mechanical failures, accidents, and other mishaps, have been discussed on the Internet. At least one website has extensively catalogued these incidents,[1] and the large number of incidents reported by that site is described by its webmaster as grossly underestimating the actual number of documented incidents. The most vigorous debate, however, centers on ILFN and its effects on human health.

The overall purpose of this article is to provide a systematic review of legitimate sources that bear directly and indirectly on the question of the extent to which IWT noise leads to the many health complaints that are being attributed to it. The authors accessed most articles and reports referenced in this review by employing Google, Google Scholar, and PubMed as the primary search engines. Our basic aim was to provide a comprehensive and representative—though not exhaustive—review of the literature that is relevant to many of the claims made by wind industry advocates. An exhaustive review is an elusive and impractical goal, given the large volume of directly and indirectly related work done in this area over the past several decades and the current pace of such work.

The role of evidentiary facts

Adverse impacts on people and property are among the most contentious issues that are typically the focus of legal proceedings involving IWT noise. Based on the forensic and research experiences of the authors, we believe that a resolution of the controversial aspects of this debate will require not just relevant scientific research, but rather a series of legal judgments based on the effective evaluation and interpretation of the existing research. In fact, much research and some already-rendered legal decisions show convincingly that some segments of the population suffer damaging effects from exposure to wind turbine noise (WTN). What is needed among the scientific community, local and national governmental agencies, and political leaders, is honest

discourse about methods for reducing carbon emissions in ways that do not turn some rural communities into *sacrifice zones*.[2, 3]

Many symptoms and complaints of adverse health effects (AHEs) related to IWTs have been self-reported by individuals living near wind turbines and described in published case reports. There is a group of core symptoms and complaints, however—including sleep disturbance, headache, dizziness, vertigo, and ear pressure or pain—that are remarkably common worldwide. Dr. Nina Pierpont was the first to report these core symptoms in a case series,[4] and she termed these core symptoms *Wind Turbine Syndrome*. For the sake of brevity, we will on occasion refer to Wind Turbine Syndrome as a substitute for this group of common symptoms and complaints, even though the phrase itself is currently not utilized as a medical diagnostic entity.

Numerous reviews of the literature have already been published that allege that there is no credible link between WTN emissions and AHEs. Those reviews have typically been sanctioned by state or provincial government agencies that have missions to support the development of wind energy, and which in turn appoint *expert panels* whose members hold views that regularly favor the wind industry and, therefore, may have conflicting interests. Too often, in the opinion of the authors, such reviews are biased in support of political policy decisions that promote the financial interests of wind developers, and perceived financial benefits to local communities, over the common good. None of those reviews has been specifically targeted toward describing or explaining the relationship between exposure to complex, dynamically modulated infra- and low-frequency sound from wind turbines or other industrial sources (e.g., noise-induced Sick Building Syndrome) and AHEs. Our primary objective in this article is to review the existing scientific and professional literature that is frequently overlooked in such reviews conducted by wind energy proponents. Such literature can be useful in legal proceedings in questioning and articulating the available evidence of risks to people who live in the footprint of utility-scale wind energy projects.

Some of the published reviews have been criticized for their failure to meet the standards noted by Horner,[5] who reminds us that readers should regard literature reviews with caution, and employ an audit strategy in evaluating their completeness, accuracy, and objectivity. Authors, including ourselves, have an inherent obligation to ensure that such reviews cite all known legitimate sources that serve as the basis for their views of the issues and reflect accurately the contents of all references cited.

Some courts of law in the U.S. and other countries now tend to rely heavily on testimony that adheres to the principle that proof of evidence of causation of AHEs from IWTs be based on the

peer-reviewed literature. Presumably, that practice in the U.S. stems at least partially from advocacy by the Office of Management and Budget[6] that internal and external government science documents be peer-reviewed government-wide for the purpose of increasing the quality and credibility of scientific information generated by the federal government. Peer-review standards are considered paramount in that effort.

While the peer-review process has many virtues, it also has its shortcomings, which are well known. For example, not all journals or individual reviews of submitted manuscripts are of equal quality, as specific journals and specific reviewers may have ideological or philosophical biases, which may or may not be surmised from the journals' mission statements. Nonetheless, the peer-review process is one of the most widely acknowledged ways to control the quality of published works. We contend, however, that there are other credible sources of information, even though those sources may not have been subjected to as rigorous a peer-review process as that employed by many scientific journals. Such sources include papers presented at meetings of scientific and professional societies; reports and other documents commissioned by state and local governmental agencies, especially if such documents are authored by independent researchers; legal testimony given under oath by qualified scientists and professionals; and some information available on the Internet, especially if written by professionals who have reputable track records in their disciplines. Although we will emphasize the peer-reviewed literature in this article, we will also cite some of these additional sources as authoritative. Our citing of selected non-peer-reviewed reports, with a few exceptions, is based on our familiarity with the professional reputations of the authors of those reports, normally earned through publication of a solid body of work in the peer-reviewed literature and by acceptance of their work by other professionals and peers. Typically, individuals so referenced enjoy positive national or international recognition in their respective fields of expertise.

We begin this review by calling attention to a quote from geophysicist Marcia McNutt, who once headed the U.S. Geological Survey and is now editor of the prestigious journal *Science*. McNutt has been quoted as stating: "Science is not a body of facts. Science is a method for deciding whether what we choose to believe has a basis in the laws of nature or not."[7] In fact, science consists of a variety of overlapping methodological approaches, which must be interwoven to discover answers to complex problems. That conviction has guided our attempt to re-examine the controversial topic at hand.

Review of wind industry claims and positions

Our review is organized by summarizing the past and present literature that addresses each of 12 selected statements, listed below, that encapsulate specific claims, or positions, commonly taken by advocates for the wind industry:

1. Infrasound is not an issue, as infrasound generated by wind turbines is not perceptible to humans.
2. There is nothing unique about wind turbine noise, as infrasound and low-frequency noise are commonly produced by the body and by many environmental sources.
3. There is no evidence that wind turbine noise, audible or inaudible, is the cause of adverse health effects in people, and there are no physiological mechanisms to explain how inaudible acoustic energy can be harmful.
4. Setback distances of 1,000-1,500 ft. (approximately 0.3-0.5 km) are sufficiently safe to protect humans from harm, regardless of height or other physical characteristics of the IWTs.
5. Annoyance is a nuisance, but it is not a health issue.
6. Noise cannot account for all of the complaints of people living in the vicinity of wind turbines; there must be another, unknown reason for the complaints.
7. Infrasound from wind turbines is sufficiently correlated to the A-weighted sound emissions to allow an A-weighted model to be used to predict how much infrasound is present in homes.
8. Wind Turbine Syndrome has not been accepted as a diagnostic entity by the medical profession, so medical professionals cannot diagnose or treat it.
9. Peer-reviewed epidemiological literature is the only acceptable basis for proving a causative relationship between wind turbine noise and adverse health effects.
10. The nocebo effect, a manifestation of psychological expectations, explains why people complain of adverse health effects when living near wind turbines.
11. Only relatively few people, if any, are adversely impacted by wind turbine noise, and the majority have no complaints.
12. There is no evidence in the literature to support a causative link between wind turbine noise and adverse effects.

Statement 1: Infrasound is not an issue, as infrasound generated by wind turbines is not perceptible to humans.

The argument that infrasound as a cause of AHEs is not an issue has been advanced in the published literature primarily by Dr. Geoff Leventhall,[8, 9] with support from several other researchers. Those researchers have dismissed the influence of infrasound on human health by describing it as not exceeding the thresholds of audibility, and therefore ineffectual, without noting that those thresholds were established using steady pure tones instead of the complex, dynamically modulated tones emitted by wind turbines. Leventhall claims that infrasound from wind turbines is not a problem and that it is misunderstood largely because of mischaracterization by the media and by "those with limited knowledge" (p. 29). He states that there may be noise problems associated with wind turbines, but that such problems are due to *audible* swishing sounds due to interactions of the blades with the tower. Supporters of wind energy have generally followed Leventhall's lead, although his own research has shown conclusively that exposure to modulated ILFN produced by large industrial equipment, including heating, ventilating and air-conditioning (HVAC) systems, leads to mental fatigue, lack of concentration, headaches, reduced performance, and work dissatisfaction. Indeed, there is a long history of noise-induced *Sick Building Syndrome*, stemming from investigations in the 1970s-1990s of the effects of low-frequency noise on knowledge workers (see James[10] and Schwartz[11] for reviews of that research). Leventhall[12] stated:

> "Low frequency noise causes extreme distress to a number of people who are sensitive to its effects. Such sensitivity may be a result of heightened sensory response within the whole or part of the auditory range or may be acquired. The noise levels are often low, occurring in the region of the hearing threshold, where there are considerable individual differences" (p. 4).

Later in the same document, he states:

> "There is no doubt that some humans exposed to infrasound experience abnormal ear, CNS (central nervous system), and resonance induced symptoms that are real and stressful. If this is not recognised by investigators or their treating physicians, and properly addressed with understanding and sympathy, a psychological reaction will follow and the patient's problems will be compounded. Most subjects may be reassured that there will be no serious consequences to their health from infrasound exposure and *if further exposure is avoided* (emphasis added) they may expect to become symptom free" (p. 60).

Leventhall has also stated that the ear is designed to protect us from infrasound and that, in essence, *If you can't hear it, you can't feel it.*[13, 14] The idea that ILFN from wind turbines does

not affect health was further reinforced in a 2009 white paper co-authored by Leventhall and sanctioned by the wind industry,[15] to be reviewed later.

The position that infrasound from wind turbines is not harmful to humans because it is not perceptible to the human ear also has support from Møller & Pedersen,[16] who investigated noise emissions from 48 wind turbines with electrical output capacities of between 2.3 and 3.6 MW. They stated:

> "The turbines do emit infrasound (sound below 20 Hz), but levels are low when human sensitivity to these frequencies is accounted for. Even close to the turbines, the infrasonic sound pressure level is much below the normal hearing threshold, and infrasound is thus not considered as a problem with turbines of the investigated size and construction" (pp. 3742-3743).

Evans et al[17] found that levels of infrasound measured at two residential locations near wind projects in South Australia were within the range of infrasound levels experienced in other urban and rural environments. Although Colby et al[15] and Bolin et al[18] dismiss wind turbines as a cause of AHEs, they acknowledge that turbines emit ILFN. A number of authors indicate that large turbines emit more such noise than smaller turbines (see, for example, Bolin et al[18] and Møller & Pedersen.[16]) George Kamperman (personal communication, 2009) has concluded that the amount of low-frequency noise generated by IWTs increases by 3–5 dB for every megawatt of electrical power generated.

Evidence that IWTs produce perceptible levels of infrasound, in addition to audible low-frequency noise above 20 Hz, has been available since the 1980s. In their seminal research on large-scale wind turbines, which was funded by the U.S. Department of Energy, Kelley et al[19] measured noise levels emitted by a DOE/NASA MOD-l wind turbine operating near Boone, North Carolina, in response to noise complaints. They concluded that:

> "…one of the major causal agents responsible for the annoyance of nearby residents by wind turbine noise is the excitation of highly resonant structural and air volume modes by the coherent, low frequency sound radiated by large wind turbines. Further, there is evidence that the strong resonances found in the acoustic pressure field within rooms actually measured indicates a coupling of subaudible energy to human body resonances at 5, 12, and 17-25 Hz, resulting in a sensation of whole-body vibration" (p. 120).

Those conclusions were further strengthened in a subsequent report.[20] In a second follow-up report, also funded by the Department of Energy, Kelley[21] electronically simulated three interior environments resulting from low-frequency acoustical loads radiated from both single and grouped upwind and downwind turbines. (These terms refer to the placement of the rotor and

blades with respect to the tower. With upwind designs, the more contemporary design, the airflow strikes the blades before striking the tower, and with downwind designs, the airflow strikes the tower before striking the blades.) Relatively low levels of low-frequency acoustic noise from a single, 2-MW MOD-1 wind turbine led to annoyance of residents of the surrounding community, largely through interaction with residential structures. Most importantly, Kelley found that the turbines radiated their peak sound power in the infrasonic range, typically between 1 and 10 Hz. An extensive investigation revealed that the reported annoyance was the result of a coupling of the turbine's impulsive low-frequency acoustic energy into the structures of some of the surrounding homes, and that annoyance was "frequently confined to *within the home itself*" (p. 1). Despite these early findings that IWTs generate infrasonic levels that produce acoustic energy, vibrations, and resonances that affect people in their homes, the wind industry has chosen to regard them as insignificant or only applicable to obsolete, downwind wind turbine designs.

The basis for discounting the research by Kelley and associates is predicated on the assumption that pressure changes of equal levels to wind turbines occur in natural environments and do not cause any similar complaints. The authors find that their own experiences with rapidly changing pressures have caused similar experiences. If these rather short-duration sensations were to continue over days, weeks, and months, as they do for people living near wind projects, they would likely find them to be unacceptable.

The primary argument of people who deny any effects is encapsulated by Leventhall[9] in his *Child on a Swing* example:

> "A child on a swing experiences infrasound at a level of around 110dB and frequency 0.5Hz, depending on the suspended length and the change in height during the swing" (p. 30).

The inference is that because children often swing on swings, there are no adverse sensations. That fails to acknowledge that the experience of swinging is one that elicits many visceral sensations that are pleasant to the child as long as the sensations stop when the swing stops. The example, however, misses one major point. The duration and motion of the swing provide a smooth, sinusoidal pressure change that has two high pressure points (at the top of each swing) that occur over a period of several seconds or so. This is a completely different experience to that of pressure pulses lasting 100 msec or less. If one considers a swing with a period of 3.5 sec, there is a pressure change at 1.75 sec, resulting in a frequency of 0.57 Hz. The pressure changes are approximately 120 dB peak-to-peak, or 110 dB rms. The overall G-weighted value in this example is -60 dB, with a smooth pressure change, resulting in a net 50 dBG for the child, versus

the 75 dBG experienced as a pulse for a person living near a wind turbine (calculations provided by Malcolm Swinbanks, personal communication, 2010).

The assertion that wind turbine infrasound immissions, especially when received in the bedroom of a quiet home, must be at or above the threshold of hearing to cause adverse effects has been disproved, as noted above in the works of Kelley and colleagues in the 1980s.[19, 20, 21] The significant finding of the Kelley studies is that when the intruding infrasound is dynamically modulated short-duration pulses (generally under 100 msec and as short as 4 msec), the thresholds of sound pressure levels (SPLs) for non-auditory perception are in the range of 60 to 70 dB. In the work by one of the authors of this paper (James, with Mr. Wade Bray, INCE, of Head Acoustics, GMBH), infrasound pulsations were measured from a GE 1.5-MW wind turbine with a blade-pass frequency of 1 Hz that reached a level as high as 100 dB.[22] The people living in the home 'felt' the pulsations when the crests of the pressure waves were as low as 60 dB at 1 Hz. During similar measurements, Swinbanks, who has reported that he is sensitive to infrasound pulsations, was present at the test site. His experience was that he could feel the pulsations outside the home at similar SPLs.

Subsequent to the papers by Kelley and colleagues, several other studies have also reported the thresholds for significant experiences at similar thresholds, all substantially below the threshold for audibility of steady pure tones. In many of those tests, the rms SPL of the dynamically modulated blade-pass tone and its harmonics has been as low as 40 dB when using narrow-band analysis with windows of 40 to 80 sec, providing the crest of the pressure waves are 10 to 15 dB higher than the rms levels. These studies include the works of Robert Rand, INCE, and Stephen Ambrose, Bd. Cert., INCE, in their study of homes of complainants in Falmouth, Massachusetts;[23] Walker, Hessler, Hessler, and Schomer, in their work at the Shirley Wind project in Brown County, Wisconsin, for the Wisconsin Public Health Service;[24] and most recently, Steven Cooper's study of the Cape Bridgewater project in Victoria, Australia.[25] All of these studies report similar findings, namely that perception, generally non-auditory in character, begins when the rms SPLs of the modulating tones are as low as 40 dB rms, with increasing impacts as the rms levels rise to 50, 60, and to 70 dB and higher levels. In all these studies, the dynamic modulation of the blade-pass tones produce pressure peaks that are often 10 dB or more, sometimes much more, than the rms values.

In the opinion of the authors, a paper prepared by Swinbanks for the 2015 conference on wind energy in Glasgow, Scotland, shows the impact of dynamically modulated infrasound on a sensitive individual—himself—along with high-quality measurements of the environments in which he experienced the sensations.[26] That paper shows that a highly respected acoustician and

scientist with expertise in infra- and low-frequency sound also responds to this acoustic energy in a way that is similar to the many complaints from others, both in the location of his tests and at other wind energy projects around the world. In the paper, Swinbanks reports that he was able to differentiate the pulsations in the test data from at least six separate wind turbines in a project consisting of 46 1.5-MW GE models. He also reports that he was able to perceive the effects of the pulsations in his home's basement, approximately 3 km from the nearest operating wind turbine, with the SPLs of the blade-pass frequency and harmonics summing to about 55 dB rms. At closer locations, he measured positive-going pressure peaks of 87 dB with corresponding negative-going peaks of equal level. It is worth noting that at the Glasgow conference, Swinbanks presented the paper as a poster session,[27] as he was informed by the conference moderator that time restraints prevented him from presenting his paper to conference attendees.

In the 2012 investigation of infrasound at the Shirley Wind project, where local regulations require that the Nordex 2.5-MW turbines be sited at least 1,250 ft., or 381 m, from residences, Walker et al reported infrasound levels at one of the three test homes.[24] WTN was not audible outside the residence where infrasound was greatest, supporting the position that infrasound is at the root of at least some of the complaints. The blade-pass frequency and harmonics were clearly evident from the measurements inside that one home, and the family had moved far away for a solution.

Following the Shirley Wind team study, several members of the community conducted a series of micro barometer measurements inside homes ranging from 1,280 ft. to approximately 6 mi. from the wind turbine towers. Infrasonic tones at blade-pass frequencies and harmonics were found at all test sites, including test sites at distances of several miles or more from towers under downwind conditions. Testimony to Wisconsin's Brown County Board of Health by people with homes more than 4 mi. from the nearest wind turbines reported AHEs during the times the turbines operated. In mid-October 2014, the Brown County Board of Health went on record declaring that wind turbines at the Shirley Wind site "…are a human health hazard."[28] That action, which appears to be a precedent in the U.S., meant that Duke Energy's Shirley Wind utility were forced to prove to the Board that the utility was not the cause of the health complaints documented in the study and voiced by community residents. The outcome could result in a shut-down order, but no final decision had been made in that case at the time of this writing. Other examples of legally ordered turbine shutdowns include those in Massachusetts[29, 30] and Portugal.[31]

We will return to the issue of perceptibility of infrasound later in this paper, as we describe the physiological bases for perceptibility.

Statement 2: There is nothing unique about wind turbine noise, as infrasound and low-frequency noise are commonly produced by the body and by many environmental sources.

To begin, when the spectral characteristics of IWT noise, as depicted in several papers,[24, 32, 33] are compared to the spectra of subsonic jet transport planes,[34] five different types of aircraft,[35] and road traffic noise,[36] it is clear that noise generated by wind turbines has a number of unique acoustical characteristics. These comparisons reveal dissimilarities in spectral and peak levels in both the higher and lower frequency regions, including the low-frequency and infrasonic range.

Leventhall[37] was one of the first to describe how low-frequency noise is a special noise problem, particularly to sensitive people in their homes. He indicated that annoyance to low-frequency noise increases rapidly with level, often starting just above the threshold of audibility, and that about 2.5% of the population may be 12 dB more sensitive than the average person to low-frequency noise. He also noted that the World Health Organization (WHO) places a special emphasis on low-frequency noise as an environmental problem and source of sleep disturbance, even at low levels. The WHO[38] acknowledges that a noise consisting of a large proportion of low-frequency components may considerably increase AHEs and should be limited to below 40 dBA. Cummings[39] notes that sound levels of 40 dBA trigger high levels of community pushback.

Jung et al[40] experimentally identified the characteristics of acoustic emissions from large upwind wind turbines, with emphasis on ILFN. The sound spectral density showed that the blade-passage frequency component is clearly dominant, revealing up to 6-7 harmonics that generally occupy the infrasonic frequency region of 1 to 10 Hz. They voiced a concern that the low-frequency noise of the 1.5-MW and 600-kW wind turbines in the frequency range over 30 Hz would very likely lead to psychological complaints from ordinary adults.

In responding to a bylaw to restrict wind turbine infrasound in the town of Plympton-Wyoming, Ontario, Leventhall[41] declared that “Infrasound has become the Godzilla of acoustics” (p. 2). He concluded that science does not support the conditions in the bylaw, which was largely aimed at restricting blade-passing tones, because “There is no evidence that the very low level of blade passing tones affects humans, whilst there is evidence that it does not” (p. 7). Based on the kinds of evidence just discussed, we strongly disagree.

WTN has been described as having a character that makes it far more annoying and stressful than other sources of noise at the same A-weighted level, including traffic and industrial noise.[42, 43, 44, 45] Harrison[42] concluded that IWTs cause annoyance in about 20% of residents living within a distance considered acceptable by most regulatory authorities, and that for many of the 20%, the

annoyance and sleep disturbance lead to AHEs. Thorne[46] has pointed out that human perception of noise is based primarily on sound character rather than sound level, and that wind turbines are unique sound sources that exhibit special audible and inaudible modulated and tonal characteristics. He states that sound levels of 32 dBA Leq outside a residence and/or above an individual's threshold of hearing inside the home are markers for serious AHEs, especially among susceptible individuals.

Structural and human responses to low-frequency noise, including noise from wind turbines, have been described by Hubbard.[47] Hubbard and Shephard[48] illustrated the special characteristics of WTN by explaining its sources, pathways, and receptors. Thorne[46, 49] described wind turbines and *wind farms* as a unique source of sound and noise, like no other noise source or set of noise sources. The sounds are often of low amplitude and shifting in character, making it difficult for people who have never been exposed to such sounds to understand the problems of those who complain about the sounds. Shepherd et al[50] have described WTN as having characteristics sufficiently different from other, more extensively studied, noise sources to justify the application of standards different from pre-existing noise standards.

The preponderance of evidence on this point leads to the conclusion that WTN has special acoustic characteristics that distinguish it from other industrial sounds. A primary feature is that it consists of measureable energy down to below 1 Hz.[24, 51, 52] Its sound pressure level decreases rapidly with increasing frequency from about 0.5-5 Hz. It varies in amplitude over time,[9, 49, 51, 53, 54, 55, 56, 57, 58] it tends to have an intermittent tonal quality,[49, 52, 59] and its characteristics vary with distance and direction.[52, 53] It can result in an impulsive sound,[21, 40, 49, 60] even at long distances.[52] According to Lee et al,[53] the swishing sounds of turbines can be perceived from all directions, but at long distances from a turbine, low-frequency amplitude-modulated sounds can be heard only in particular directions and when the SPL is sufficiently high. This effect may make the WTN seem more impulsive at long distances despite an overall SPL that is relatively low.

Furthermore, ILFN from any source, including IWTs, is well known to penetrate walls and other barriers (e.g., Minnesota Department of Health[55]); is typically more disruptive indoors than outdoors;[46, 47, 61, 62, 63] and is not easily masked by atmospheric sounds, including road traffic and other sources of infrasound.[63, 64, 65, 66] The perception of low-frequency noise depends on density level, modulations, bandwidth, purity of blade-pass tones and harmonics, discrete beating tones, or other time-varying properties, and can occur even at near-infrasonic frequencies if any of these factors is present; otherwise, it might pass unnoticed.[57, 67, 68] James[69] describes the

infrasound occurring when wind turbine blades rotate past the tower as a short pressure pulse that consists of a well-defined array of tonal harmonics below 10 Hz. If the pressure peaks are received at the same time, they sum in a linear manner that significantly raises the overall SPL. Often, however, there are many wind turbines rotating at similar speeds, but not synchronized in time. This can lead to another form of modulation as the wind turbine infrasound is perceived as rising and falling, intermittent, or pulsating with variable intensity.

A common argument of wind industry proponents—one that is sometimes raised in legal proceedings—is that humans themselves generate infrasound by virtue of their own heartbeat and breathing, at levels that can be substantially higher than an external noise source such as wind turbines. In a rebuttal to a formal statement to this effect by the Association of Australian Acoustical Consultants (AAAC), Salt has provided a definitive explanation of why the two sources of infrasound (internal vs. external) cannot be equated. In a letter addressed to the AAAC,[70] Salt stated:

> "Stimulation of the ear occurs not directly by pressure (which is why deep sea divers can still hear) but by induced motions of the inner ear fluids, which in turn move sensory tissues and motion-sensitive cells….when low frequency and infrasound enters the ear via the stapes, it causes fluid movements throughout the entire ear between the stapes in the vestibule, through scala vestibuli and scala tympani to the compliant round window membrane at the base of scala tympani. It is these fluid movements that drive sensory tissue movements and cause stimulation. In contrast, pressure fluctuations generated by the body, such as by heartbeat and respiration, enter the ear via the cochlear aqueduct, not through the stapes. The cochlear aqueduct enters the ear adjacent to the round window membrane in the very basal part of scala tympani, so the fluid flows are localized in this tiny region of the ear. As the rest of the ear is bounded by a bony shell which is not compliant, fluid flows in the rest of the ear are substantially lower so that displacements of sensory tissues are negligible. Infrasound generated by the body, because it enters through the aqueduct, therefore does not cause stimulation of the ear."

Statement 3: There is no evidence that wind turbine noise, audible or inaudible, is the cause of adverse health effects in people, and there are no physiological mechanisms to explain how inaudible acoustic energy can be harmful.

In fact, there is ample evidence that noise in general, and especially low-frequency noise, has long-term consequences for human health.[71, 72] For example, long-term exposure to ordinary traffic noise has been associated in a dose-dependent manner with higher risk of myocardial infarction.[73]

Two landmark reports embodying diametrically opposing perspectives with regard to the impact of WTN on health appeared almost concurrently in 2009. One was published as a book by Dr.

Nina Pierpont,[4] a Fellow of the American Academy of Pediatrics who holds an MD degree from Johns Hopkins University School of Medicine and a PhD degree in Population Biology from Princeton University. The other report was written by a panel of seven experts (three physicians, two acousticians, an audiologist, and an audiologist/hearing scientist) commissioned by the American Wind Energy Association and the Canadian Wind Energy Association. The latter report[15] is commonly referred to as the AWEA/CanWEA report, or white paper. These respective reports, more than any others, quickly became the rallying cry for so-called anti-wind and pro-wind advocacy groups in the media, in the public discourse, and in court proceedings.

In her book, Pierpont[4] coined the term *Wind Turbine Syndrome* to describe a range of symptoms reported for 38 family members (adults and children) of 10 families who lived near wind turbines. Based on telephone interviews, she treated her observations and analyses as a case-series research design. She described the syndrome as consisting of 10 classes of symptoms (enumerated below), many of which she attributed to overstimulation of the vestibular system of the inner ear by ILFN. The wind industry, in its AWEA/CanWEA report and elsewhere, has vigorously criticized her study for being non-scientific and non-peer-reviewed. In fact, Pierpont's book was critically reviewed by far more than the usual number of reviewers for a peer-reviewed journal article. While it is true that case series are prone to selection bias, and can at best suggest hypotheses, many discoveries of new phenomena begin with a case study or case series. Furthermore, an increasing body of scientific evidence supports Pierpont's observations of a relationship between WTN and AHEs. More recent laboratory research, described later in this review, suggests that a variety of health symptoms may be due to ILFN stimulation of both vestibular and cochlear components of the inner ear.

Prior to Pierpont's book,[4] Dr. Amanda Harry[74] and Dr. Robyn Phipps and colleagues[75, 76] had documented the occurrence of ill effects from IWTs by use of questionnaire-based surveys of the health complaints of people living near wind projects in Cornwall, England, and Palmerston North, New Zealand, respectively. These authors concluded that a substantial number of people living near wind turbines suffer from health problems and that the cause of the disturbances was the complexity of the noise and vibration. Harry[74] observed that the symptoms were evident for people living within a mile from the wind development and recommended that no wind turbine should be sited closer than 1.5 mi. from the nearest residents. She noted that the guidelines used at the time to site wind turbines were developed when the turbines were 20% the size of the current ones. She concluded that annoyance from noise adversely affects human well-being, and that developers are wrong when they state that WTN is not a problem. Phipps et al[75] noted that 45% of households living within 2 km of the wind farm and 20% of households living up to 8

km away reported hearing noise from the turbines. Phipps[76] reported on the negative consequences of noise that were evident in her own survey and in the works of others, warning that residents do not readily habituate to the presence of WTN.

The AWEA/CanWEA report[15] has been widely used by the wind industry as a basis for its denial of AHEs from IWTs. However, the report is the product of a hand-picked group of experts, at least some of whom were known to hold positions favorable to the report's sponsors, it was never peer-reviewed, and it shows signs of bias, such as conclusions not supported by the research referenced in the report. That white paper concluded that sound from wind turbines, including sub-audible low-frequency sound, does not pose a risk of hearing loss or any other AHE in humans, whether those health effects are described as Wind Turbine Syndrome or otherwise. It also concluded that some people may be annoyed at the presence of sound from wind turbines, including its fluctuating nature, but described annoyance as unrelated to health. Although there is indeed no evidence that IWTs causes hearing loss, the report's conclusion that ILFN does not cause AHEs, and its dismissal of annoyance as a serious entity, have been heavily criticized as erroneous. Horner et al[77] cite many specific examples of the AWEA/CanWEA report's failure to use proper documentation, concluding that it lacks scientific merit and that it is neither authoritative nor convincing. They criticized the report's conclusion that the issue of AHEs stemming from IWTs is settled and that no more research is required, a conclusion that is rarely voiced by scientists. Horner[78] has characterized the report as offering nothing new in its treatment of annoyance, as annoyance has long been known to result from the stress effects of exposure to noise, and he criticized the report for downplaying the relationship between annoyance and health. Phillips[79] has indicated that the report mischaracterized the research designs used by epidemiologists. Despite widespread denial by wind industry advocates of a causal relationship between IWTs and AHEs, the vast majority of peer-reviewed papers have shown that IWTs significantly disturb sleep in at least some residents at distances and noise levels that are typical where IWTs are installed. Furthermore, not a single well-designed scientific study has found WTN to be harmless.[80, 81]

A panel of seven independent experts was commissioned by the Massachusetts Departments of Environmental Protection and Public Health to identify any documented or potential health impacts of risks that may be associated with exposure to IWTs and to facilitate a discussion of IWTs and public health based on scientific findings. The panel generated a report[82] concluding that scientific evidence is lacking to show that WTN leads to AHEs and that a more comprehensive assessment of WTN in populated areas is needed for establishing and refining siting guidelines and for developing best practices. Closer investigation was recommended near

homes where outdoor A- and C-weighted levels differ by more than 15 dB, a strategy for detecting the presence of ILFN (e.g., Kamperman & James[83]). The Massachusetts report has been criticized as misrepresenting the evidence it cites, as well as underestimating evidence indicative of AHEs from IWTs.[84, 85] Schomer and Pamidighantam[86] have described the report as a critique of the literature relating to wind turbine acoustic emissions and health effects, and one with problems similar to those it criticizes.

Some laypersons have remarked disparagingly in the media on the factual evidence—including observations and scientific reports—that shows a relationship between IWTs and AHEs. Shahan,[87] for example, confidently states: "To date, there is no scientific evidence that anything such as 'Wind Turbine Syndrome' actually exists." A common argument of wind energy advocates is that studies show that wind turbines do not lead to AHEs, or that studies that draw such a conclusion are not sufficiently scientific to establish causation. Efforts to discredit those who take a skeptical view toward the wind industry commonly use terms such as *opponents*, *detractors*, *anti-wind activists*, or in the case of Shahan,[87] "paid anti-wind 'experts' who have a long history of directly testifying against wind energy in various court cases." Such critics casually ignore the fact that many of the industry experts, including consulting acousticians and physicians, routinely testify on behalf of the industry in such cases, sometimes for substantial fees, and those individuals are rarely described as paid pro-wind experts or activists.

Numerous researchers have reported the existence of a constellation of health symptoms, either directly mirroring or closely related to those described as Wind Turbine Syndrome by Pierpont,[4] in persons living near IWTs. Significantly, the WHO[38] states that there is sufficient evidence that nighttime noise, irrespective of its source, is related to self-reported sleep disturbance and other health problems, and that these effects can lead to a considerable burden of disease in the population.

Sleep disturbance has been identified as a major adverse impact of IWTs.[4, 18, 45, 47, 54, 57, 58, 72, 74, 76, 77, 79, 80, 81, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107] Nighttime exposure to 40-dBA low-frequency noise has been shown to affect cortisol levels, a physiological indicator of stress. Those levels, following awakening, have been found to be associated with subjective reports of lower sleep quality and mood changes.[108] Sleep is a biological necessity, and disturbed sleep is associated with a number of adverse health conditions. The WHO[71] has concluded that there is available, good-quality evidence supporting a causal association between noise and sleep disruption. Sleep disturbance has important implications for public health and may be a particular problem in children.[84, 94, 109]

Even if no other adverse effects were associated with WTN, sleep disturbance alone is a sufficient reason to site turbines at distances that do not disrupt sleep. Many rural communities have background, nighttime sound levels that do not exceed 25 dBA, and observable effects of nighttime, outdoor noise do not occur at levels of 30 dBA or lower.[71] As outdoor sound levels increase, the risk of AH1Es increases, the most vulnerable populations being the first to show their effects. Vulnerable populations include elderly persons; children, especially those younger than age six; and people with pre-existing medical conditions, especially if sleep is affected.[38, 71] According to the WHO, there is ample evidence to link AHEs with prolonged exposure to outdoor sound levels of 40 dBA or higher. It is important to note that the WHO guidelines are based largely on industrial and transportation noise research, and not on wind turbine research. Because multiple studies (covered in this review) have indicated that WTN is significantly more annoying, has higher infra- and low-frequency sound energy, and is modulating, pulsatile, and sometimes tonal, it may impact health to a greater degree than other noises. This means that noise limits in the WHO guidelines may need to be adjusted downward when applied to WTN.

Additional factors increase the probability of sleep disruption due to WTN. The noise can be heard especially well in areas with low background noise levels, which usually occur at night. Also, lower nighttime wind speeds at ground level increase the nighttime contrast between WTN and background sound levels. Using test data taken during daytime wind conditions will result in a large underestimate of nighttime WTN levels, and thus underestimate the potential for sleep disruption.[38, 58]

Researchers who have studied the impacts of ILFN in general and WTN specifically on health, including some who have reviewed and assessed the findings of other researchers, have attributed a variety of symptoms to ILFN exposure. Those symptoms have been variously described by different researchers, with varying degrees of overlap and detail. They are shown, in no particular order, in Table 1.

Clearly, in addition to annoyance, the most commonly experienced and least-contested health symptom suffered by people living near IWTs is sleep disturbance.[110] Both the United Nations Committee against Torture (CAT) and the Physicians for Human Rights[111] describe sleep deprivation as critical to human functioning. According to Physicians for Human Rights:

> “Sleep deprivation ... causes significant cognitive impairments including deficits in memory, learning, logical reasoning, complex verbal processing, and decision-making; sleep appears to play an important role in processes such as memory and insight formation” (p. 22).

Table 1. Health symptoms described by different researchers as linked to exposure to infrasound and low-frequency noise, including exposure to industrial wind turbines.

Author (Year)	Reference	Symptomatology
Pierpont (2009)	4	Sleep disturbance; headache; Visceral Vibratory Vestibular Disturbance (VVVD); dizziness, vertigo, unsteadiness; tinnitus; ear pressure or pain; external auditory canal sensation; memory and concentration deficits; irritability and anger; and fatigue and loss of motivation
Leventhall (2003) Kasprzak (2014)	12 112	Vibration of bodily structures (chest vibration), annoyance (especially in homes), perceptions of unpleasantness (pressure on the eardrum, unpleasant perception within the chest area, and a general feeling of vibration), sleep disturbance (reduced wakefulness), stress, reduced performance on demanding verbal tasks, and negative biological effects that include quantitative measurements of EEG activity, blood pressure, respiration, hormone production, and heart rate
Havas & Colling (2011)	91	Difficulty sleeping, fatigue, depression, irritability, aggressiveness, cognitive dysfunction, chest pain/pressure, headaches, joint pain, skin irritations, nausea, dizziness, tinnitus, and stress
Horner (2013) Paller et al (2013)	78 113	Headaches, nausea, tinnitus, vertigo, and worsened sleep
Jeffery et al (2013)	92	Sleep disturbance; subjective complaints such as headaches, fatigue, temporary feelings of dizziness, and nausea; objective complaints such as vomiting, insomnia, and palpitations; annoyance; and reduced quality of life (QoL)
Jeffery et al (2014)	93	Negative impacts on the physical, mental and social well-being of people
Krogh et al (2012)	96	Annoyance (regarded as an adverse health effect associated with stress), sleep disturbance, headaches, difficulty concentrating, irritability, fatigue, and a variety of more-serious ailments
Minnesota Department of Health (2009)	55	Annoyance, reduced quality of life, sleeplessness, and headache
Howe Gastmeier Chapnik Limited (2010)	114	High levels of annoyance in a non-trivial percentage of persons, with annoyance associated with sound from wind turbines expected to contribute to stress-related health impacts in some persons

Author (Year)	Reference	Symptomatology
Nissenbaum (2013)	81	Sleep disturbances/sleep deprivation and the multiple illnesses that cascade from chronic sleep disturbance, which include cardiovascular diseases mediated by chronically increased levels of stress hormones, weight changes, and metabolic disturbances (including the continuum of impaired glucose tolerance through diabetes); psychological stresses that can result in cardiovascular disease, chronic depression, anger, and other psychiatric symptomatology; headaches, auditory and vestibular system disturbances; an increased requirement for and use of prescription medication; tinnitus; and vertigo
Nissenbaum et al (2012)	97	Increased sleep disruption, reduced mental health
Thorne (2013)	49	Sleep disturbance, headache, tinnitus, ear pressure, dizziness, vertigo, nausea, visual blurring, tachycardia, irritability, problems with concentration and memory, and panic attack episodes
Pawlaczyk-Luszczyńska et al (2005)	115	Problems with vision, concentration, and continuous and selective attention (especially in persons who are highly sensitive to low-frequency noise)
Pedersen (2011)	99	Annoyance (both outdoors and indoors), statistically related to SPLs; sleep interruption, diabetes, and tinnitus (at one of three test sites); annoyance outdoors, significantly related to sleep interruption, tension, stress, irritability (at all three sites), headache (at two sites), and undue fatigue (at one site); annoyance indoors, significantly related to sleep interruption (at all three sites), and to diabetes, headache, undue fatigue, tension, stress, and irritability (at one of three sites)
Roberts & Roberts (2013)	102	Vibration or fatigue, annoyance or unpleasantness
Shepherd & Billington (2011)	103	Annoyance, which has been linked to increased levels of psychological distress, stress, difficulty falling asleep, and sleep interruption
Taylor (2013)	58	Annoyance, stress, sleep disturbance, interference with daily living, headache, irritability, difficulty concentrating, fatigue, dizziness, anxiety, and reduced QoL
Ambrose et al (2012) Rand et al (2011)	61 116	Dizziness, irritability, headache, loss of appetite, fatigue, inability to concentrate, a need to leave the home, and a preference for being outdoors (during investigations of WTN by seasoned researchers, including acousticians)
Thorne (2011)	46	Sleep disturbance, anxiety, stress, and headaches

Author (Year)	Reference	Symptomatology
Palmer (2013)	117	Negative impacts on sleep, job stability, social relationships, care giving, pursuit of hobbies, leisure, learning, and overall health (based on interviews of residents four years after living near operational wind turbines)
Castelo Branco & Alves-Pereira (2004) Castelo Branco (1999)	118 119	Vibroacoustic disease, described as occurring only after extensive exposure to high levels of infrasound

Other sources quoted by the Physicians for Human Rights[111] note that:

> "A review of the medical literature reveals numerous adverse cognitive effects of sleep deprivation including impaired language skills-communication, lack of innovation, inflexibility of thought processes, inappropriate attention to peripheral concerns or distractions, over-reliance on previous strategies, unwillingness to try out novel strategies, unreliable memory for when events occurred, change in mood including loss of empathy for colleagues, and inability to deal with surprise and the unexpected" (pp. 22-23).

Another line of reasoning is that there is a cause-effect relationship between AHEs and ILFN from wind turbines that mirrors that in motion sickness. Kennedy et al[120] made acceleration recordings during 193 standard training mission scenarios for two moving-base flight trainers. The pilots, who were of comparable age and experience in both groups, were interviewed for motion sickness symptomatology and tested for ataxia after leaving the simulators. Motion sickness incidence was high for one of the simulators, but not for the second. Ataxia scores departed slightly from expected improvements following exposure in both simulators. Spectral analyses of the motion recordings showed significant amounts of energy in the *nauseogenic range* of 0.2 Hz. The authors concluded that simulator sickness in moving-base simulations may be, at least in part, a function of exposure to infrasonic frequencies that make people seasick. Later, von Gierke and Parker[121] advanced the notion that motion sickness may involve an intermodal sensory conflict between visceral graviceptor signals and vestibular stimulation. Schomer and colleagues[52, 86] have argued that similarities with motion sickness may explain some of the health symptoms suffered by individuals living near IWTs, given that the inner ear is capable of responding to accelerations of the kind that lead to seasickness. These accelerations correspond to frequencies in the infrasonic range, around and under 1 Hz. Schomer[66] states that

some persons affected by WTN may be responding directly to acoustic factors, rather than to non-acoustic factors, as argued by Leventhall.[14]

In a rare show of cooperation between the wind industry and independent acousticians, Pacific Hydro agreed to allow acoustician Steven Cooper, a consultant for The Acoustic Group,[25] unlimited access to its Cape Bridgewater wind project in SW Victoria, which had been in operation for about six years. The company allowed Cooper to make noise measurements and independently investigate the noise complaints of six affected residents at three residences located 650-1,600 m from the nearest turbines while the company controlled the on-off cycling of turbine operation. Given Cooper's credentials as an acoustician, the study was described as an acoustical study, as opposed to a medical study. Noise levels were based on A-, G-, and Z-weighted measurements, as well as 1/3-octave band and narrow-band measurements. Participants vacated their homes at night when necessary for Cooper to perform his acoustic studies, and they provided detailed diary accounts of their observations during on-off cycles. Those accounts included severity ratings of perceptions of noise impacts, vibration impacts, and other disturbances, which were collectively labelled as *sensations*. The sensations included headache; pressure in the head, ears, or chest; ringing in the ears; heart racing; or a sensation of heaviness. Synchronization of the timing of the residents' experiences with turbine operational data revealed heightened sensations inside their dwellings during turbine operation. Sensations were not dependent on the ability to hear or see the turbines, as residents were not aware of any of the turbines' operational characteristics. Cooper found that *sensation*, and not *noise disturbance*, was the major disturbance identified. Furthermore, sensations were most related to several different operating conditions of the turbines: at start-up, when there was an increase or decrease in power output of about 20%, and when the turbines were operating at maximum power and the wind speed increased above 12 m/sec.

Based on narrow-band data, Cooper identified a unique *wind turbine signature* (WTS) in which there was an energy peak at the blade-pass frequency and first five harmonics. Shutdown testing confirmed that the WTS, which included an amplitude-modulated signal, was present when the turbines were operating, but not in a natural environment during a turbine shutdown. Participants rated sensations as proportionally more severe as increases occurred in the magnitude of the low-frequency amplitude-modulated signature. The identification of infrasound components was consistent with earlier observations of Kelley et al.[19] Based on his findings, Cooper recommended that further studies be conducted to determine a threshold level of the WTS that protects against adverse impacts, and that the signature concept be used in medical studies by

identifying energy from the operation of wind turbines, as the A-weighted scale inside homes is of no assistance in such studies.

In consideration of the above findings and observations, it is reasonable to conclude that IWTs cause AHEs and other unwanted disturbances. We next examine the physiological mechanisms that may explain how inaudible infrasound can be harmful.

In a recent paper, Berger et el[122] concluded that ILFN levels are insufficient to induce AHEs, given the levels of ILFN typically produced by wind turbines, and that guidelines for audible noise are sufficient to protect human health. Their conclusions were based on measurements of indoor infrasound levels and low-frequency noise levels at distances >500 m that were similar to background levels. While we believe the design and major conclusions of their study to be faulty, their conclusions are consistent with the position taken by Leventhall and other wind energy advocates over the past decade.

In her original description of Wind Turbine Syndrome, Pierpont[4] described a distinctive constellation of symptoms that she believed to be due to stimulation, or overstimulation, of the vestibular organs of balance as a consequence of ILFN from wind turbines. She termed these symptoms Visceral Vibratory Vestibular Disturbance (VVVD). In a follow-up report, Pierpont[100] **s**uggested that the observed symptoms of Wind Turbine Syndrome are due to air-borne or body-borne low-frequency sounds that directly stimulate the inner ear, both the cochlea, or hearing organ, and the vestibular organs of balance and motion detection. As discussed below, research by Salt and associates shows that responses in the cochlea suppress the perception of low-frequency sound but still send signals to the brain, signals whose function is, at present, mostly unknown. The physiologic response of the cochlea to WTN is also a trigger for tinnitus and the brain-cell-level reorganization that tinnitus represents. Although cochlear and vestibular organs are housed within the same bony (otic) capsule, evolutionary adaptations have led to selective activation of auditory or vestibular hair cells. In the presence of certain disorders of the inner ear, however, anatomical defects in the otic capsule can alter the functional separation of auditory and vestibular stimuli, resulting in pathological activation of vestibular reflexes in response to sound.[123] The possibility that high-level ILFN can stimulate the vestibular organs lends credibility to Pierpont's suggestion and may explain the basis for symptoms that mimic other vestibular disorders. Physiologic responses from the otolith organs generate a wide range of brain responses, including dizziness and nausea, seasickness (even without bodily movement), fear and alerting responses such as startle and wakefulness, and difficulties with visually based problem-solving.[100] One candidate for the other destination of cochlear input from the outer hair cells may be the interface between the insula and the medial surface of the transverse (Heschl's)

gyrus, where primary hearing is experienced but not recognized as sound; the latter involves adjacent secondary areas.[124]

WTN can increase alerting responses that disturb sleep, even when people do not recall being awakened. This effect is one that clearly disturbs sleep and mental well-being out to 1,400 m (4,600 ft.) from turbines, with diminishing effects out to 3 km (3 mi.), as shown in a cross-sectional study by Nissenbaum et al.[97]

Laboratory studies conducted by Salt and colleagues have provided evidence that clearly establishes the biological plausibility that infrasound can adversely affect health. That work shows that there are mechanisms in the inner ear that are capable of transducing infrasonic energy into a neural signal that can be transmitted to the brain, where the signals can lead to such symptoms as tinnitus, dizziness, pulsations, and sleep disturbance. Those studies by Salt and associates have involved laboratory experiments funded primarily by the National Institutes of Health and conducted mostly on guinea pigs, whose ears are very similar to human ears. Basically, electrodes were inserted into the inner ears to determine which structures respond to specific types of electroacoustic stimulation. Their findings help to explain why sound that is normally inaudible can result in the kinds of negative reactions reported by people who are exposed to wind turbine ILFN. Findings from their research indicate the following:

(1) The inner hair cells (IHCs) of the inner ear, which are primarily responsible for transmitting signals to the brain that are interpreted as sound, are velocity-sensitive, and thus unresponsive to infrasound. The outer hair cells (OHCs), on the other hand, are displacement-sensitive and respond to infrasonic frequencies at levels well below those that are heard (i.e., interpreted as sound). This suggests that most IWTs produce an unheard stimulation of OHCs;[56, 125, 126] specifically, at 5 Hz the OHCs can be stimulated at sound pressures 40 dB below those that stimulate the inner hair cells associated with conscious hearing.[126]

(2) Low frequencies, which are coded in the cochlear apex, require less low-frequency SPL to be amplitude modulated, when compared to higher frequencies, which are coded in the cochlear base. This means that amplitude modulation of audible sounds by wind turbine infrasound may be the basis for complaints of those living near wind turbines, including complaints such as annoyance or feelings of throbbing and rumbling sensations. It also means that infrasound from wind turbines need not be audible to annoy people, since infrasound can amplitude modulate sounds that are within the range of audibility.[54]

(3) There are several ways that infrasound could affect people, even though they cannot hear it: (a) causing amplitude modulation (pulsation) of heard sounds, (b) stimulating subconscious pathways, (c) causing endolymphatic hydrops, and (d) possibly potentiating, or exacerbating, noise-induced hearing loss.[127]

(4) Responses to infrasound reach the brain through pathways that do not involve conscious hearing but instead may produce sensations of fullness, pressure or tinnitus, or absence of sensation. Activation of subconscious pathways by infrasound could disturb sleep.[128]

(5) The presence of other, higher-pitched sounds (between 150-1,500 Hz) can suppress infrasound.[129, 130, 131] Because the ear is maximally sensitive to infrasound when higher frequency sounds are absent, this means that WTN is most disturbing to persons inside their homes at night, when background sound levels are low and higher-pitched sounds are attenuated by walls and other physical structures.

(6) A pathway exists, through the OHCs, for infrasound to reach the brain. There, parts of the brain other than auditory centers become active and the signals are perceived as something other than sound. This pathway to the brain, which also includes the vestibular mechanism of the inner ear, means that it is biologically plausible for infrasound to produce a variety of sensations, including pulsation, annoyance, stress, panic, ear pressure or fullness, unsteadiness, vertigo, nausea, tinnitus, general discomfort, memory loss, and disturbed sleep (with chronic sleep deprivation leading to blood pressure elevation and possibly changes in heart rate).

On the above grounds, Salt dismisses the common perception that *What we can't hear can't hurt us*, and has stated unequivocally that "Wind turbines can be hazardous to human health."[132]

Interestingly, Oohashi et al,[133]using non-invasive physiological measurements of brain responses, found evidence that sounds containing *high-frequency* components *above* the audible range, or ultrasound, significantly affect the brain activity of healthy human listeners. It should not be considered implausible, therefore, that infrasonic stimulation can also activate the brain.

Recent research supports the plausibility of such effects. Bauer et al,[134] using functional magnetic resonance imaging (fMRI), found a significant response down to the 8 Hz, the lowest frequency presented, to be localized within the auditory cortex. Using magnetoencephalography (MEG), significant brain responses could be detected down to a frequency of 20 Hz. The authors hypothesized that a somatosensory excitation of the auditory cortex possibly contributes at these frequencies. In a somewhat related study, He and Krahé[135] demonstrated a significant relationship between EEG reactions under different low-frequency noise exposures and

subjective annoyance. Noise sensitivity was also found to be an important factor in most of the observations. The authors of these two studies suggested that EEG, fMRI, and MEG may serve as effective physiological measures to explain negative reactions to low-frequency noise.

Kugler et al[136] measured spontaneous otoacoustic emissions (SOAEs) before and after stimulation with perceptually unobtrusive low-frequency sound (30 Hz) and found significant changes to occur; these changes were positively correlated in frequency and level to pre-exposure status and lasted for about 2 min after stimulation. SOAEs are narrow-band acoustic signals that are spontaneously emitted by the inner ear in the absence of acoustic stimulation, and they can be recorded simply and non-invasively in the ear canal with a sensitive microphone. Otoacoustic emissions, first reported by physicist David Kemp,[137] are a by-product of active biophysical amplification by OHCs in the cochlea, persisting in relatively stable form for years under normal physiological conditions. The main task of the OHCs is to detect and mechanically amplify sound waves. In acting as a cochlear amplifier, OHCs actively generate mechanical energy, which is fed back into the cochlear travelling wave to maximize the sensitivity and dynamic range of the mammalian ear. In humans, non-invasive recordings of different classes of sound-evoked otoacoustic emissions (EOAEs) allow indirect access to OHC function, but only SOAE measurements can probe the cochlea in its natural state. The presence of OAEs signals a healthy ear, and their absence or changes in their response patterns can signal pathological function. The significance of the work by Kugler et al is that it reveals OHC function to be affected by a brief exposure to very low-frequency sound that is largely imperceptible. It also reveals that measures of perception severely underestimate OHC sensitivity. The authors concluded that direct quantifications of inner ear active amplification, as measured in their study, are well suited for assessing the risk potential of low-frequency sounds. In the present context, the study provides further support for the notion that what we can't hear can potentially affect us.

Motion sickness has been mentioned in this article as being among the variety of symptoms suffered by individuals living near IWTs. Recalling the work of Kennedy et al,[120] who found evidence of motion sickness in Navy pilots subjected to acceleration during flight simulation, Schomer et al[138] stated that it is plausible that the ear responds similarly to accelerations of a moving vehicle and acoustic pressures at infrasonic frequencies under 1 Hz, in the nauseogenic range. They suggested that the AHEs experienced as a consequence of exposure to IWTs not only bear a striking resemblance to motion sickness, but that the condition may be induced by stimulation of the otolithic organs in the vestibular system of the inner ear. That type of stimulation is purportedly worse when a person is subjected to pressure changes in a closed

cavity, including inside one's home. Further, they describe the type of research needed to verify their hypothesis.

Michaud and colleagues have recently authored a series of papers[139, 140, 141, 142, 143, 144, 145] describing a cross-sectional epidemiological study conducted under the sponsorship of Health Canada, in which they investigated the prevalence of health effects or health indicators among a sample of Canadians exposed to WTN. The studies employed both self-reported and objectively measured health outcomes. The final sample, drawn from communities in Ontario and Prince Edward Island where a sufficient number of dwellings were located near wind turbine installations, included 1,238 participates (606 males, 632 females) living between 0.25 and 11.2 km from operational turbines. One participant between the ages of 18-79 years was randomly selected from each household. The reported response rate was 78.9% and did not significantly vary across sampling strata or provinces. Modelled A- and C-weighted WTN levels reached 46 dBA and 63 dBC, respectively, and the two levels were found to be highly correlated, which suggested that C-weighted values offered no additional information beyond that offered by A-weighted values. Only minor differences across strata were reported for age, employment, and type and ownership of dwelling. WTN exposure was not found to be related to hair cortisol concentrations, blood pressure, resting heart rate, or any of several measured sleep parameters (i.e., sleep latency, sleep time, rate of awakenings, sleep efficiency). Self-reported results obtained through an in-person questionnaire did not provide support for an association between increasing WTN levels and self-reported sleep disturbance, use of sleep medication, or diagnosed sleep disorders. Similarly, no significant association was found between WTN levels and self-reported migraines, tinnitus, dizziness, diabetes, hypertension, perceived stress or any measure of QoL. However, they observed statistically significant exposure-response relationships between increasing WTN levels and the prevalence of long-term high levels of annoyance toward noise, shadow-flicker, visual impacts, blinking lights, and vibrations.

The authors of the present report, along with a number of professional colleagues with acoustical or medical expertise, have carefully analyzed the reports by Michaud and colleagues and have concluded that the research protocol of the Health Canada study reflects shortcomings that severely undercut the conclusions that were drawn in the various reports. To enumerate the major flaws in the Michaud et al reports:

(1) They incorrectly concluded that AHEs were not found when sound levels were below 46 dBA by failing to benchmark their "surrogate control group" against the general population. Proper analysis, using a proper control group, would have resulted in high correlations of these symptoms with decreasing distances to, and increasing noise levels from, wind

turbines. In reports of the sound-exposure data, sound levels of 30-35 dBA were significantly associated with increases in the prevalence rates of symptoms. This indicates that the 40 dBA currently used as the permissible threshold in Ontario and other Canadian provinces is not protective of the public's health and welfare.

(2) Key health symptoms were reported primarily for non-vulnerable populations, in that younger individuals and individuals who had left their homes were excluded from participation. Those exclusions invalidate the study as a reflection of health conditions in the general population.

(3) Evidence provided by the World Health Organization[38] showing that exposure to noise from vehicles, railways, and aircraft is linked to serious physiological and psychological health effects at sound levels of 40 dBA and higher, and that lower levels are needed to protect the more vulnerable members of the population, was ignored in the Health Canada study. The finding that AHEs did not occur below 46 dBA should have been a warning sign to the researchers that their study design, their analyses, or both, were flawed.

Statement 4: Setback distances of 1,000-1,500 ft. (approximately 0.3-0.5 km) are sufficiently safe to protect humans from harm, regardless of height or other physical characteristics of the IWTs.

Many zoning ordinances that regulate IWTs specify the height of the turbine tower from its base to blade tip, plus 10% to 100%, as a setback distance that sufficiently protects residents against a catastrophic event such as a tower failure, a falling blade, or ice throw. Some ordinances specify a distance of twice the base-to-blade tip height, roughly 900 ft., while others arbitrarily specify slightly longer distances such as 1,500 ft. or 0.5 km. Most of the reported health symptoms have been observed at distances much greater than these setback distances. One can deduce, therefore, that *setbacks intended to protect physical health from mechanical or other traumatic failure of a wind turbine component are not adequate to protect general health and well-being*.

While terrain, weather patterns, number and size of turbines, and the turbine array itself can influence the ILFN emitted from IWTs, the two major factors are turbine size and distance from the receiver. Distance is the only practical means of achieving acceptable sound levels, as controlling the noise through the erection of barriers or enclosures near the source or receiver are not feasible or effective. Because infrasound is involved, closing windows, insulating buildings (including residences), and sleeping in basements are not normally helpful in attenuating the noise, and there is less likelihood that the emissions will be masked by wind at ground level.[60, 146] Noise levels must be measured by qualified personnel, and the sound level at the residence—or arguably at the property line—is the key element in protecting the health of residents.

To protect human health, a number of researchers have recommended specific distances, while others have recommended limitations on sound levels, irrespective of the distances needed to achieve those levels. Such recommendations are based on observed or reported complaints of AHEs. Though quite specific, the recommendations vary somewhat widely, as shown in Table 2.

The recommendations in Table 2 include boundaries of distance and noise levels of 0.5-2.5 mi. and 30-40 dB, respectively, that are believed by various professionals to protect human health. Although the use of maximum permissible noise levels appears to be the optimal approach for protecting the greatest number of people, the existence of multiple acoustic and environmental factors complicates our ability to recommend a single distance or noise level that protects most residents. Those factors are covered elsewhere in this review.

Table 2. Recommended minimum siting distances and maximum noise levels of industrial wind turbines, based on the protection of human health.

Author (Year)	Reference	Distance/Level
Pierpont (2009) Kamperman & James (2008)	4 83	Distance of 1.25 mi, or 2 km
Nissenbaum et al (2012)	97	Minimum distance of 0.87 mi, or 1.4 km, based on experimental conditions studied
Harry (2007)	74	Minimum distance of 1.5 km from nearest turbine
Frey & Hadden (2007)	90	2 km between family dwellings and IWTs of up to 2-MW installed capacity, with greater separation for a wind turbine greater than 2-MW installed capacity
Shepherd & Billington (2011)	103	4 km, to protect against amplitude-modulated turbine noise
Position of the National Institute of Public Health-National Institute of Hygiene on wind farms (2016)	147	A minimum distance of 2 km of wind farms from buildings
Cummings (2011)	39	Distance of ½ mi or greater; noise levels within 5-10 dB of existing background conditions; sound levels below 40 dBA, or even 30-35 dBA, as levels of 40 dBA or higher trigger large numbers of noise complaints
World Health Organization (2009)	38	Outdoor sound levels <40 dBA, with vulnerable populations expected to be most affected

Author (Year)	Reference	Distance/Level
Knopper et al (2014)	148	Sound levels <40 dBA, for non-participating receptors
Horner (2013)	78	Sound levels <30 dB
Harrison (2011)	42	Sound levels limited to 35 dBA at nighttime and 40 dBA during daytime hours; 5-dBA and 4-dBA penalties, respectively, imposed for the periodic or impulsive character of turbine noise and for uncertainty in noise prediction
Thorne (2013)	49	Sound levels <32 dB LAeq outside a residence

Statement 5: Annoyance is a nuisance, but it is not a health issue.

In the past few years, the position of the wind industry has changed from a blanket denial of any impact from noise to admitting that IWT noise is annoying to a substantial portion of exposed populations, and that annoyance from ILFN is a well-accepted phenomenon. While Bolin et al[18] and Ellenbogen et al[82] downplay the relationship between annoyance and WTN, the larger research community has documented that ILFN from wind turbines and other sources leads to annoyance.[12, 14, 15, 19, 21, 37, 38, 40, 42, 46, 49, 55, 58, 59, 63, 64, 74, 78, 80, 81, 90, 92, 94, 98, 99, 102, 118, 146, 149, 150]

Several investigators have concluded that annoyance increases in a dose-response relationship as distance from turbines is reduced.[44, 89, 146] A number of studies have concluded that noise annoyance appears to be worse when nearby residents have negative attitudes and when visual annoyance or intrusive sound characteristics are also involved.[e.g., 44, 65, 112, 146, 151] However, the annoyance from visual stimulation and the annoyance from noise may be entirely independent. The two irritants do not have to be linked. The common factor is that as one moves closer to a wind turbine, it is perceived as both larger *and* louder. One recent study,[152] which compared visual, audible noise, and combined visual-auditory representations of wind turbines, found noise sensitivity to correlate with both noise and visual annoyance. That study also demonstrated a reciprocal influence between auditory and visual stimuli, but in essentially a direction opposite that predicted by earlier studies of wind turbine visibility and noise. Interestingly, the study showed that a visual stimulus had a mitigating effect on noise annoyance, while an auditory stimulus had a disturbing effect on visual annoyance. This finding supports the idea that humans perceive the environment holistically and in context of all perceptual information. In suggesting that auditory and visual features are processed in close interaction, it forces us to question the idea that annoyance from WTN arises largely because the turbines are visible. Given our current

state of knowledge, it seems reasonable to accept that people can be annoyed by auditory and visual irritants independently, even though there may be interactions between them.

Annoyance occurs in residents living near wind turbines at lower sound levels than for transportation noise, industrial noise, or other sources.[38, 42, 43, 58, 64, 93] Perception and annoyance have been found to be associated with both urbanized and rural terrains.[149] Pedersen et al,[146] in summarizing survey data on annoyance from wind turbines in the Netherlands and Sweden, found that 25% or more of all respondents were annoyed by levels of 40-45 dBA, while about 18-20% were very annoyed by those levels. A total of 18% found outdoor levels of 35-40 dBA to be rather annoying or very annoying outdoors and 8% found those levels to be rather or very annoying indoors. For outdoor levels of 40-45 dBA, 18% and 16% were rather or very annoyed outdoors and indoors, respectively. Because such surveys tend to emphasize *noise* from wind turbines, results often reflect levels of annoyance that relate more directly to audible sounds, as opposed to infrasound.

While few would argue that noise from wind turbines annoys a substantial percentage of nearby residents, there is disagreement over whether it leads to AHEs. Colby et al[15] stated that:

> "…there is no evidence for direct physiological effects from either infrasound or low frequency sound at the levels generated from wind turbines, indoors or outside" (p. 3-8).

They reasoned, therefore, that annoyance is not a pathological entity. Their basic contention was that although wind turbines produce infrasound, it is not harmful because people can't hear it. They contended that while some people may be annoyed by the sound from wind turbines — presumably audible sound—annoyance is primarily due to the fluctuating nature of the noise and personal attitudes. In their view, it is a psychological reaction, as opposed to a direct physiological reaction to sound. As noted above, however, several investigations[44, 89, 146] have found a dose-response relationship to exist between measured or estimated sound levels and annoyance. IWT noise emissions have been found to be a mediator between exposure and sleep disturbance and psychological distress,[89] and to be directly associated with stress.[e.g., 104]

The documented health symptoms from exposure to wind turbines are often stress-related and exacerbated by sleep disorders; they appear to be mediated through both direct and indirect pathways, and the result can be serious harm to human health.[92] There is an association between WTN, stress, and well-being, and this association is a potential hindrance to psycho-physiological restitution.[58, 98] The WHO has described annoyance as a critical health effect, in that in some people it is associated with stress, sleep disturbance, and interference with daily living.[38] A range of symptoms, often described as stress responses, have been associated with

WTN in people living in the vicinity of wind projects. As Pierpont[4] and others have noted, these symptoms include headache, irritability, difficulty concentrating, fatigue, dizziness, anxiety, and sleep disturbance. Regardless of whether the perceived impacts of noise from wind projects are physiological or psychological in nature, they are considered to cause AHEs through sleep disturbance, reducing the quality of life and serving as a source of annoyance that sometimes leads to stress-related symptoms.[71] The potential of environmental noises to induce stress reactions is well known. These reactions are dependent on how the noises are interpreted in the central nervous system; medical effects such as increased blood pressure, for example, are known to result from prolonged noise exposure.[153]

Generally, models that explain the relationship between noise and health fall into two broad categories, based on pathways that are *direct* or *indirect*. Figure 1, which is a modification of a figure from Shepherd et al,[50] depicts three models, one direct and two indirect, that have been described in the contemporary literature. The first (Fig. 1a) represents a direct pathological relationship between an environmental parameter (e.g., noise level) and a target organ that affects health. For example, in this model, noise can affect both cognition and sleep, and thus directly impact health. An alternative approach (Fig. 1b) distinguishes between direct health effects and psychosomatic illness. This approach suggests that any physiological illness coinciding with the onset of WTN may be caused by a negative psychological response to the noise, and not the noise *per se*. Any anxiety or anger resulting from the presence of WTN induces stress and strain that, if maintained, can eventually lead to AHEs. Another explanation that involves an indirect pathway from sound to health effects is one that is consistent with the WHO's definition of health.[38] That model (Fig. 1c) recognizes the role of environmental moderators, or mediators, in the determination of whether a sound is (unwanted) noise, and, if so, whether or not the noise



Figure 1. Three models representing the relationship between noise and health: the biomedical model (a) stipulating a direct causal relationship and indirect models (b and c) containing moderators and mediators (Adapted from original source and used with permission of first author, Daniel Shepherd).[50]

negatively impacts health. Mediators include factors such as degree of urbanization, house type, and sound level, and psychological and demographic moderators such as age, gender, education, employment status, attitudes to wind energy, noise sensitivity, and whether the individual receives a monetary return from the turbines. In this model, sleep disruption plays a major role in producing AHEs, with annoyance and sleep disruption being intervening factors between noise and AHEs for some people.

Authors of a recent study,[154] which focused on the province of Ontario, acknowledge both the link between annoyance and health and the possibility that wind projects can exacerbate psychosocial health problems through social processes such as intra-community conflict. They list socially mediated health concerns, distribution of financial benefits, lack of meaningful engagement, and failure to treat landscape concerns seriously, as the core stumbling blocks to a community's acceptance of wind energy development.

Statement 6: Noise cannot account for all of the complaints of people living in the vicinity of wind turbines; there must be another, unknown reason for the complaints.

Havas & Colling[91] have observed that wind turbines generate electromagnetic waves in the form of poor power quality (*dirty electricity*) and ground current, and speculate that these waves can adversely affect those who are electrically hypersensitive. McCallum et al[155] performed magnetic field (EMF) measurements in the proximity of 15 Vestas 1.8-MW wind turbines, two substations, various buried and overhead collector and transmission lines, and nearby homes in the vicinity of Goderich, Ontario, during high-wind, low-wind, and shut-off operational stages. They concluded that there is nothing unique to wind farms with respect to EMF emissions, finding that magnetic field levels in the vicinity of wind turbines were lower than those produced by many common household electrical devices and that levels were well within any existing regulatory guidelines with respect to human health.

Although at least a few of the health symptoms mentioned above have been self-reported by individuals who are exposed to electromagnetism, clinical trials to date suggest the link between health complaints and exposure to electromagnetism to be a purely psychological one, or a nocebo effect, in that self-described sufferers of electromagnetic hypersensitivity are unable to distinguish between exposure and non-exposure to electromagnetic fields.[156] Another review paper[157] found no convincing scientific evidence that symptoms are caused by electromagnetic fields. However, one cannot rule out that the design of the experiments upon which the review papers drew their conclusion may have missed some unique characteristic that could account for the anecdotal evidence. (See our earlier statements describing how failure to identify infrasound

pulsations as a causal factor for perception at pressure levels below those needed for audibility have led some to conclude that IWT infrasound causes no harm.) When faced with health complaints from families who live near IWTs, especially when there are repeated instances of symptoms that wax and wane with alternating sequences of exposure and non-exposure, and especially when those families have taken the drastic step of abandoning their homes, it is unreasonable to argue that noise is not the cause of the complaints. Even if other factors such as electromagnetic waves are the root cause of a given complaint, it is still the placement of turbines too close to those residents that is the most likely cause of the problem.

Unfortunately, not as much is known about the effects of electromagnetism as is known about ILFN. At this point in time, therefore, it is reasonable to conclude that more people who live near wind turbines are negatively affected by ILFN than by hypersensitivity to dirty electricity or ground current, as measurable levels of ILFN from wind turbines are highly associated with individual complaints. When Stigwood et al[57] studied and analyzed complaints at over 75 wind developments in the U.K., they found that identifying the problems was straightforward, occurrence was common (i.e., some residents reported problems in all developments), all developments generated excess amplitude modulation (AM), and AM was the cause of the vast majority of the complaints. These findings have recently been reinforced by Cooper's work[25] in Australia.

Statement 7: Infrasound from wind turbines is sufficiently correlated to the A-weighted sound emissions to allow an A-weighted model to be used to predict how much infrasound is present in homes.

This statement is not typically stated explicitly, but it is one that is inherent in the positions commonly taken by wind energy advocates and regulatory bodies through their interpretations and acceptance of research on WTN, which is based largely on A-weighted levels. As noted in many previous papers, including one of our own,[101] the continued use of the A-weighting scale in sound level meters is a major basis for misunderstandings that have led to acrimony between advocates and opponents of locating wind turbines in residential areas. The dBA scale was devised as a means to incorporate into measurements of environmental and industrial SPLs the inverse of the minimum audibility curve[158] at the 40-phon level. It is typically used, though, to specify the levels of noises that are more intense, where the audibility curve becomes considerably flattened, obviating somewhat the need for A-weighting. Use of the A-weighted scale is mandated or recommended in various national and international standards for measurements that are compared to damage-risk criteria for hearing loss and other health effects resulting from occupational or environmental noise exposure. It drastically reduces sound-level

readings in the lower frequencies, beginning at 1,000 Hz, and reduces sounds at 20 Hz by 50 dB. For WTN, the A-weighting scale is especially inappropriate because of its devaluation of the effects of ILFN. Many authors have commented on its inadequacy. For example, Pederson and Persson Waye[159] state:

> "There is… support both from experimental and field studies that intrusive sound characteristics not fully described by the equivalent A-weighted sound pressure level contribute to annoyance with wind turbine noise" (p. 4).

A number of researchers have recommended comparing C-weighted measurements to A-weighted measurements when considering the impact of sound from wind turbines.[10, 12, 37, 61, 67, 75, 76, 83, 101] According to these sources, the presence of infra- and low-frequency sound is generally indicated when the difference between levels on the two scales differs by 10-20 dB. When such differences are observed, the use of third-octave or linear-scale measurements is typically recommended (for example, see Shepherd et al[50]). Other weighting scales have been suggested for wind turbine applications, but at present, linear-scale or narrow-band measurements, used in conjunction with a conventional sound level meter (with low-frequency microphone) and micro barometer, offer the best potential for accurately and completely describing the soundscape in the vicinity of IWTs.

As noted above, Cooper[25] has suggested that A-weighted levels, measured inside homes, are not likely to be useful indicators of AHEs. That report concluded that A-weighted levels are not a valid index of protection from AHEs and recommended the further exploration of a newly developed *wind turbine signature* scale, based on the discovery of its capability to quantify the amplitude-modulated peak energy in the infrasonic frequency region. That scale was shown to be directly linked to a variety of adverse bodily sensations when nearby turbines were operating or undergoing transitions in operation.

Although A-weighted sound level measurements have been the *sine qua non* for specifying environmental and occupational noise levels for many decades, we must recognize the inherent inadequacies of applying the A-weighting scale to quantifying noise emitted by IWTs. Bray[160] goes even further by noting that people, and not electronic devices, are the ultimate analysts of data that affect their responses to sound, making the point that people's responses should be given the credence they deserve, and not be devalued when physical measurements fail to confirm them.

Statement 8: Wind Turbine Syndrome has not been accepted as a diagnostic entity by the medical profession, so medical professionals cannot diagnose or treat it.

Currently, Wind Turbine Syndrome is not included in the International Classification of Diseases (ICD) coding system, which is used globally for purposes of establishing categories for diagnosing diseases and other health conditions, and as a basis for reimbursing medical providers for diagnostic and treatment services. Yet, of the 10 symptom sets comprising Pierpont's Wind Turbine Syndrome,[4] at least seven are included as a category or subcategory in the newly revised (ICD-10) coding system. The fact that the syndrome itself is not included may be due to its relatively recent discovery, but is more likely due to the fact that the syndrome consists of symptoms that are highly variable from person to person and affect a minority of the exposed population.

Especially in legal proceedings, it is important to distinguish between the terms *differential diagnosis* and *causation assessment*. It is the latter that is most often the subject of such proceedings. Attorneys and expert witnesses often get the terms confused. Differential diagnosis refers to the identification of disorder(s) that may account for a particular complaint or symptom complex. It rarely deals with the external cause of the disorder. Causation assessment, on the other hand, typically requires an evaluation of whether potential causative agents have irritating properties; a determination of the approximate amount of exposure, or dose, of that agent, and the timing between exposure (and non-exposure) and the occurrence of symptoms; and an assessment of whether alternative potential causes of the disorder can be ruled out. These latter steps are not necessarily considered part of the diagnosis.

Notwithstanding the fact that Pierpont herself is a practicing pediatrician, a couple of recent developments would appear to increase the prospect that medical personnel will soon be able to establish Wind Turbine Syndrome, by that or a similar label, as a clinical entity caused by exposure to WTN. Dr. Robert McMurtry, a physician who is a special advisor to the Canadian Royal Commission on the Future of Health Care, and a long-time advocate for more effective public involvement in healthcare policy, recently published a set of highly specific criteria for establishing such a link. McMurtry[161] originally proposed a case definition that identifies first-, second-, and third-order criteria, as well as specified circumstances and symptoms that must be established before AHEs can be attributed to wind turbine exposure. According to those criteria, probable AHEs are present when:

(1) All four of the following first-order criteria are met: (a) The individual resides within 5 km of IWTs, (b) Health status is altered following the start-up of or initial exposure to, and during

the operation of, IWTs (a latent period of up to 6 months may be allowed), (c) Amelioration of symptoms occurs when more than 5 km from the environs of IWTs, and (d) Recurrence of symptoms occurs upon return to the environs of IWTs within 5 km.

(2) At least three of the following second-order criteria are met (occurring or worsening after the initiation of operation of IWTs): (a) Compromised quality of life, (b) Continuing sleep disruption, difficulty initiating sleep, and/or difficulty with sleep disruption, (c) Annoyance producing increased levels of stress and/or psychological distress, and (d) A preference to leave the residence temporarily or permanently for sleep restoration or well-being.

(3) At least three specified symptoms occur or worsen following the initiation of IWTs, those symptoms referred to as third-order criteria that fall within the following categories: (a) Otological and vestibular disorders, (b) Cognitive disorders, (c) Cardiovascular disorders, (d) Psychological disorders, (e) Regulatory disorders, or (f) Systemic disorders.

To be confirmed as AHEs from WTN exposure, McMurtry indicated that consideration should be given to other stressors present in the community, that sleep studies be carried out if at all possible, and that a licensed physician be able to rule out alternate explanations for AHEs. These alternate explanations include substantial barometric changes from prevailing winds, a stressful home environment, and psychological and/or mood disorders, all of which can normally be ruled out when symptoms subside or disappear when the individual leaves the vicinity of the wind turbines. Apart from these three factors, he indicates that there are very few, if any, other health conditions that can mimic those caused by exposure to wind turbines and at the same time meet the three orders of criteria outlined in his case definition. More recently, McMurtry and Krogh[162] published a revised case definition, in which the third-order criteria—which are commonly present—are not considered essential elements. In both papers, the authors acknowledged that the identification of IWTs as the cause of adverse health symptoms is a complex emerging issue that requires further study to validate the criteria. They proposed key elements that ought to be included in any model used to assess the validity of the case-definition criteria.

McCunney and colleagues[163] have challenged those case definitions as having poor specificity, leading to a substantial potential for false-positive assessments and missed diagnoses. A potential fallacy in this challenge is that the authors unnecessarily conflate the concept of case definition for medical practitioners with that of an epidemiologic research plan. The case definitions presented by McMurtry[161] and McMurtry and Krogh[162] represent guidelines for medical doctors whose individual patients are experiencing new or unusual symptoms. It is erroneous to purport that a physician’s mental process can be encapsulated into a set of equations, especially

during the earliest stages of developing a case definition. The criticisms of these early case definitions should not deter physicians from attempting to evaluate and treat patients who report AHEs after living in the vicinity of IWTs. This area may indeed benefit from further study. Our view, however, is that such criteria provide an adequate starting point for guiding medical practitioners.

Dr. Steven Rauch, an otolaryngologist at the Massachusetts Eye and Ear Infirmary and a professor at Harvard Medical School, recently declared that he believes Wind Turbine Syndrome to be a real phenomenon.[164] As reported by numerous websites and newspapers, multiple patients have sought treatment from him for AHEs stemming from consistent exposure to IWTs. Rauch compares the syndrome to migraine headaches and believes that people who suffer from migraines are among the most sensitive to the effects of WTN, and he has stated that the wind industry aims to suppress the notion of Wind Turbine Syndrome by blaming the victim.

Given these developments, it is possible that the medical profession may someday embrace Wind Turbine Syndrome—by that or another name—as a clinical entity. This prospect is encouraging, as such acceptance by the profession will facilitate efforts to protect individuals from the harmful health effects of exposure to IWTs. Even though it may be some time before such a diagnostic label is formally acknowledged as an ICD code, it is currently possible for physicians to identify many of the specific symptoms associated with wind turbine exposure and to bill for diagnosing and treating those symptoms, with or without regard for their underlying cause. Paradoxically, it is apparently the case that the most effective treatment for AHEs associated with WTN exposure is non-medical in nature; it is to recommend that patients physically remove themselves from the vicinity of IWTs.

Statement 9: Peer-reviewed epidemiological literature is the only acceptable basis for proving a causative relationship between wind turbine noise and adverse health effects.

This issue runs as a thread through virtually all the other issues addressed in this paper, as it relates to the kind of scientific evidence frequently called for, especially in legal settings, to prove that IWTs are the cause of AHEs. While personal physicians of complainants in legal cases are often considered the only expert witnesses qualified to establish *specific causation*, others can testify to *general causation*, which is the methodology by which scientists determine whether or not an agent is responsible for producing a particular disorder. In general, this requires evaluation of the scientific and medical literature to identify documented instances of health-related conditions arising from exposure to specific agents and, when available, the dose-response relationships between agents and their effects. This process is highly similar to that of

causation assessment, as explained above, and it does not necessarily require the input of a complainant's personal physician, although such input may be helpful. In legal cases involving WTN, it is critical that expert witnesses in acoustics and health be able to reconcile their positions with the reports and standards of the WHO,[165] the International Organization of Standards (ISO),[166] and the American National Standards Institute/Acoustical Society of America (ANSI/ASA)[167] that have linked low-frequency noise to symptoms of the type involved in complaints. These acoustical documents and research reports are seldom, if ever, included in literature reviews used by the industry to deny potential health risks. If challenged on the validity of the available evidence, acousticians need to be knowledgeable of the relevant acoustical standards and make sure that they are understood by all parties. In reality, the wind industry's almost universal refusal to cooperate with researchers has made it virtually impossible to conduct proper acoustical or epidemiological studies. The industry has been largely unwilling, or claims it is unable, to shut down or modify operations of its turbines for experimental purposes. To date, such a situation has rarely occurred, most notably in the case of the Cape Bridgewater study.[25]

The veracity of Statement 9 is strongly challenged by the classic address by Sir Austin Bradford Hill,[168] Professor Emeritus of Medical Statistics, University of London, to the newly founded Section of Occupational Medicine of the Royal Society of Medicine. In his essay, Hill shared his thinking about association and causal evidence surrounding environmental disease. He posited nine elements that are critical in establishing causation:

(1) *strength* (strength of observed relationships),
(2) *consistency* (consistency, or repeatability, of relationships, based on observations by different persons, in different places, under different circumstances, and at different times),
(3) *specificity* (causation is indicated if the association is limited to specific individuals and to particular sites and types of disease and there are no associations with other factors),
(4) *temporality* (there is a clear temporal relationship between outcomes and periods of exposure and non-exposure),
(5) *biological gradient* (a dose-response relationship exists),
(6) *plausibility* (causation is more likely when certain outcomes are biologically plausible, or possible, a caveat being that plausibility depends on the biologic knowledge of the day; this element is best expressed in the statement: "When you have eliminated the impossible, whatever remains, however improbable, must be the truth" (p. 10),

(7) *coherence* (the cause-and-effect interpretation of data should not seriously conflict with generally known facts of the natural history and biology of the disease),

(8) *experiment* (experimentation or semi-experimental evidence, even if only occasional, can reveal the strongest kind of evidence for causation), and

(9) *analogy* (the recognition that similar cause-effect relationships have occurred under similar conditions).

Hill states:

> "What I do not believe (is) …that we can usefully lay down some hard-and-fast rules of evidence that must be obeyed before we can accept cause and effect. None of my nine viewpoints can bring indisputable evidence for or against the cause-and-effect hypothesis and none can be required as a *sine qua non*. What they can do, with greater or less strength, is to help us to make up our minds on the fundamental question – is there any other way of explaining the set of facts before us, is there any other answer equally, or more, likely than cause and effect?... No formal tests of significance can answer those questions. Such tests can, and should, remind us of the effects that the play of chance can create, and they will instruct us in the likely magnitude of those effects. Beyond that they contribute nothing to the 'proof' of our hypothesis" (p. 299).

Hill makes this final observation in his essay:

> "All scientific work is incomplete – whether it be observational or experimental. All scientific work is liable to be upset or modified by advancing knowledge. That does not confer upon us a freedom to ignore the knowledge we already have, or to postpone the action that it appears to demand at a given time" (p. 300).

Extrapolating from Hill's essay, the totality of our knowledge gained from the available evidence must be considered when examining the link between WTN and AHEs. Fortunately, in addition to experimentation, this evidence includes simple tools that are useful, particularly if we are willing to recognize their collective value. Those tools begin, but do not end, with adverse health reporting.

Dr. Carl Phillips, a specialist in epidemiology and science-based policy making, and a former professor of public health, has stated:[169]

> "In cases of emerging and unpredictable disease risk, adverse event reports are the cornerstone of public health research. Since it is obviously not possible to study every possible exposure-disease combination using more formalized study methods, just in case an association is stumbled on, collecting reports of disease cases apparently attributable to a particular exposure is the critical first step" (p. 304).

He gives familiar examples of hazards revealed by adverse event reporting, including infectious disease outbreaks and side effects from pharmaceuticals. He points out that:

> "Pharmaceutical regulators rely heavily on clearinghouses they create for adverse event reporting about drug side effects (and often become actively concerned and even implement policy interventions based on tens of reports)" (p. 304).

Phillips indicates that the case of wind turbines and health fits the same pattern. He describes adverse event reporting as a special type of case study—sometimes denigrated as anecdotes—that generally reports on the rapid onset of a disease that appears to be related to a particular exposure. He advocates self-reporting of adverse events as a highly useful approach in studying the health effects of wind turbines. In addition, he advocates the use of case-crossover experiments as useful and well-accepted sources of epidemiologic information, stating that they are intuitively recognized by both experts and laypersons seeking to assess whether an exposure is causing specifiable outcomes.

Other forms of evidence, all considered scientific, have been or can be used to determine the impacts of WTN on health. These include case studies, case-series studies, and other pre-experimental, quasi-experimental, true experimental, correlational analysis, and single-subject designs. Single-subject designs, like the case-crossover design used by epidemiologists, can also be applied across multiple individuals to reveal relationships between specific interventions and changes in outcomes in individuals or groups. In both designs, subjects serve as their own controls while crossing over from one treatment to another (A vs. B) during the course of the experimental trial. Both are flexible designs and useful in studying events that are infrequent or sporadic. Numerous individuals living near IWTs have experienced health symptoms that have waxed and waned during repeated cycles of exposure (A) and non-exposure (B), which indicates that the wind industry has unwittingly engaged individuals and families worldwide in a series of quasi-empirical studies for many years, without obtaining informed consent from un-enrolled subjects, typically by downplaying any concerns about potential health impacts. The outcomes from these experiments offer some of the strongest evidence available that there is a causative link between WTN and AHEs in some individuals.

According to the WHO,[170] epidemiology is "the study of the distribution and determinants of health-related states or events (including disease), and the application of this study to the control of diseases and other health problems. Although the randomized clinical trial (RCT) is generally considered the *gold standard* of designs for establishing causation, various methods can be used to carry out epidemiological investigations: surveillance and descriptive studies can be used to study distribution; analytical studies are used to study determinants." Epidemiology uses a

systematic approach to study the differences in disease distribution in subgroups and allows for the study of causal and preventive factors.[171] Descriptive epidemiological studies describe the occurrence of outcomes, and analytical studies reveal associative linkages between exposure and outcomes. Descriptive studies include primarily case reports and case-series studies. Analytic designs include experimental studies such as community trials and randomized controlled clinical trials, and observational studies, in which observations can be made retrospectively, concurrently, or prospectively. Observational studies include those in which either grouped (i.e., ecologic) or individual data are collected, the latter normally favored by the scientific community. Those designs involving individual data include cross-sectional, cohort, case-control, and case-crossover studies. Although epidemiological studies rely on statistical analyses of relationships between exposure to specific agents and AHEs in relatively large samples of the population, they are not aimed at revealing the cause of a disease or disorder in specific individuals. A cogent summary of research designs used in *evidence-based medicine* can be found online.[172]

Cross-sectional studies survey exposures and disease status at a single point in time in a cross-section of the population. They measure prevalence, not incidence, of a disease process, and have the disadvantage of difficulty in establishing the temporal sequence of exposure and effect. Also, rare and quickly emerging events may be difficult to detect. Their major advantage is that data can be collected at the same time on all participants, which means the study can be completed in a relatively short time. Notably, several cross-sectional investigations of the effects of WTN exposure have been reported.[44, 97, 98, 99, 104, 149] These studies serve as major contributions to the scientific literature on the subject.

Cohort studies involve an observational design in which a sample of the population is followed to discover new events.[75] They compare individuals with a known risk factor or exposure with others without the risk factor or exposure and aim to determine whether there is a difference in the risk, or incidence, of a disease over time. They tend to be the strongest observational design, especially when the data are collected prospectively, as opposed to retrospectively. Compared to the cross-sectional design, cohort studies tend to require more time, which partially explains the paucity of such studies involving wind turbine exposure.

Case-control designs compare exposures in diseased cases vs. healthy controls from the same general population. Specific disease states must be known prior to initiation, and exposure data must be collected retrospectively. This design can be applied to cases of IWT exposure, despite the fact that it requires the cooperation of affected and unaffected segments of the same population, a circumstance made difficult by attempts on the part of energy companies to

maintain confidentiality and privacy as a means to facilitate wind turbine development in areas involving both participants and non-participants.

In case-crossover studies, which are a special type of case-control design, the *case* and *control* components reside in the same individual. This design is especially useful in investigating triggers of a disease process within an individual. In the behavioral sciences, it is commonly referred to as a *single-subject design*, as already described. The case component signifies the hazard period, which is the time period before the disease or event onset (e.g., exposure to IWTs), and the control component signifies a specified time interval other than the hazard period, namely the non-exposure interval. As already mentioned, wind companies themselves have unwittingly subjected residents to the basic conditions of this design, and results clearly suggest that exposure to WTN leads to a variety of health complaints in some individuals and families. Phillips[79] argues that:

> "A case-crossover study is one of the most compelling sources of epidemiologic data. It consists of observing whether someone's outcomes change as their exposure status changes. This is often not possible because the outcomes only happen a single time as a result of long-term exposure (e.g., cancer) or the exposure cannot be changed. But the observed effects of turbine exposure lend themselves perfectly to such studies because the exposure is transient and the effects, while not instantaneous in their manifestation or dissipation, are generally transient over a period of days or weeks at most. Thus, unlike a case of a lifelong exposure or non-transient disease, where we can only make one observation about disease and outcome per person, the effects of turbines allow multiple observations by the same person, including experimental interventions" (p. 305-306).

Turning to experimental designs, the clinical trial is considered the ideal design to test hypotheses of causation. In a clinical trial, the investigator has control of the exposure to an extent similar to a laboratory experiment. The subjects generally are randomly assigned to one of at least two groups, an experimental and a control group. The experimental group receives the treatment (i.e., exposure in the case of wind turbines) and the control group does not; instead, it usually is subjected to a condition that simulates a generic treatment of some type, and the purpose and procedures of the control condition are explained only after the experiment ends.

A fully developed clinical trial of residents who live near wind turbines has never been conducted, and the reasons are fairly clear if we consider the circumstances surrounding such a trial. In a rigorous trial done to establish the link between AHEs and WTN, the investigator would randomly assign hundreds of people selected from the general population—including adults and children, elderly adults, and chronically ill adults—to either an experimental or a control group. Randomization would control for pre-experimental biases toward or against wind

energy, as well as for other factors that could confound the outcome. The experimental group would be required to spend a significant period (day and night for weeks or months) in homes located between approximately 1,000 ft. and several miles from the nearest wind turbine. The control group would be required to take up residence several miles or more away from the nearest wind turbine, where they would presumably be free from any effects due to extraneous noise or infrasound. Homeowners who leave their homes, as well as research participants occupying those homes, would have to adjust to new residences and modify their work and school activities, eating patterns, and overall lifestyles. Participants in both groups and at least some of the homeowners who vacate their homes for the experiment would have to be reimbursed for their participation, as well as for the costs incurred as a result of their participation, and the research staff would also have to be paid. To maintain some control across sites, the average age and health status within each group should be equivalent, and data would have to be gathered regarding such factors as turbine size, wind speed and other weather conditions, length of time the turbines were operating, terrain, the exact distance of each participating family from the nearest turbines, and actual noise levels present outside and inside the homes. Scientifically rigorous methods for measuring low-frequency noise and infrasound would have to be agreed upon and used. Although self-report via a survey technique could be part of the experimental design, medical examinations and physiological measurements, including sleep studies, should also be incorporated into the research protocol.

While possible, it is not practical to expect such a study design, in its ideal form, to be implemented. Aside from the difficulty of recruiting and enrolling enough families in enough geographic areas to form statistically strong samples, legitimate ethical questions should be raised regarding the exposure of individuals, especially children and other vulnerable individuals, to potentially hazardous conditions. One might conjecture, however, that consent to participate in such a study could be gained from fully informed adults because the effects of WTN are widely believed to be reversible when a period of non-exposure follows a period of exposure.

Statement 10: The nocebo effect, a manifestation of psychological expectations, explains why people complain of adverse health effects when living near wind turbines.

This statement is the core position of some of the most outspoken critics of the view that IWTs cause AHEs. Any discussion of this statement should begin with an acknowledgment that human behavior and beliefs are highly variable and are often driven by psychological and emotional influences, and not just by observations, logic, intellectual knowledge, or cognitive thought processes. It is not surprising, therefore, that some have adopted the view that negative reactions

to wind turbines are based primarily or solely on psychological expectations. Our analysis of the limited literature on the topic leads us to state unequivocally that it is lacking in scientific rigor. Even if the results were as described, the existing studies and observations do not support a conclusion that psychological forces are the only or even primary explanation for most of the negative reactions toward IWTs. Here, we will critically review four papers, all supporting a psychological explanation for the negative reactions.

Chapman et al[173] tested four hypotheses relevant to psychogenic explanations of the variable timing and distribution of health and noise complaints about wind farms in Australia. They obtained records from the wind companies of complaints about noise or degraded health from residents living near 51 wind projects operating between 1993 and 2013 and corroborated those records with complaints documented by three government public agencies, news media records, and court affidavits. Complaints were expressed as proportions of estimated populations residing within 5 km of a wind project. The authors concluded that historical and geographical variations in complaints were consistent with psychogenic hypotheses expressing health problems as "communicated diseases," with nocebo effects likely to play an important role in the etiology of complaints.

Nocebo effects are commonly described as being the opposite of placebo effects. While the *placebo effect* usually refers to a positive reaction to an inert substance—the placebo—the *nocebo effect* refers to a negative reaction to an inert substance—the nocebo. Both effects are psychogenic, but known to exert powerful influences on human physiology, behavior, and attitudes. Essentially, Chapman and his supporters believe that psychogenic reasons are the basis for health complaints about wind turbines, which they believe to be harmless.

Our major criticism of the work of Chapman et al is that wind companies typically engage in practices that discourage local residents to complain. These companies require participating residents to sign contracts before turbines are constructed and before the residents can receive compensation for leasing their land, and they often request non-participating residents to sign contracts prior to initiating a project. Those contracts, which are binding, often include gag clauses that effectively limit resident complaints. The contracts have often stipulated not only that residents refrain from voicing negative views of the wind project, but also that they support the development of future projects. Such conditions create an atmosphere in which is it is highly unlikely that the records of wind companies, governments, courts, or the media will sufficiently reflect all of the complaints that residents have and would voice under less-restrictive circumstances. We argue that the only way to gather accurate data on such complaints is through a survey of either an adequate sample of residents living near multiple wind projects or all such

residents, where residents are free of restrictions by the wind companies. Such data would allow a valid determination of the proportion of residents who experience adverse effects. Whether that proportion is large or small, we could all act on the basis of factual evidence, as opposed to incomplete observations.

Another shortcoming of the study by Chapman et al,[173] which is less well documented but a factor observed in legal cases in which the present authors have been involved, is that residents near IWT projects tend to be delayed in their responses to AHEs. Many of them believe their health problems to be linked to other causes before suspecting that the turbines are the cause. Some or most of these individuals were supporters of wind projects prior to experiencing such problems, as Phipps et al[75] noted in New Zealand. The delay factor would mean that the types of records used by Chapman et al would not likely reflect the reactions of many affected residents.

Crichton and colleagues conducted two laboratory investigations, each of which has bolstered the argument that negative reactions to audible and inaudible WTN can be explained by psychological expectations. Crichton et al[174] conducted what they described as a sham-controlled double-blind provocation study, in which participants were exposed to 10 min of infrasound and 10 min of sham infrasound. Fifty-four participants were randomized to high- or low-expectancy groups and presented with audio-visual information, using material from the Internet that was designed to invoke either high or low expectations that exposure to infrasound causes specified symptoms. High-expectancy participants reported significant increases, from pre-exposure baseline assessment, in the number and intensity of symptoms experienced during exposure to both infrasound and sham infrasound. There were no symptomatic changes in the low-expectancy group. Healthy volunteers, when given information about the expected physiological effect of infrasound, reported symptoms that aligned with that information, during exposure to both infrasound and sham infrasound. According to the authors, results suggest that psychological expectations are sufficient to explain the link between wind turbine exposure and health complaints.

Punch[175] has criticized that study as methodologically weak, on the following grounds:

(1) Subjects were never exposed to infrasound that adequately represented that to which residents near wind turbine projects are subjected. It is extremely unlikely that the employed studio woofer was capable of producing a 5-Hz stimulus; the authors did not describe or show a graph of the output spectrum. Even if a true infrasound stimulus was produced by their equipment, 40 dB (presumably SPL) was not sufficient to represent the level of

infrasound commonly produced by IWTs. Even if a sufficient stimulus had been produced to represent wind turbine infrasound, a 10-min exposure would have been meaningless in representing the duration of exposure that is likely necessary to produce any substantial health symptoms.

(2) In effect, subjects were exposed to two sham conditions. If they had been exposed to infrasound that adequately mimicked infrasound from IWTs (preferably actual IWT infrasound), subjects in both the high- and low-expectancy groups would have had a physical stimulus (in the infrasound condition) that could have overridden, or at least moderated, their psychological reactions.

(3) The design limited the study's external validity, the ability to generalize the results to other populations and situations. Most of the individuals who have reported AHEs from WTN, some of whom have abandoned their homes, are not people who were adequately warned of potential health effects prior to their exposures. In fact, most of them were likely told by the wind company to expect no harmful effects. Again, many individuals who report AHEs were advocates of wind energy prior to being exposed. Because the major premise underlying the study is that people complain of WTN based primarily on expectancies that align with prior information, the study is based on a false premise. Also, the recruitment of university students does not represent the type of subjects who are apt to complain about WTN. This population is probably the least vulnerable to the effects of WTN in that few, if any, were very young, very old, likely to have chronic health conditions, or disabled. Also, they are more likely to exhibit a response bias because they are less likely than prospective residents of a wind project to believe that they might be harmed by participating in an experiment. Furthermore, the extensive use of pretesting introduced reactive or interactive effects that could have affected post-test behaviors and ratings. Finally, the use of a laboratory setting and short exposure times, as opposed to a real-life setting in which wind turbine blades are turning at night and the subjects are inside a home, introduced situational effects that limit the ability to generalize the data. The authors admit this shortcoming in their statement:

> "… exposure to infrasound in a listening room purpose (sic) built for sound experiments may not be directly comparable to exposure to infrasound from a wind farm" (p. 4).

(4) This was an experiment whose outcomes could have been predicted, given the conditions employed. Aside from the fact that the outcome had virtually nothing to do with the real-world conditions of exposure to infrasound from wind turbines, none of the factors that influence how expectations can affect perceptions through top-down, or cognitive- based, processing, as opposed to bottom-up, or stimulus-based, processing, were controlled or even

discussed. (Interested readers should refer to Williams[176] for examples of the effects of top-down processing and for a discussion of how such experiments might be improved.)

In a second laboratory study by Crichton and colleagues,[177] similar in design to the first, the authors investigated whether positive expectations can produce a reduction in symptoms and improvements in reported health. Sixty participants were randomized to either positive or negative expectations and subsequently exposed to audible wind turbine sound and infrasound. According to the authors,

> "Participants were … exposed to infrasound (9Hz, 50.4dB) and audible wind farm sound (43dB), which had been recorded 1 km from a wind farm, during two 7-minute listening sessions. Both groups were made aware they were listening to the sound of a wind farm, and were being exposed to sound containing both audible and sub audible components and that the sound was at the same level during both sessions" (p. 2).

Prior to exposure, negative-expectation participants watched a DVD incorporating TV footage about health effects said to be caused by infrasound produced by wind turbines. In contrast, positive-expectation participants viewed a DVD that:

> "…framed wind turbine sound as containing infrasound, sub audible sound created by natural phenomena such as ocean waves and the wind, which had been reported to have positive effects and therapeutic benefits on health" (p. 2).

The authors described the results as indicating that during exposure to audible wind turbine sound and infrasound, symptoms and mood were strongly influenced by subject expectations. Negative-expectation participants experienced a significant increase in symptoms and a significant deterioration in mood, while positive-expectation participants reported a significant decrease in symptoms and a significant improvement in mood. The authors concluded that if expectations about infrasound are framed in more neutral or benign ways, then it is likely that reports of symptoms or negative effects could be nullified.

That second investigation by Crichton and colleagues has some of the same methodological weaknesses as the first, particularly with respect to the use of what was described as experimental infrasound. Again, recordings of WTN were used, and no description of the recording instrumentation was provided, leading us to assume that the instrumentation may have been incapable of accurately reproducing infrasound, and thus its true effects. All participants were informed of the purpose of the study, which was:

> "…to investigate the effect of sound below the threshold of human hearing (infrasound) on the experience of physical sensations and mood" (p. 2).

Preferably, the purpose should have been divulged only after the data were gathered because the description of sounds as those that humans cannot hear would presumably have established a mind-set, or bias, in both groups that the sound would have little impact. That preconception could have confounded any reactions to the different DVD messages. Another criticism of the study is that wind companies frame their turbines in the best possible light, so positive expectations have already been established in the minds of most wind-project participants and non-participants. Despite neutral or positive framing that has sometimes included assurance that the turbine sounds would be no louder than that of a refrigerator (see, for example, Chen & Narins[178]), the consequences of living near IWTs are catastrophic for some residents.

Tonin et al[179] repeated the experimental work of Crichton and her colleagues by using specially modified headphones to produce infrasound, as opposed to the loudspeaker system used in the previous studies, and exposed participants to 23 min of infrasound, as opposed to the 10-min exposures in the Crichton studies. Similar results were reported, suggesting that the simulated infrasound had no statistically significant effect on the symptoms reported by volunteers, while the prior expectations the volunteers had about the effect of infrasound had a statistically significant influence on the symptoms reported, thereby supporting the nocebo effect hypothesis. Some of the same criticisms of the Crichton et al study[174] levelled by Punch[175] also apply to the Tonin et al study, as participants were not being stimulated by sufficient durations or peak levels of infrasound exposure to which residents living near IWTs are exposed, and participants were effectively exposed to two sham conditions, denying them any opportunity to experience realistic infrasonic stimuli that could have overridden or moderated their psychological reactions based on expectancy.

In a related study, Taylor et al[180] assessed the effect of negatively oriented personality (NOP) traits (Neuroticism, Negative Affectivity and Frustration Intolerance) on the relationship between both actual and perceived noise on “medically unexplained non-specific symptoms (NSS)” (p. 338), presumably their euphemism for Pierpont’s Wind Turbine Syndrome.[4] Households within 500 m of 8 0.6-kW micro turbine installations and within 1 km of 4 5-kW small wind turbines in two U.K. cities were surveyed, and 138 questionnaires were completed and returned for analysis. Turbine noise level for each household was also calculated. There was no evidence for an effect of calculated noise on NSS. A statistically significant relationship was found between perceived noise and NSS for individuals high in NOP traits.

That study is similar in concept to those performed by Crichton and colleagues,[174, 177] with virtually the same conclusion—that the link between wind turbines and AHEs has a psychological origin. The study can be criticized on several grounds:

(1) Only smaller wind turbines were investigated; there is virtually no literature demonstrating that such turbines produce noise levels of any consequence to humans. The fact that no relationship was found between "calculated actual noise" from the turbines and participants' attitudes toward wind turbines was thus predictable because the noise levels were either too low to affect attitudes differentially or were completely inaudible.

(2) The authors state:

> "Actual noise turbine level for each household was also calculated" (p. 338).

Calculated levels (from noise maps) are not necessarily actual levels, so this procedure was, at a minimum, mischaracterized.

(3) It should not be surprising to find that individuals with negatively oriented personalities respond negatively to WTN, as they would likely respond negatively to almost any stimulus. However, the findings, as acknowledged by the authors, resulted from reports of participants' retrospective perceptions of noise from turbines and symptoms at the same point in time, possibly resulting in common-method variance and retrospective bias. Also, although the authors reported a statistically significant relationship between NSS and negatively oriented personality, the reported variance explained by those relationships was quite low. That finding suggests that a meaningful (i.e., clinical) significance was not established, in which case one might reasonably question whether symptom reporting in the study was actually linked to negative personality type.

(4) Among other possible confounders, individual differences are likely to have complicated the authors' analyses (see Williams[176] for an explanation).

To conclude this section, we believe that while psychological expectations conceivably can influence perceptions of the effects of WTN on health status, no scientific studies have yet convincingly shown that psychological forces are the major driver of such perceptions. Based on the bulk of literature covered in this review, those drivers are the physical stimuli themselves and the internal physiological reactions they induce.

Statement 11: Only relatively few people, if any, are adversely impacted by wind turbine noise, and the majority have no complaints.

As indicated earlier, most of the studies that have documented specified percentages of the population adversely affected by WTN have been those focusing on annoyance, as opposed to health. While the exact percentage of people whose health is affected by WTN has not been accurately determined, countless reports worldwide suggest that the acoustic energy emitted by

IWTs is harmful to the health of substantial numbers of people. As already noted, Phipps et al[75] found that 45% of households living as far away as 4 km from a wind project and 20% of households living up to 8 km away reported hearing turbine noise. Those figures take into account only the audible noise, of course, and not the inaudible infrasound, and they do not account for any documented adverse impacts.

Estimates of the percentage of people adversely affected by WTN should not be based solely on questionnaire surveys of populations known to be experiencing health problems, due to selection bias. Such surveys can be helpful in arriving at rough estimates of AHEs, however, but only if those surveys also report estimates of the total population from which the affected sample is drawn. The main value of surveys that include only affected individuals (e.g., Harry[74]; Pierpont[4]; The Acoustic Group[25]) is that they strongly suggest that substantial numbers of people living near wind turbines suffer health symptoms. For example, Harry[74] reported that 81% of her 42 survey respondents had health complaints, 76% had visited a doctor regarding those complaints, and 73% reported a reduced quality of life. In a somewhat more representative survey of residents living within 15 km of a wind turbine project—most of whom lived within 3 km—Phipps[76] found that 42 of 614 households who responded to a questionnaire (6.8%) reported occasional sleep disturbance, another 21 (3.4%) reported frequent sleep disturbance, and an additional 5 (0.8%) reported sleep disturbance most of the time due to WTN. Eleven percent of households, therefore, reported suffering at least occasional sleep disruption due to the wind turbines. Fifteen percent of respondents to that survey reported that they had suffered at least occasional reductions in their quality of life since the turbines became operational.

Despite the lack of definitive scientific evidence, we cannot ignore the numerous accounts of such effects reported worldwide on the Internet, in legal proceedings, and in news accounts. Krogh et al[96] have reviewed studies that document such incidents, many of which have involved the abandonment of homes. In a 2010 report commissioned by the Ontario Ministry of the Environment, the engineering firm of Howe Gastmeier Chapnik Limited,[112] despite its general conclusion that Ontario IWTs do not pose a risk to human health, stated:

> "The audible sound from wind turbines, at the levels experienced at typical receptor distances in Ontario, is nonetheless expected to result in a non-trivial percentage of persons being highly annoyed …. research has shown that annoyance associated with sound from wind turbines can be expected to contribute to stress related health impacts in some persons" (p. 39).

In conclusion, we should recall that Phillips[169] advocates self-reporting of adverse events as a critical element in the study of the health effects of wind turbines. As stated earlier, he has noted

the importance of case-crossover experiments as useful and well-accepted sources of epidemiologic information. Numerous households around the world have been subjected to this type of quasi-experiment by the wind industry. It is unfortunate that an accurate count of these incidents has never been tallied formally and scientifically. Although that task must be left to future research, we should regard complaints of AHEs from individuals living near wind turbine installations seriously, when they occur, and the wind industry must act responsibly by siting its turbines at distances from residents that protect health and quality of life.

It is widely accepted that the industry has warned that tighter siting restrictions will destroy its prospects for growth. Such growth, however, should not continue in areas where there are probable and potential risks to human health. There are regions of the U.S. and other countries where turbines can operate safely, presumably without such risks. Some examples of those sites are illustrated in Figure 2.

Statement 12: There is no evidence in the literature to support a causative link between wind turbine noise and adverse health effects.

The above review has been aimed specifically at addressing this point, which is often cited as factual by wind industry advocates in the literature and in legal proceedings. Namely, there is an abundant literature, much of it peer-reviewed and authored by highly reputable researchers, indicating that audible and inaudible noise emitted by IWTs adversely impacts the health and well-being of substantial numbers of people who are regularly exposed to wind turbines. It is clear that the literature reviews and papers claiming no AHEs fail to include important studies, international standards, guidance from the WHO, and research conducted on wind turbine noise and other sources of infra- and low-frequency sound. Whether this is through oversight or calculation, only reports that cite scientifically credible references should be considered legitimate sources of information. Our review has shown that it is unacceptable simply to state that the literature contains little or no evidence of a causal link between WTN and AHEs. At a minimum, those effects have been shown to be regularly correlated to living in proximity to IWTs, and there is sufficient evidence that those effects are highly associated with objective measurements of audible noise and infrasound.

Although sleep disturbance and its associated impacts on health and quality of life appear to be the most salient consequences of IWT noise, varying health effects that are unrelated to sleep have also been widely and consistently reported by different investigators. While not everyone who is exposed to IWTs suffers AHEs, it is incumbent on governmental officials and the wind industry to take seriously the health implications of their decisions to locate wind turbines near

residential and other populations, especially vulnerable populations, that are or likely to be negatively affected.

Figure 2. Photographic images of sites illustrating onshore landscapes where industrial wind turbines expose humans to minimal health risks due to large setback distances. Note that homes are not seen in the photos. (Source: https://images.search.yahoo.com/search/images?p=wind+turbine+images+california&fr=tightropetb&imgurl=http%3A%2F%2Fwww.freefoto.com%2Fimages%2F39%2F01%2F39_01_1---Wind-Turbine-Generators--Palm-Springs--California_web.jpg#id=36&iurl=http%3A%2F%2Fmedia-cdn.tripadvisor.com%2Fmedia%2Fphoto-s%2F01%2F70%2Ff9%2Fbb%2Ftehachepi-area-california.jpg&action=close).

Conclusion

We have discussed in this paper various elements of acoustics, sound perception, sound measurement, and psychological reactions, and the role these factors play in support of the view that a general-causative link exists between human health and ILFN emitted by IWTs. The available evidence warrants the following conclusions:

(1) Large wind turbines generate infrasound, which is not normally experienced as sound by most human listeners. Some people, however, experience it in the form of pathological

symptoms such as headache, dizziness, nausea, or motion sickness, which appear to be caused by the excitation of resonances inside closed structures and the human body itself.

(2) WTN has unique acoustic characteristics when compared to other environmental noises. These characteristics include low-amplitude, amplitude-modulated, intermittent occurrences of tones that mirror the peak energy of the blade-pass frequency and the first several harmonics. The coupling mechanisms in the inner ear prevent internally generated sound, but not externally generated sound, from being perceived, which means that perception of wind turbine infrasound is far more disturbing than infrasound generated within the human body.

(3) There is voluminous evidence, ranging from anecdotal accounts from around the world to peer-reviewed scientific research, that audible and inaudible low-frequency noise and infrasound from IWTs lead to complaints ranging from annoyance to AHEs in a substantial percentage of the population. Although sleep disturbance is the most common problem cited, a variety of other health problems has been reported by numerous reputable sources. Recent research is largely consistent with Pierpont's original description of Wind Turbine Syndrome. Research on humans and lower animals has shown that it is biologically plausible that inner ear mechanisms, in conjunction with the brain, can process acoustic energy in ways that result in pathological perceptions that are not interpreted as sound. Both balance and hearing mechanisms appear to be involved in evoking these perceptions. The findings that infrasonic stimuli can amplitude modulate higher frequencies in the audible region, and that infrasound may be more perceptible when higher frequencies are absent, are especially compelling in suggesting that what we can't hear can hurt us.

(4) To prevent AHEs, scientists have recommended that distances separating turbines and residences be 0.5-2.5 mi., and 1.25 mi. (2 km) or more has been commonly recommended. Clearly, the short siting distances used by the industry for physical safety do not protect against AHEs. Alternatively, researchers have recommended sound levels typically ranging from 30-40 dBA for safeguarding health, which is consistent with the recommendation of nighttime noise levels by the WHO.

(5) Annoyance is a health issue for many people living near IWTs, which is consistent with both the WHO's definition of health and contemporary models of the relationships among annoyance, stress, and health.

(6) The scientific evidence regarding factors other than amplitude-modulated ILFN as an explanation for most of the health complaints near IWTs, including electromagnetic fields (dirty electricity), is weak; the preponderance of research suggests that ILFN is the most viable explanation for such complaints.

(7) The A-weighted decibel scale, which effectively excludes infrasound and substantial amounts of low-frequency noise, is inadequate to predict the level of outdoor or indoor infrasound, to reveal correlations to infrasound, or to show a definitive relationship with AHEs. Achievement of these goals requires the development of new measurement methods.

(8) Even though Wind Turbine Syndrome is not currently included in the ICD coding system, that system includes most of the acknowledged symptoms of the syndrome. Medical professionals, therefore, have the necessary tools to evaluate and treat it, and that process has already begun on a limited scale.

(9) While some epidemiologically solid research has been done in the area of IWTs and AHEs, evidence from other sources cannot be ignored. Hill noted the nature of such sources in 1965, and Phillips, in 2011, described the importance of other kinds of evidence, including adverse event reports, in establishing a causative relationship. One of the strongest types of evidence is the case-crossover experimental design, which the wind industry has unwittingly imposed for years on multiple families, many of whom have abandoned their homes to escape IWT noise exposure.

(10) While psychological expectations and the power of suggestion conceivably can influence perceptions of the effects of WTN on health status, no scientifically valid studies have yet convincingly shown that psychological forces are the major driver of such perceptions.

(11) Accurate estimates of the percentage of people who are affected by IWTs exist only for annoyance, not AHEs. Multiple reports, however, emphasize the relationships that exist between annoyance, stress, health, and quality of life, and indicate that a non-trivial percentage of people who live near IWTs experience AHEs. Those reports are consistent with thousands of reports worldwide. Although it seems reasonable to conclude that noise from IWTs does not cause AHEs in the majority of exposed populations, and that accurate estimates of AHEs are yet to be established, it is also clear that considerable numbers of people are affected and that they deserve to be heard and protected from adverse health impacts.

(12) The available literature, which includes research reported by scientists and other reputable professionals in peer-reviewed journals, government documents, print and web-based media, and in scientific and professional papers presented at society meetings, is sufficient to establish a general causal link between a variety of commonly observed AHEs and noise emitted by IWTs.

Based on all the evidence presented, our fundamental view is that the controversy surrounding AHEs should not be polarized into two groups consisting of either *pro-wind* or *anti-wind*

factions, but rather one in which there is room for a third, *pro-health*, perspective. Essentially, the pro-wind view is that IWTs should be installed wherever feasible, that definitive scientific research is lacking to indicate that turbines cause AHEs, and that if you can't hear it, you can't feel it. The anti-wind view is that IWTs should not be installed anywhere because wind is not an economically viable source of renewable energy, that all government subsidies and development efforts should end, and that what we can't hear can hurt us. A pro-health view is that there is enough anecdotal and scientific evidence to indicate that ILFN from IWTs causes annoyance, sleep disturbance, stress, and a variety of other AHEs to warrant siting the turbines at distances sufficient to avoid such harmful effects, which, without proper siting, occur in a substantial percentage of the population. That view holds that what we can't hear can hurt some of us, and that the precautionary principle must be followed in siting IWTs if such health risks are to be avoided. Industrial-scale wind turbines should not be located near people's homes, educational and recreational facilities, and workplaces. It is our belief that the bulk of the available evidence justifies a pro-health perspective. It is unacceptable to consider people living near wind turbines as collateral damage while this debate continues.

Further scientific investigations of the dose-response relationship between IWT noise and specific health effects in exposed individuals are sorely needed. However, people should be protected by conservative siting guidelines that recognize the concerns raised in this review. Hopefully, such research can and will be planned and executed by independent researchers with the full cooperation of the wind industry. The major objective of such research should be to reveal directions for the industry in balancing the energy needs of society with the need to protect public health.

Statement of conflict of interest: The authors declare no conflicts of interest. Mr. James is on the Board of Directors for the Society for Wind Vigilance, an international federation of physicians, acousticians, engineers, and other professionals who share scientific research on the topic of health and wind turbines.

Address for correspondence:
Jerry L. Punch
Department of Communicative Sciences and Disorders
1026 Red Cedar Road
Michigan State University, East Lansing, MI 48824, USA
E-mail: jpunch@msu.edu

References

[1] Caithness Windfarm Information Forum. Summary of wind turbine accident data to 30 June 2016. Available from: http://www.caithnesswindfarms.co.uk/AccidentStatistics.htm. [Last accessed on 2016 July 5].

[2] Hedges C, Sacco, J. *Days of Destruction, Days of Revolt*. New York: Nation Books; 2012.

[3] Krogh C, Horner B, Morris J, May M, Papadopoulos G, Watts AC. Trading off human health: wind turbine noise and government policy. Presentation at 5th International Meeting on Wind Turbine Noise, August 2013. Available from: http://waubrafoundation.org.au/wp-content/uploads/2014/02/Wind-Turbine-Noise-Conference-2013-Policy-paper.pdf. [Last accessed on 2016 July 5].

[4] Pierpont N. *Wind turbine syndrome: a report on a natural experiment*. Santa Fe (NM): K-Selected Books, 2009.

[5] Horner B. Open Letter Audit: National Health and Medical Research Council Public Statement (2010) and Rapid Review (2010). Available from: http://docs.wind-watch.org/Horner_NHMRC-references-audit_July-31-2012.pdf. [Last accessed on 2016 July 5].

[6] Office of Management and Budget: Final Information Quality Bulletin for Peer Review, December 16, 2004. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=0CB4QFjAA&url=http%3A%2F%2Fwww.cio.noaa.gov%2Fservices_programs%2Fpdfs%2FOMB_Peer_Review_Bulletin_m05-03.pdf&ei=zxo8VI2PLevesASY64LQBA&usg=AFQjCNHRv2lLaSO_W6HyH05x9E90yQynDQ&sig2=jewV1g8YLe-Yrqz3IZ6rxg&bvm=bv.77161500,d.cGE&cad=rja. [Last accessed on 2016 July 20].

[7] Achenbach J. Why do many reasonable people doubt science? *National Geographic*, 2015. Available from: http://ngm.nationalgeographic.com/2015/03/science-doubters/achenbach-text. [Last accessed on 2016 July 5].

[8] Leventhall G. How the "mythology" of infrasound and low frequency noise related to wind turbines might have developed. Presentation at First International Meeting on Wind Turbine Noise: Perspectives for Control, October 2005. Available from: https://www.researchgate.net/publication/237542296_First_International_Meeting_on_Wind_Turbine_Noise_Perspectives_for_Control_Berlin_17th_and_18th_October_2005_How_the_mythology_of_infrasound_and_low_frequency_noise_related_to_wind_turbines_might_have_developed. [Last accessed on 2016 July 5].

[9] Leventhall G. Infrasound from wind turbines—fact, fiction or deception. *Canadian Acoustics* 2006; 34:29-36.

[10] James RR. Wind turbine infra and low-frequency sound: warning signs that were not heard. *Bulletin of Science, Technology & Society* 2012;32:108-127.

[11] Schwartz S. Linking noise and vibration to Sick Building Syndrome in office buildings. Air & Waste Management Association. March 2008:26-28. Available from: http://pubs.awma.org/gsearch/em/2008/3/schwartz.pdf. [Last accessed on 2016 July 5].

[12] Leventhall G. A review of published research on low frequency noise and its effects, May 2003. Available from: http://docs.wind-watch.org/leventhall-defra-lowfreqnoise.pdf. [Last accessed on 2016 July 20].

[13] Broner N. The effects of low frequency noise on people—a review. *Journal of Sound and Vibration* 1978;58:483-500.

[14] Leventhall G. Concerns about infrasound from wind turbines. *Acoustics Today* 2013;9:30-38.

[15] Colby WD, Dobie R, Leventhall G, Lipscomb DM, McCunney RJ, Seilo MT, et al. Wind turbine sound and health effects: an expert panel review. Report prepared for Prepared for American Wind Energy Association and Canadian Wind Energy Association, December 2009. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CB4QFjAA&url=http%3A%2F%2Fcanwea.ca%2Fpdf%2Ftalkwind%2FWind_Turbine_Sound_and_Health_Effects.pdf&ei=Ja5TVIvDJ4WjyATUq4HQBA&usg=AFQjCNGYQ3-rkSZttsOVpuyhzeGsk2o4lQ&sig2=kZ_liEZ8jzUkFsT4bE7dbg&bvm=bv.78677474,d.aW. [Last accessed on 2016 July 5].

[16] Møller H, Pedersen CS. Low-frequency noise from large wind turbines. *Journal of the Acoustical Society of America* 2011;129:3727-3744.

[17] Evans T, Cooper J, Lenchine V. Infrasound levels near windfarms and in other environments. Environment Protection Authority, South Australia, January 2013. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=7&cad=rja&uact=8&ved=0CD8QFjAG&url=http%3A%2F%2Fwww.epa.sa.gov.au%2Fxstd_files%2FNoise%2FReport%2Finfrasound.pdf&ei=wIJeU_n_AfOFyQG26YCoDQ&usg=AFQjCNG-V01kqE5hz7j0Jajwv8nFac0C4A&sig2=fj0z4hblVm_TOTTKxs-0nA&bvm=bv.65397613,d.aWc. [Last accessed on 2016 July 20].

[18] Bolin K, Bluhm G, Eriksson G, Nilsson ME. Infrasound and low frequency noise from wind turbines: exposure and health effects. *Environmental Research Letters* 2011;6:1-12.

[19] Kelley ND, Hemphill RR, McKenna ME. A methodology for assessment of wind turbine noise generation. *Journal of Solar Energy Engineering* 1982;104:112-120.

[20] Kelley ND, McKenna HE, Hemphill RR, Etter CL, Garrelts RL, Linn NC. Acoustic noise associated with the MOD-1 wind turbine: its source, impact, and control. Report prepared for the U. S. Department of Energy, Contract No. DE-AC02-83CH-10093, February 1985. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CB4QFjAA&url=http%3A%2F%2Fwww.nrel.gov%2Fdocs%2Flegosti%2Fold%2F1166.pdf&ei=uK9TVIL3L82P7AajoIHQDQ&usg=AFQjCNGgDEPZV0hd1gkxw4hGcqWROWkufQ&si

g2=abXK4ET8bDhYWbdG7UsKaA&bvm=bv.78677474,d.ZGU. [Last accessed on 2016 July 20].

[21] Kelley ND. A proposed metric for assessing the potential of community annoyance from wind turbine low-frequency noise emissions. Presentation at Windpower'87 Conference and Exposition, November 1987. Available from: http://www.nrel.gov/docs/legosti/old/3261.pdf. [Last accessed on 2016 July 20].

[22] Bray W, James R. Dynamic measurements of wind turbine acoustic signals, employing sound quality engineering methods considering the time and frequency sensitivities of human perception. Presentation at Noise-Con 2011 conference, July 2011. Available from: http://waubrafoundation.org.au/wp-content/uploads/2013/07/Bray-James-11-07-25-Dynamic-measurement-of-wind-turbine-noise.pdf. [Last accessed on 2016 July 20].

[23] Rand RW, Ambrose SE, Krogh CME. Occupational health and industrial wind turbines: a case study. *Bulletin of Science, Technology & Society* 2011;31:329-362.

[24] Walker B, Hessler GF, Hessler DM, Rand R, Schomer PD. A cooperative measurement survey and analysis of low frequency and infrasound at the Shirley Wind Farm in Brown County, Wisconsin. Report Number 122412-1, December 24, 2012. Available from: https://docs.wind-watch.org/Shirley-LFN-infrasound.pdf. [Last accessed on 2016 July 5].

[25] The Acoustic Group. The results of an acoustic program: Cape Bridgewater Wind Farm. Report prepared for Energy Pacific (Vic), Melbourne, Vic 3000, January 2015. Available from: http://www.pacifichydro.com.au/english/our-communities/communities/cape-bridgewater-acoustic-study-report/?language=en. [Last accessed on 2016 July 20].

[26] Swinbanks M. Direct experience of low-frequency noise and infrasound within a windfarm community. Paper prepared for presentation at 6th International Meeting on Wind Turbine Noise, April 2015. Available from: https://docs.wind-watch.org/WTN2015-Swinbanks.pdf. [Last accessed on 2016 July 5].

[27] Swinbanks M. Direct experience of low frequency noise and infrasound within a windfarm community. Presentation at 6th International Meeting on Wind Turbine Noise, April 2015. Available from: http://docs.wind-watch.org/WTN2015-Swinbanks-poster.pdf. [Last accessed on 2016, July 20].

[28] Artz K. Health threat from Wisconsin wind farm affirmed, October 29, 2014. Available from: http://news.heartland.org/newspaper-article/2014/10/28/health-threat-wisconsin-wind-farm-affirmed. [Last accessed on 2016 July 20].

[29] Abel D. State wants turbine shut over noise. *Boston Globe*, May 16, 2012. Available from: https://www.bostonglobe.com/metro/2012/05/15/massachusetts-officials-recommend-falmouth-shut-down-turbines/mCPNKvUoq1IrdPClRygmWN/story.html. [Last accessed on 2016 September 10.]

[30] Anon, Kingston wind turbine shut down indefinitely; financial problems reported to the Town, June 19, 2016. Available from: http://www.windaction.org/posts/45258-kingston-wind-turbines-shut-down-indefinately#.V8x_tDXlS-E. [Last accessed on 2016 September 4.]

[31] Castelo Branco NAA, Alves-Pereira M, Pimenta AM, Ferreira JR. Low frequency noise-induced pathology: contributions provided by the Portuguese wind turbine case. Presentation at EuroNoise 2015 conference. Available from: http://docs.wind-watch.org/Euronoise2015-000602.pdf. [Last accessed on 2016 September 11.]

[32] Leloudas G, Zhu WJ, Sørensen JN, Shen WZ, Hjort S. Prediction and reduction of noise from a 2.3 MW wind turbine. Journal of Physics: Conference Series 75, 2007. Available from: http://iopscience.iop.org/article/10.1088/1742-6596/75/1/012083/pdf. [Last accessed on 2016 July 20].

[33] Rogers AL. Wind turbine noise, infrasound and noise perception. January 18, 2006. Available from: http://www.google.com/url?sa=t&source=web&cd=1&ved=0CBoQFjAA&url=http%3A%2F%2Fwww.windpoweringamerica.gov%2Fpdfs%2Fworkshops%2Fmwwg_turbine_noise.pdf&rct=j&q=frequency%20spectrum%20wind%20turbine%20noise&ei=u_fLTdu9OunRiALiotmUCA&usg=AFQjCNFWWT5fFWS6aO3XYlpvqkevckXbmw&sig2=1C0uNL4d19vHkmbvE4V8Lg&cad=rja. [Last accessed on 2016 July 20].

[34] Powell CA, Preisser JS. NASA's subsonic jet transport noise reduction research. Available from: http://hdl.handle.net/2060/20040086700. [Last accessed on 2016 July 8].

[35] Hubbard HH, Maglieri DJ. A brief review of air transport noise. *Journal of Sound and Vibration* 1975;43:159-172.

[36] Cermak GW, Cornillon PC. Multidimensional analyses about judgments about traffic noise. *Journal of the Acoustical Society of America* 1976;59:1412-1420.

[37] Leventhall HG. Low frequency noise and annoyance. *Noise & Health* 2004;6:59-72.

[38] World Health Organization. Night Noise Guidelines for Europe. World Health Organization, 2009. Available from: http://www.euro.who.int/__data/assets/pdf_file/0017/43316/E92845.pdf. [Last accessed on 2016 July 20].

[39] Cummings, J. Looking for wind industry leadership in reducing noise impacts. February 23, 2011. Available from: http://www.renewableenergyworld.com/rea/news/article/2011/02/looking-for-wind-industry-leadership-in-reducing-noise-impacts. [Last accessed on 2016 July 20].

[40] Jung SS, Cheung W-S, Cheong C, Shin S-H. Experimental identification of the acoustic emission characteristics of large wind turbines, with emphasis on infrasound and low frequency noise. *Journal of the Korean Physical Society* 2008;53:1897-1905.

[41] Leventhall G. On the overlap region between wind turbine infrasound and infrasound from other sources and its relation to criteria. Presentation at 6th International Conference on Wind

Turbine Noise, April 2015. Available (for purchase) from: http://www.proceedings.com/26771.html. [Last accessed on 2016 July 15.]

[42] Harrison JP. Wind turbine noise. *Bulletin of Science, Technology & Society* 2011;31:256-261.

[43] Janssen SA, Vos H, Eisses AR, Pedersen E. Predicting annoyance by wind turbine noise. Presentation at 2010 Internoise conference, June 2010. Available from: http://docs.wind-watch.org/Janssen_Predicting-annoyance.pdf. [Last accessed on 2016 July 20].

[44] Pedersen E, Persson Waye KP. Perception and annoyance due to wind turbine noise—a dose–response relationship. *Journal of the Acoustical Society of America* 2004;116:3460-3470.

[45] Van Renterghem T, Bockstael A, De Weirt V, Botteldooren D. Annoyance, detection and recognition of wind turbine noise. *Science of the Total Environment* 2013;456-7:333–345.

[46] Thorne B. The problems with "noise numbers" for wind farm noise assessment. *Bulletin of Science, Technology & Society* 2011;31:262-290.

[47] Hubbard HH. Noise induced house vibrations and human perception. *Noise Control Engineering Journal* 1982;19:49-55.

[48] Hubbard HH, Shepherd KP. Wind turbine acoustics. NASA Technical Paper 3057. December 1990. Available from: http://hdl.handle.net/2060/19910007366. [Last accessed on 2016 July 8].

[49] Thorne B. Wind farm noise and human perception: a review. April 2013. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&cad=rja&uact=8&ved=0CC8QFjAB&url=http%3A%2F%2Fdocs.wind-watch.org%2FNMS-Wind-Farm-Noise-Human-Perception-April-2013.pdf&ei=vcprU_3KOZCFyQG-p4HYBA&usg=AFQjCNGJS5ylvcUMNXbqjy7lML7kMd_H7w&sig2=Ls0JpH4uFoSdfxYnlhz6Vg&bvm=bv.66330100,d.aWc. [Last accessed on 2016 July 8].

[50] Shepherd D, Hanning C, Thorne B. Noise: windfarms. In: Jorgensen SE, editor. *Encyclopedia of Environmental Management*. New York: Taylor & Francis Online; 2012. pp. 1-17.

[51] Schomer P. Can wind turbine sound that is below the threshold of hearing be heard? Presentation at ICA 2013 Conference, June 2013. Available from: http://www.ica2013montreal.org/Proceedings/mss/040063_1.pdf. [Last accessed on 2016 July 20].

[52] Schomer PD, Erdreich J, Boyle J, Pamidighantam P. A proposed theory to explain some adverse physiological effects of the infrasonic emissions at some wind farm sites. Presentation at 5th International Conference on Wind Turbine Noise, August 2013. Available from: http://docs.wind-watch.org/Schomer-et-al-physiologic-effects-infrasound-wind.pdf. [Last accessed on 2016 July 20].

[53] Lee S, Lee S, Lee, S. Numerical modeling of wind turbine aerodynamic noise in the time domain. *Journal of the Acoustical Society of America* 2013;133:94-100.

[54] Lichtenhan JT, Salt AN. Amplitude modulation of audible sounds by non-audible sounds: understanding the effects of wind turbine noise. Presentation at 2013 ICA conference, June 2013. *Journal of the Acoustical Society of America* 2013;133:3419. Available from: http://oto2.wustl.edu/cochlea/LichtenhanAMASA.pdf. [Last accessed on 2016 July 20].

[55] Minnesota Department of Health. Public health impacts of wind turbines. May 22, 2009. Available from: http://www.health.state.mn.us/divs/eh/hazardous/topics/windturbines.pdf. [Last accessed on 2016 July 20].

[56] Salt AN. Does the infrasound from wind turbines affect the inner ear? Presentation at Association for Research in Otolaryngology conference, February 2011. Available from: https://c.ymcdn.com/sites/aro.site-ym.com/resource/resmgr/Abstract_Archives/2011_Abstract_Book.pdf. Pp. 137-138. [Last accessed on 2016 July 20].

[57] Stigwood M, Large S, Stigwood D. Audible amplitude modulation: results of field measurements and investigations compared to psycho-acoustical assessment and theoretical research. Presentation in Denver, Colorado, August 2013. Available from: http://www.masenv.co.uk/uploads/WTN13_Stigwood_Presentation.pdf. [Last accessed on 2016 July 20].

[58] Taylor S. Report on the health impacts of wind farms: Shetland 2013 Summary. July 15, 2013. Available from: http://www.shb.scot.nhs.uk/board/publichealth/documents/Summary_Report_on_Health_Impacts_Wind_Farms.pdf. [Last accessed on 2016 July 20].

[59] Bray WR. Measurement and sound quality issues concerning low-frequency noise. Presentation at Noise-Con 2007 conference (Abstract). Available from: http://www.head-acoustics.de/downloads/messen/Noise-Con_2007_Measurement_and_SQ_WBray.pdf. [Last accessed on 2016 July 20].

[60] van den Berg GP. Effects on the wind profile at night on wind turbine sound. *Journal of Sound and Vibration* 2004;277:955-970.

[61] Ambrose SE, Rand RW, Krogh ME. Wind turbine acoustic investigation: infrasound and low-frequency noise – a case study. *Bulletin of Science, Technology & Society* 2012;32:128-141.

[62] Vasudevan RN, Gordon CG. Experimental study of annoyance due to low frequency environmental noise. *Applied Acoustics* 1977;10:57-69.

[63] Frey BJ, Hadden PJ. Wind turbines and proximity to homes: the impact of wind turbine noise on health. January 2012. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&cad=rja&uact=8&ved=0CC8QFjAB&url=http%3A%2F%2Fdocs.wind-watch.org%2FFrey_Hadden_WT_noise_health_01Jan2012.pdf&ei=op9eU4aJCsjK2wXeyIDQCA&usg=AFQjCNHGxv6iq3RAc_CXS0KtVqKxdedzNw&sig2=hMEop9T4B7eFyX97B_36Fw&bvm=bv.65397613,d.b2U. [Last accessed on 2016 July 20].

[64] Farboud A, Crunkhorn R, Trinidade A. Wind turbine syndrome: fact or fiction? *Journal of Laryngology & Otology* 2013;127:222-226.

[65] Pedersen E, van den Berg F. Why is wind turbine noise poorly masked by road traffic noise? Internoise 2010 conference, June 2010. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&cad=rja&uact=8&ved=0CCQQFjAB&url=http%3A%2F%2Fwww.diva-portal.org%2Fsmash%2Fget%2Fdiva2%3A332207%2FFULLTEXT01.pdf&ei=sLJTVJeaNNCWyATQkIGoBA&usg=AFQjCNEyiBjgIJpCsq3ShXZAMUPdSP4rzQ&sig2=n3ZJBFNLUzT4dMjib-gghw&bvm=bv.78677474,d.aWw. [Last accessed on 2016 July 20].

[66] Schomer PD. Comments on recently published article, "Concerns about infrasound from wind turbines." *Acoustics Today* 2013;9:7-9.

[67] Moorhouse A, Waddington D, Adams M. Proposed criteria for the assessment of low frequency noise disturbance. Report (NANR45) prepared for DEFRA, February 2005. Available from: http://webarchive.nationalarchives.gov.uk/20130402151656/http://archive.defra.gov.uk/environment/quality/noise/research/lowfrequency/documents/nanr45-criteria.pdf. [Last accessed on 2016 July 20].

[68] Swinbanks MA. Numerical simulation of infrasound perception, with reference to prior reported laboratory effects. Presentation at 2012 Internoise conference, August 2012. Available from: http://docs.wind-watch.org/Internoise2012-Swinbanks.pdf. [Last accessed on 2016 July 20].

[69] James RR. Untitled. ND. Available from: http://www.windturbinesyndrome.com/wp-content/uploads/2014/07/How-Blade-pass-causes-infrasound-pulsations.pdf. [Last accessed on 2016 July 8].

[70] Salt AN. Letter to Chairman of Association of Australian Acoustical Consultants. September 18, 2013. Available from: https://s3.amazonaws.com/windaction/attachments/1998/Warpenius.pdf. [Last accessed on 2016 September 5].

[71] Berglund B, Lindvall T, Schwela DH (eds.), Guidelines for Community Noise. World Health Organization, April 1999. Available from: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=0CB8QFjAAahUKEwjsqc_CnJPHAhXEi5IKHeJxANk&url=http%3A%2F%2Fwhqlibdoc.who.int%2Fhq%2F1999%2Fa68672.pdf&ei=RK3CVez3A8SXygTi44HIDQ&usg=AFQjCNHq0SRjmXAXPKGPvQC88NtlGaJJBQ&bvm=bv.99261572,d.aWw&cad=rja. [Last accessed on 2016 July 20].

[72] Ising H, Kruppa B. Health effects caused by noise: evidence in the literature from the past 25 years. *Noise & Health* 2004;6:5-13.

[73] Sørensen M, Andersen ZJ, Nordsborg RB, Jensen SS, Lillelund KG, Beelen R., et al. Road traffic noise and incident myocardial infarction: a prospective cohort study. *PLoS ONE* 2012;7(6);1-7.

[74] Harry A. Wind turbines, noise and health. February 2007. Available from: http://docs.wind-watch.org/wtnoise_health_2007_a_harry.pdf. [Last accessed on 2016 July 20].

[75] Phipps R, Amati M, McCoard S, Fisher R. Visual and noise effects reported by residents living close to Manawatu Wind Farms: preliminary survey results. ND. Available from: http://docs.wind-watch.org/phipps-visualnoiseeffects.pdf. [Last accessed on 2016 July 8].

[76] Phipps R. Evidence of Dr. Robyn Phipps, in the matter of Moturimu Wind Farm application, Palmerston North. March 2007. Available from: http://docs.wind-watch.org/phipps-moturimutestimony.pdf. [Last accessed on 2016 July 20].

[77] Horner B, James RR, Jeffery RD, McMurtry RY, Nissenbaum MA, White DL. Wind energy industry acknowledgement of adverse health effects: part 1 conclusion and executive summary. January 2010. Available from: http://co.wasco.or.us/planning/Energy/BOCC/New_Comments/after_2-15/swaim1_SWV_Critique_CANAWEA.pdf. [Last accessed on 2016 July 20].

[78] Horner B. Open letter to Prime Minister of Canada and others to request formally that representatives of CanWEA, the Government of Canada, Health Canada, and the Government of Ontario provide Canadians immediate and full disclosure of the health effects “conclusively demonstrated” from exposure to wind turbine noise. March 21, 2013. Available from: https://mothersagainstturbines.files.wordpress.com/2013/09/request-stop-health-canada-experiment-on-canadians-march-21-2013.pdf. [Last accessed on 2016 July 20].

[79] Phillips CV. An analysis of the epidemiology and related evidence on the health effects of wind turbines on local residents. Public Service Commission of Wisconsin, Docket no. 1-AC-231. July 3, 2010. Available from: http://docs.wind-watch.org/Phillips-wind-turbines-and-health.pdf. [Last accessed on 2016 July 8].

[80] Hanning C. Wind turbine noise, sleep and health. July 2010. Available from: http://www.acousticecology.org/wind/winddocs/health/Hanning%202010_Wind%20turbine%20noise%20sleep%20and%20health%20November%202010.pdf. [Last accessed on 2016 July 20].

[81] Nissenbaum MA. Industrial wind turbines, human variability, and adverse health effects. NOCOEM Reporter, *New England College of Occupational and Environmental Medicine*. Fall 2013;2(38). Available from: http://www.necoem.org/documents/V2_38e.pdf. [Last accessed on 2016 July 20].

[82] Ellenbogen JM, Grace S, Heiger-Bernays WJ, Manwell JF, Mills DA, Sullivan KA, et al. Wind Turbine Health Impact Study. Report prepared for Massachusetts Department of Environmental Protection. January 2012. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CCMQFjAA&url=http%3A%2F%2Fwww.mass.gov%2Feea%2Fdocs%2Fdep%2Fenergy%2Fwind%2Fturbine-impact-study.pdf&ei=wSw0VMjCDoz_yQTRpILoAQ&usg=AFQjCNEdk-4087qFlCDXRnPB2mXjV5MU1Q&bvm=bv.76943099,d.aWw. [Last accessed on 2016 July 20].

[83] Kamperman GW, James RR. The "how to" guide to criteria for siting wind turbines to prevent health risks from sound. October 28, 2008. Available from: http://www.windturbinesyndrome.com/wp-content/uploads/2008/11/kamperman-james-10-28-08.pdf. [Last accessed on 2016 July 20].

[84] Hanning C. Comments on wind turbine health impact study: report of independent expert panel. ND. Available from: http://docs.wind-watch.org/MassDEP-wind-health-1-Hanning.pdf. [Last accessed on 2016 July 26].

[85] Hartman RS. Statement of Dr. Raymond S. Hartman presented to the zoning board of Charlestown, Rhode Island, Critique of the Massachusetts Department of Environmental Planning (DEP) "Wind Turbine Health Impact Study, Report of Independent Expert Panel," January 2012. Available from: https://www.wind-watch.org/docviewer.php?doc=Hartman-Mass-DEP-study-RI-130605.pdf. [Last accessed on 2016 July 20].

[86] Schomer P, Pamidighantam P. A critical analysis of Wind Turbine Health Impact Study: report of independent expert panel. Presentation at 166th meeting of Acoustical Society of America, December 2013. Available from: http://scitation.aip.org/deliver/fulltext/asa/journal/poma/20/1/1.4870639.pdf?itemId=/content/asa/journal/poma/20/1/10.1121/1.4870639&mimeType=pdf&containerItemId=content/asa/journal/poma. [Last accessed on 2016 July 20].

[87] Shahan, Z. Wind Turbine Syndrome… not! Available from: http://cleantechnica.com/2012/12/27/wind-turbine-syndrome-not/. December 27, 2012. [Last accessed on 2016 July 20].

[88] Hanning CD, Evans A. Wind turbine noise. *British Medical Journal* 2012;344:1-2.

[89] Bakker RH, Pedersen E, van den Berg GP, Stewart RE, Lok W, Bouma J. Impact of wind turbine sound on annoyance, self-reported sleep disturbance and psychological distress. *Science of the Total Environment* 2012;425:42–51.

[90] Frey BJ, Hadden PJ. Noise radiation from wind turbines installed near homes: effects on health. February 2007. Available from: http://waubrafoundation.org.au/wp-content/uploads/2014/06/Frey-Hadden-Noise-Radiation-fro-Wind-Turbines-Installed-Near-Homes.pdf. [Last accessed on 2016 July 20].

[91] Havas M, Colling D. Wind turbines make waves: why some residents near wind turbines become ill. *Bulletin of Science, Technology & Society* 2011;31:414–426.

[92] Jeffery RD, Krogh C, Horner B. Adverse health effects of industrial wind turbines. *Canadian Family Physician* 2013;59:473-475.

[93] Jeffery RD, Krogh CME, Horner B. Industrial wind turbines and adverse health effects. *Canadian Journal of Rural Medicine* 2014;19:21-26.

[94] Krogh C. Risk of harm to children and industrial wind turbines: health and social-economic impacts in Canada, Health Canada Wind Turbine Noise and Health Study. December 27, 2012.

Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CB0QFjAA&url=http%3A%2F%2Fwepat.files.wordpress.com%2F2013%2F05%2Fhealth-canada_risks-to-children-december-27-2012-final.pdf&ei=Lp2tU862N4W2yAT6kYDwDQ&usg=AFQjCNGeq2a21hWue4rFj3f48l7L8nvQ5g&sig2=fTwIBMrIj6KwvfzeNnVtQQ&bvm=bv.69837884,d.aWw. [Last accessed on 2016 July 20].

[95] Krogh CME, Gillis L, Kouwen N, Aramini J. WindVOiCe, a self-reporting survey: adverse health effects, industrial wind turbines, and the need for vigilance monitoring. *Bulletin of Science, Technology & Society* 2011;31:334-335.

[96] Krogh CME, Jeffery RD, Aramini J, Horner B. Wind turbines can harm humans: a case study. Presentation at 2012 Internoise conference, August 2012. Available from: http://docs.wind-watch.org/Krogh et al. - Wind Turbines - Risk of Harm.pdf. [Last accessed on 2016 July 20].

[97] Nissenbaum MA, Aramini JJ, Hanning CD. Effects of industrial wind turbine noise on sleep and health. *Noise & Health*, 2012;14:237-243.

[98] Pedersen, E. Effects of wind turbine noise on humans. Presentation at Third International Meeting on Wind Turbine Noise, June 2009. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CB4QFjAA&url=http%3A%2F%2Fwww.diva-portal.org%2Fsmash%2Fget%2Fdiva2%3A240110%2FFULLTEXT01.pdf&ei=crJTVOWIFpP3yQTomYCIBw&usg=AFQjCNGWc9olvAaMXMa-If7gi3yK9DAHUA&sig2=UBo9Smw5E7w3xJFYx01hbg&bvm=bv.78677474,d.aWw. [Last accessed on 2016 July 20].

[99] Pedersen E. Health aspects associated with wind turbine noise—results from three field studies. *Noise Control Engineering Journal* 2011;59:47-53.

[100] Pierpont N. Wind Turbine Syndrome and the brain. Keynote address at First International Symposium on the Global Wind Industry and Adverse Health Effects: Loss of Social Justice?, November 15, 2010. Available from: http://www.windturbinesyndrome.com/img/WTSbrain-color.pdf. [Last accessed on 2016 July 20].

[101] Punch J, James R, Pabst D. Wind turbine noise: what audiologists should know. *Audiology Today* 2010:20-31.

[102] Roberts JD, Roberts MA. Wind turbines: is there a human health risk? *Journal of Environmental Health* 2013;75: 8-13, 16-17.

[103] Shepherd D, Billington R. Mitigating the acoustic impacts of modern technologies: acoustic, health, and psychosocial factors informing wind farm placement. *Bulletin of Science, Technology & Society* 2011;31:389-398.

[104] Shepherd D, McBride D, Welch D, Dirks KN, Hill EM. Evaluating the impact of wind turbine noise on health-related quality of life. *Noise & Health* 2011;13:333-339.

[105] Timmerman NS. Wind turbine noise. *Acoustics Today* 2013;9:22-29.

[106] Abbasi M, Monnazzam MR, Zakerian SA, Yousefzadeh A. Effect of wind turbine noise on workers' sleep disorder: a case study of Manjil Wind Farm in Northern Iran. *Fluctuation and Noise Letters* 2015;14(2):1-15.

[107] Abbasi M, Monazzam MR, Akbarzadeh A, Zakerian SA, Ebrahimi MH, Impact of wind turbine sound on general health, sleep disturbance and annoyance of workers: a pilot-study in Manjil wind farm, Iran. *Journal of Environmental Health Science & Engineering* 2015,13:71-79.

[108] Persson Waye KP, Clow A, Edwards S, Hucklebridge F, Rylander R. Effects of low frequency noise on the cortisol response to awakening and subjective sleep quality. *Life Sciences* 2003:72:863-875.

[109] Bronzaft AL. The noise from wind turbines: potential adverse impacts on children's wellbeing. *Bulletin of Science, Technology & Society* 2011;31:291-295.

[110] Fiumicelli D. Wind farm noise dose response. *Acoustics Bulletin* November/December 2011:26-35.

[111] Physicians for Human Rights. Leave no marks: enhanced interrogation techniques and the risk of criminality. August 2007. Available from: https://s3.amazonaws.com/PHR_Reports/leave-no-marks.pdf. [Last accessed on 2016 July 20].

[112] Kasprzak C. The influence of infrasound noise from wind turbines on EEG signal patterns in humans. *Acoustic and Biomedical Engineering* 2014;125:A-20-A23.

[113] Paller C, Bigelow P, Majowicz S, Law J, Christidis T. Wind turbine noise, sleep quality, and symptoms of inner ear problems. Presentation at Symposia of the Ontario Research Chairs in Public Policy. ND. Available from: http://docs.wind-watch.org/Paller_Poster_15Oct2013.pdf. [Last accessed on 2016 July 20].

[114] Howe Gastmeier Chapnik Limited. Low frequency noise and infrasound associated with wind turbine generator systems: a literature review. December 10, 2010. Ontario Ministry of the Environment RFP No. OSS-078696. Available from: https://dr6j45jk9xcmk.cloudfront.net/documents/1160/88-noise-and-wind-turbine-generator-systems-en.pdf. [Last accessed on 2016 July 20].

[115] Pawlaczyk-Luszczyńska M, Dudarewicz A, Waszkowska M, Szymczak W, Śliwińska-Kowalska M. The impact of low frequency noise on human mental performance. International *Journal of Occupational Medicine and Health* 2005;18(2):185-198.

[116] Rand RW, Ambrose SE, Krogh ME. Occupational health and industrial wind turbines: a case study. *Bulletin of Science, Technology & Society* 2011;31:359-362.

[117] Palmer W. Wind turbine sound prediction – the consequence of getting it wrong. Presentation at ICA 2013 meeting of Acoustical Society of America, June 2013. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=3&ved=0CDUQFjAC&u

rl=http%3A%2F%2Fs3.amazonaws.com%2Fwindaction%2Fattachments%2F1791%2FPMA040066_Palmer.pdf&ei=E12RUsyLFIS2rQHp-oDYAQ&usg=AFQjCNGQ45VRuryLVl9x2-T81J8z3qdukQ&bvm=bv.56988011,d.aWM. [Last accessed on 2016 July 20].

[118] Castelo Branco NAA, Alves-Pereira M. Vibroacoustic disease. *Noise & Health* 2004;6(23):3–20.

[119] Castelo Branco NA. The clinical stages of vibroacoustic disease. *Aviation, Space, and Environmental Medicine* 1999;70(3, Pt 2):A32-39.

[120] Kennedy RS, Allgood GO, Van Hoy BW, Lilienthal MG. Motion sickness symptoms and postural changes following flights in motion-based flight trainers. *Journal of Low Frequency Noise and Vibration* 1987;6(4):147-153.

[121] von Gierke HE, Parker DE. Differences in otolith and abdominal viscera graviceptor dynamics: implications for motion sickness and perceived body position. *Aviation, Space, and Environmental Medicine* 1994;65:747-751.

[122] Berger RG, Ashtiani P, Ollson CA, Whitfield Aslund M, McCallum LC, Leventhall G, et al. Health-based audible noise guidelines account for infrasound and low-frequency noise produced by wind turbines. *Frontiers in Public Health* 2015;3:1-14.

[123] Carey J, Amin N. Evolutionary changes in the cochlea and labyrinth: solving the problem of sound transmission to the balance organs of the inner ear. *The Anatomical Record* Part A, 2006;288A:482-90.

[124] Persinger MA. Infrasound, human health, and adaptation: an integrative overview of recondite hazards in a complex environment. *Natural Hazards* 2013;70:501-525.

[125] Salt AN. Infrasound: your ears “hear” it but they don't tell your brain. Presentation at Symposium on Adverse Health Effects of Industrial Wind Turbines. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0CCcQFjAA&url=http%3A%2F%2Foto2.wustl.edu%2Fcochlea%2FWTPicton_salt_final.pdf&ei=H1hqU7XUA4iiyATMpoGoBQ&usg=AFQjCNHzz_0mBFhOP1GKgv4b0ncCC_iW7g&sig2=UxKESjK4Yr-lulkP7o2xmQ&bvm=bv.66111022,d.aWc. [Last accessed on 2016 July 20].

[126] Salt AA, Hullar TE. Responses of the ear to low-frequency sounds, infrasound and wind turbines. *Hearing Research* 2010;268:12-21.

[127] Salt AN, Lichtenhan JT. How does wind turbine noise affect people? *Acoustics Today* 2014;10:20-28.

[128] Salt AN, Kaltenbach JA. Infrasound from wind turbines could affect humans. *Bulletin of Science, Technology & Society* 2011;31:296-302.

[129] Salt AN, Lichtenhan JT. Responses of the inner ear to infrasound. Presentation at Fourth International Meeting on Wind Turbine Noise, April 2011. Available from: http://oto2.wustl.edu/cochlea/saltlichtenhan.pdf. [Last accessed on 2016 July 20].

[130] Salt AN, Lichtenhan JT. Perception-based protection from low-frequency sounds may not be enough. Presentation at 2012 Internoise conference, August 2012. Available from: http://oto2.wustl.edu/cochlea/saltlichtenhaninternoise2012.pdf. [Last accessed on 2016 July 20].

[131] Salt AN, Lichtenhan JT, Gill RM, Hartsock JJ. Large endolymphatic potentials from low-frequency and infrasonic tones in the guinea pig. *Journal of the Acoustical Society of America* 2013;133:1561-1571.

[132] Salt AN. Wind Turbines can be hazardous to human health. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&ved=0CCcQFjAA&url=http%3A%2F%2Foto2.wustl.edu%2Fcochlea%2Fwind.html&ei=PSl6U-fkMIedqAbW1YLIAw&usg=AFQjCNE7m2g3uKmdL4OgN4es_-gymFbe-g&sig2=a8SmsvCVRQ2lb_TC4Idjfw&bvm=bv.66917471,d.b2k&cad=rja. [Last accessed on 2016 July 20].

[133] Oohashi T, Nishina E, Honda M, Yonekura Y, Fuwamoto Y, Kawai N., et al. Inaudible high-frequency sounds affect brain activity: hypersonic effect. *Journal of Neurophysiology* 2000; 83:3548-3558.

[134] Bauer M, Sander-Thömmes T, Ihlenfeld A, Kühn S, Kühler R, Koch C. Investigation of perception at infrasound frequencies by functional magnetic resonance imaging (fMRI) and magnetoencephalography (MEG). Presentation at 22nd International Congress on Sound and Vibration. Available from: https://stopthesethings.files.wordpress.com/2015/07/full_paper_koch-v2-1.pdf. [Last accessed on 2016 July 14.]

[135] He M, Krahé D. EEG reaction under low frequency noise exposure. Presentation at 22nd International Congress on Sound and Vibration. Available from: http://waubrafoundation.org.au/wp-content/uploads/2016/02/He-Krahe-EEG-Reaction-Under-Low-Frequency-Noise-Exposure.pdf. [Last accessed on 2016 July 15.]

[136] Kugler K, Wiegrebe L, Grothe B, Kössl M, Gürkov R, Krause E, et al. Low-frequency sound affects active micromechanics in the human inner ear. *Royal Society Open Science* October 2014. Available from: http://dx.doi.org/10.1098/rsos.140166. [Last accessed on 2016 July 20].

[137] Kemp DT. Stimulated acoustic emissions from within the human auditory system. *Journal of the Acoustical Society of America* 1978;64:1386-1391.

[138] Schomer PD, Erdreich J, Pamidighantam PK, Boyle JH. A theory to explain some physiological effects of the infrasonic emissions at some wind farm sites. *Journal of the Acoustical Society of America* 2015;137,1356-1365.

[139] Michaud DS, Feder K, Keith SE, Voicescu SA, Marro L, Than J, et al. Effects of wind turbine noise on self-reported and objective measures of sleep. *Sleep* 2016;39(1):97-109.

[140] Michaud D. Health and well-being related to wind turbine noise exposure: Summary of results. *Journal of the Acoustical Society of America* 2015;137:2368.

[141] Michaud DS, Feder K, Keith SE, Voicescu SA, Marro L, Than J, et al. Exposure to wind turbine noise: perceptual responses and reported health effects. *Journal of the Acoustical Society of America* 2016;139:1443-1454.

[142] Michaud DS, Keith SE, Feder K, Voicescu SA, Marro L, Than J, et al. Personal and situational variables associated with wind turbine noise annoyance *Journal of the Acoustical Society of America* 2016;139:1455-1466.

[143] Michaud DS, Feder K, Keith SE, Voicescu SA, Marro L, Than J, et al. Self-reported and measured stress related responses associated with exposure to wind turbine noise. *Journal of the Acoustical Society of America* 2016;139:1467-1479.

[144] Voicescu SA, Michaud DS, Feder K, Marro L, Than J, Guay M, et al. Estimating annoyance to calculated wind turbine shadow flicker is improved when variables associated with wind turbine noise exposure are considered. *Journal of the Acoustical Society of America* 2016;139:1480-1492.

[145] Michaud DS. An evaluation of how nightly variations in wind turbine noise levels influence wrist actigraphy measured sleep patterns. *Journal of the Acoustical Society of America* 2016;139:2150.

[146] Pedersen E, van den Berg F, Bakker R, Bouma J. Response to noise from modern wind farms in The Netherlands. *Journal of the Acoustical Society of America* 2009;126:634-643.

[147] Position of the National Institute of Public Health – National Institute of Hygiene on wind farms. March 8, 2016. Available from: http://en.friends-against-wind.org/health/position-of-the-polish-public-health-institute-on-wind-farms. [Last accessed on 2016 July 14.]

[148] Knopper LD, Ollson CA, McCallum LC, Whitfield Aslund ML, Berger RG, Souweine K, McDaniel M. Wind turbines and human health. *Frontiers in Public Health* 2014;19.

[149] Pedersen E, Persson Waye KP. Wind turbine noise, annoyance and self-reported health and wellbeing in different living environments. *Occupational and Environmental Medicine* 2007;64(7):480-486.

[150] Tempest W. Loudness and annoyance due to low frequency sound. *Acustica* 1973;29: 205-209.

[151] Bastasch M, van Dam J, Søndergaard B, Rogers A. Wind turbine noise: an overview. *Canadian Acoustics* 2006;34:7-15.

[152] Ruotolo F, Senese VP, Ruggiero G, Maffei L, Masullo M, Iachin T. Individual reactions to a multisensory immersive virtual environment: the impact of a wind farm on individuals. *Cognitive Processing* 2012; Suppl 1, S319-23.

[153] Rylander R. Physiological aspects of noise-induced stress and annoyance. *Journal of Sound and Vibration* 2004;277:471–478.

[154] Fast S, Mabee W, Baxter J, Christidis T, Driver L, Hill S, et al. Lessons learned from Ontario wind energy disputes. *Nature Energy* 2016. Available from: http://www.nature.com/articles/nenergy201528. [Last accessed on 2016 July 18.]

[155] McCallum LC, Whitfield Aslund ML, Knopper LD, Ferguson GM, Ollson CA. Measuring electromagnetic fields (EMF) around wind turbines in Canada: is there a human health concern? *Environmental Health* 2014;13:1-6.

[156] Röösli M. Radiofrequency electromagnetic field exposure and non-specific symptoms of ill health: a systematic review. *Environmental Research* 2008;107(2):277–287.

[157] Rubin GJ, Das Munshi J, Wessely S. Electromagnetic hypersensitivity: a systematic review of provocation studies. *Psychosomatic Medicine* 2005;67(2):224–232.

[158] Fletcher H, Munson WA. Loudness, its definition, measurement and calculation. *Journal of the Acoustical Society of America* 1933;5:82-108.

[159] Pedersen E, Persson Waye KP. Wind turbines—low level noise sources interfering with restoration? *Environmental Research Letters* 2008;3:1-5.

[160] Bray W. Relevance and applicability of the soundscape concept to physiological or behavioral effects caused by noise at very low frequencies which may not be audible. Presentation at 164th meeting of Acoustical Society of America, October 2012. Available from: http://acoustics.org/pressroom/httpdocs/164th/Bray_2aNS6.html. [Last accessed on 2016 July 20].

[161] McMurtry RY. Toward a case definition of adverse health effects in the environs of industrial wind turbines: facilitating a clinical diagnosis. *Bulletin of Science, Technology & Society* 2011; 31:316-320.

[162] McMurtry RY, Krogh CME, Diagnostic criteria for adverse health effects in the environs of wind turbines. *Journal of the Royal Society of Medicine Open* 2014;5:1–5.

[163] McCunney RJ, Morfeld P, Colby WD, Mundt KA. Wind turbines and health: An examination of a proposed case definition. *Noise & Health* 2015;17:175-181.

[164] Halperin A. Big wind is better than big oil, but just as bad at P.R. June 15, 2014. Available from: https://newrepublic.com/article/118138/big-wind-needs-address-wind-turbine-syndrome. [Last accessed on 2016 July 20].

[165] Berglund B, Hassmen P, Soames Job RF. Sources and effects of low-frequency noise. *Journal of the Acoustical Society of America* 1996;99:2985-3002.

[166] ISO 1996-1:2016. Acoustics—Description, measurement and assessment of environmental noise—Part 1: Basic quantities and assessment procedures. Available from: http://www.iso.org/iso/home/store/catalogue_ics/catalogue_detail_ics.htm?csnumber=59765. [Last accessed on 2016 July 11].

[167]ANSI/ASA S12.9—2005/Part 4 (R2015). Quantities and procedures for description and measurement of environment sound—Part 4: Noise assessment and prediction of long-term community response. Available from: http://webstore.ansi.org/RecordDetail.aspx?sku=ANSI%2fASA+S12.9-2005%2fPart+4+(R2015). [Last accessed on 2016 July 11].

[168] Hill AB. The environment and disease: association or causation? *Proceedings of the Royal Society of Medicine* 1965;58:295-300.

[169] Phillips CV. Properly interpreting the epidemiologic evidence about the health effects of industrial wind turbines on nearby residents. *Bulletin of Science, Technology & Society* 2011;31:303-315.

[170] World Health Organization Health topics: epidemiology. Available from: http://www.who.int/topics/epidemiology/en/. [Last accessed on 2016 July 20].

[171] Songer T. Basic epidemiology: study designs in epidemiologic research. Available from: http://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=2&ved=0CCsQFjAB&url=http%3A%2F%2Fwww.pitt.edu%2F~super7%2F19011-20001%2F19101.ppt&ei=LRibU4PAPMyiyATpioGwDQ&usg=AFQjCNG5R1wNMj3ipEws4rzLaG7kHvH0CQ&sig2=T1hDZwtnlN7BGvsvpCIfgQ&bvm=bv.68911936,d.aWw&cad=rja. [Last accessed on 2016 July 20].

[172] University of Ottawa. Society, the individual and medicine: study designs. Available from: http://www.med.uottawa.ca/sim/data/Study_Designs_e.htm. [Last accessed on 2016 July 20].

[173] Chapman S, St. George A, Waller K, Cakic V. The pattern of complaints about Australian wind farms does not match the establishment and distribution of turbines: support for the psychogenic, 'Communicated Disease' hypothesis. *PLoS ONE* 2013;8(10). Available from: http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3797792/. [Last accessed on 2016 July 20].

[174] Crichton F, Dodd G, Schmid G, Gamble G, Petrie KJ. Can expectations produce symptoms from infrasound associated with wind turbines? *Health Psychology* 2013;33:360-364.

[175] Punch J. Review of Crichton et al. (Can expectations produce symptoms from infrasound associated with wind turbines?). March 28, 2013. Available from: http://www.wind-watch.org/documents/review-of-crichton-et-al-can-expectations-produce-symptoms-from-infrasound-associated-with-wind-turbines/. [Last accessed on 2016 July 20].

[176] Williams T. The effects of expectations on perception: experimental design issues and further evidence. Working paper series, Federal Reserve Bank of Boston, No. 07-14. Available from: http://www.bostonfed.org/economic/wp/wp2007/wp0714.pdf. [Last accessed on 2016 July 20].

[177] Crichton F, Dodd G, Schmid G, Gamble G, Cundy T, Petrie KJ. The power of positive and negative expectations to influence reported symptoms and mood during exposure to wind farm sound. *Health Psychology* 2013; 33:1588-1592.

[178] Chen HA, Narins P. Wind turbines and ghost stories: the effects of infrasound on the human auditory system. *Acoustics Today* 2012;8:51-56.

[179] Tonin R, Brett J, Colagiuri B. The effect of infrasound and negative expectations to adverse pathological symptoms from wind farms. *Journal of Low Frequency Noise, Vibration and Active Control* 2016;35(1);77–90.

[180] Taylor J, Eastwick C, Wilson R, Lawrence C. The influence of negative oriented personality traits on the effects of wind turbine noise. *Personality and Individual Differences* 2013;54:338–343.

Origination:	*08/1986*
Last Approved:	*12/2015*
Last Revised:	*12/2015*
Next Review:	*12/2017*
Owner:	*Dawn A. Harris: DON*
Policy Area:	*Nicolet Psychiatric Center*
References:	

Visiting – Nicolet Psychiatric Center

POLICY:

It is the policy of the Nicolet Psychiatric Center not to deny visitation privileges on the basis of race, color, national origin, religion, sex, sexual orientation, gender identity, or disability. Visiting hours are 1800-2000 daily including weekends and holidays. (Staff has the ability to limit the number of visitors.)

SPECIAL INSTRUCTIONS:

1. Every client shall be permitted to see visitors each day.
2. Visitors arriving during visiting hours shall be permitted to visit unless the client refuses to see the visitor. Safety and confidentiality concerns are addressed through discussion with and the judgment of the RN on duty. Exceptions to regular hours may be made with Registered Nurse or Social Worker approval.
3. The visiting hours are scheduled to avoid conflict with programming.

COPY

PROCEDURE:

1. All visitors are to register at the reception desk before coming to the unit and to receive visiting information and a visitor's badge. The operator will call the unit to notify staff and verify consent. Visitors with children under the age of 12 will be allowed to visit in a private visiting area only.
2. Nursing staff will check the client consent form and notify the client of the visitor. Forms are in the consent book located by the desk phone. Every visitor is permitted to visit unless the client refuses to see them. (Refer to step #7)
3. Clients may visit in the client lounge. Visitors are not allowed in client rooms. **Exception**: Visitors may be allowed in a client's room with RN's permission. If possible, a visiting room will be provided at the RN's discretion.
4. Visitors are not allowed to smoke within the facility. Visitors' smoking restrictions include outside areas.
5. If visitor presence on the unit is not deemed safe at the moment, visitors may be asked to wait in the lobby for a short period of time. Staff will notify the operator as soon as the situation is safe so that the visitor may enter with as little delay as possible.
6. Clients in seclusion may have limited visiting privileges. Visiting privileges are restricted only on a physician order. Refer to Administration Procedure **"Restriction of Rights."**

Copyright © 2016 Brown County Human Services

7. Visitors are required to remove coats, purses, bags, etc., and place them in lockers provided outside the unit or they may return coats and following items to their vehicle. Items **not allowed** to bring on the unit: Illicit drugs, alcohol, purses, baggage of any size or kind, food, beverages, matches, lighters, medications (prescription or over-the-counter), strollers, cell phones, hats. Any item brought onto the unit must be checked in at the nurse's station. To ensure safety and accuracy, items brought in for a client must be recorded onto the client's possession form. This form must be signed and witnessed.
8. Visitors are responsible for their behaviors and for abiding by visiting rules and procedures. Any visitor disturbing other clients or refusing to comply with this policy or acting inappropriately may be asked to leave by the RN on duty. This should be explained to the client. Intoxicated visitors will not be allowed on the unit.
9. Per staff discretion, visitors or clients may be electric-wanded if weapons are suspected. Wand is available in unit medication room.
10. All questions about client care/status are to be directed to the RN on duty. Requests by visitors to the physician or social worker will be routed via message slip to those persons.
11. Former clients who were recently discharged will not be allowed to visit clients at Nicolet Psychiatric Center for 6 months unless related to the client on the unit. An exception can be made at the RN's discretion for those individuals who have been in a long-term relationship with the hospitalized client prior to his/her own hospitalization.

REFERENCES:

HFS 124; HFS 94; Nursing Care Standard: Client /Employee/Visitor Safety

FORMS/ATTACHMENTS:

None

COPY

Attachments:

No Attachments

Copyright © 2016 Brown County Human Services

Community Treatment Center- Nicolet Psychiatric Center

Group Programming Schedule

Time	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday
7:30 AM	**Breakfast**						
8:30 AM	Goals Group (CNA)	Goals Group (CNA)	Goals Group (CNA)	Goals Group (CNA)	Goals Group (CNA)	Goals Group (CNA)	Goals Group (CNA)
9-10:30	**Psychiatrist Rounds**						
10:30AM	COTA Group	COTA Group	COTA Group	COTA Group	COTA Group	COTA Group	COTA Group
11:30AM	**Lunch**						
12:30pm	Mental Health Group SW	Mental Health Group SW	Mental health Group SW	Mental health Group SW	Mental health Group SW	Mental health Group SW	Mental health Group SW
2:15pm	Activities COTA	Activities COTA	Activities COTA	Activities COTA	Activities COTA	Activities COTA	Activities COTA
4:00pm	Healthy Lifestyles. C.N.A	Healthy Lifestyles C.N.A	Healthy Lifestyles C.N.A	Healthy Lifestyles C.N.A	Healthy Lifestyles C.N.A	Healthy Lifestyles C.N.A	Healthy Lifestyles C.N.A
5:00PM	**Supper**						
6-8PM	**Visiting Hours**						
8PM	Leisure Activity C.N.A	Leisure Activity C.N.A	Leisure Activity C.N.A	Leisure Activity C.N.A	Leisure Activity C.N.A	Leisure Activity C.N.A	Leisure Activity C.N.A

Human Services Budget Status

November 16, 2016

Concerns Raised

- "Deficit" Budget for 2016
- Use of Mental Health Initiative Funds to Balance Budget
- Status of Human Services Fund Balances
- End of Year--2016

2016 Community Programs Planned Fund Balance Need

	Planned-2016	2015 Actual	2016 Status
Funds Needed	$1,094,084		$1,087,633
Funds Used		$1,795,897 • WIMCR • Juvenile Justice Placements • Protection Placements • CTC Deficit/Transfer	
Fund Balance Available	$1,795,897		$346,353

Mental Health Initiatives

	September 30, 2016	Projected 2016	2017 Budget
Levy Allocated	$1,150,000	$1,150,000	$1,150,000
Mobile Crisis Expansion	$108,750	$174,000	$200,000
Detoxification	$11,380	$45,520	$300,000
Residential Treatment		$100,000	$300,000
Day Report Center		$94,791	$350,000
Transfer-Family Access Solutions	$60,000	$60,000	$0
Total Expenditures:	$180,130	$474,311	$1,150,000
Available Funds:	$969,870	$675,689	$0

Summary

Budgeted Fund Balance Use (Non-Mental Health Initiative)

Planned Fund Balance Use-2016		Available CP Fund Balance		Projected Funds Needed		Additional Funds Needed
$(1,094,084)	→	$346,353	+	$(1,087,633)	=	$(741,280)

Mental Health Initiative Spending

Amended Budget		Expenditures (9/30/2016)		Projected Expenditures		Available Funds-2016
$1,150,000	→	$180,130	→	$474,311	=	$675,689